



February 11, 2025

Jonathan Bleuer Office of Planning and Zoning Town of Clarence One Town Place Clarence, NY 14031

RE: CONCEPT/SEQR REVIEW

STRICKLER & GREINER SUBDIVISION

Dear Mr. Bleuer:

This letter and the enclosed project documentation is being submitted to respond to the provided SEQR comments as part of the Coordinated Review process for the Strickler & Greiner subdivision project. Included with this submission are two (2) copies of the Traffic Impact Study for the subdivision.

The following sections of this letter have been prepared for the purpose of responding to the agency reviews that have been issued. For the purposes of convenience, each of the comments in the agency reviews have been reproduced below in *italics* followed by a response to each comment.

#### I. COMMENTS OF THE NYSDEC DATED SEPTEMBER 6, 2024:

The Memorandum issued by Lisa Czechowicz, Regional Permit Administrator, dated September 6, 2024, provided the following comments:

<u>Comment #1:</u> The project area may include federally regulated wetlands based on a review of the National Wetlands Inventory wetland mapping. The project sponsor should consult with the United States Army Corps of Engineers (USACE), telephone: 716/879-4330, concerning USACE regulatory jurisdiction to determine if the project will impact federally regulated wetlands or require any other approval from that agency. If federal wetlands are involved, USACE may require the project sponsor to obtain a Section 401 Water Quality Certification (WQC) from NYSDEC.

Response to Comment #1: A wetland delineation has been performed on the project site and identified wetlands that will potentially fall under the regulatory jurisdiction of the USACE. While these wetlands are largely avoided it is anticipated that a permit may be required due to potential impacts.

<u>Comment #2:</u> In 2022, New York's Freshwater Wetlands Act was amended and several important changes to the program were made...

... As a result of the statutory changes noted above, DEC will be working to amend DEC's freshwater wetlands regulations and update procedural steps to implement these changes. Note that these regulatory changes may have an impact upon this project.

<u>Response to Comment #2:</u> The Project Sponsor acknowledges that the NYSDEC has issued new wetland regulations which may impact the Project Site.

<u>Comment #3:</u> Since project activities will involve land disturbance of 1 acre or more, the project sponsor, owner or operator is required to obtain a State Pollutant Discharge Elimination System General Permit for Stormwater Discharges from Construction Activity (GP-0-20-001). This General Permit requires the project sponsor, owner or operator to control stormwater runoff according to a Stormwater Pollution Prevention Plan (SWPPP), which is to be prepared prior to filing a Notice of Intent (NOI) and prior to commencement of the project. More information on General Permit GP-0-20-001, as well as the NOI form, is available on the Department's website.

The Town of Clarence is designated as an MS4 community. The project sponsor, owner or operator of a construction activity that is subject to the requirements of a regulated, traditional land use control MS4 shall have their SWPPP reviewed and accepted by the MS4 community. The "MS4 SWPPP Acceptance" form must be signed by the principle

Greenman-Pedersen, Inc. 4950 Genesee Street, Suite 100 Buffalo, NY 14225 t (716) 633-4844 f (716) 633-4940

8080 Wehrle Drive Page 2

executive officer or ranking elected official from the MS4 community, or by a duly authorized representative of that person, and submitted along with the eNOI to receive NYSDEC approval before construction commences.

Response to Comment #3: The Project Sponsor acknowledges and understands that the proposed project will be subject to the NYSDEC SWPPP requirements including the new General Permit GP-0-25-001.

Comment #4: The project site was noted to be located in an archaeologically sensitive area based on information obtained through the Cultural Resource Information System (CRIS) on the New York State Office of Parks, Recreation, and Historic Preservation's (OPRHP) website. As part of the SEQR process, this concern should be evaluated, unless it can be verified by appropriate documentation that the site has been significantly disturbed in a way that would destroy potential artifacts. Please recognize that normal agricultural activities, such as plowing, would not constitute such land disturbance. If there are any questions regarding this, contact OPRHP (telephone: 518/237-8643)

Response to Comment #4: A Stage 1 Archaeological Investigation has been performed on the project site and no further investigations were recommended from the report. Confirmation of the results will be confirmed with OPRHP.

# II. COMMENTS OF THE ERIE COUNTY DEPARTMENT OF ENVIRONMENT AND PLANNING DATED SEPTEMBER 26, 2024:

The Memorandum issued by Timothy German of Erie County Department of Environment and Planning dated September 26, 2024, provided the following comments:

<u>Comment #1:</u> According to the Erie-Niagara Framework for Regional Growth (2006), the project site is located in a Developed Area. For the Developed area, the Framework encourages localities to develop interconnected networks of streets, sidewalks, and multi-use trails, as well as compact, pedestrian-oriented, mixed-use development. (Pages 47 & 48) The Town should consider these recommendations during its review.

**Response to Comment #1:** The proposed subdivision meets the Town's zoning regulations and was determined to be the preferred alternative for the Project Site.

Comment #2: The Town of Clarence Comprehensive Plan (2016) identifies the project area as "Hamlet Neighborhood" in its future land use map, near the Hamlet of Clarence Hollow. The project as proposed may be out of character with this area, which is dense and walkable with a traditional linear street network. (Page 47) The Town and applicant should explore any opportunity to provide additional pedestrian or vehicle connections to Main Street to the extent feasible.

Response to Comment #2: Opportunities from the Project Site to Main Street are limited by the escarpment located at the south end of the property. Multiple concepts were prepared for the project site and the Town and developer preferred concept was chosen for approval processing.

<u>Comment #3:</u> The subject property is located adjacent to a parcel that is enrolled in the Erie County North Agricultural District. The continued conversion of open spaces in the region places local agricultural operations under increased development pressure as rising property values encourage land speculation. The Town should also ensure that the applicant provides an Agricultural Data Statement.

Response to Comment #3: The Project Site is wooded and has not had any agricultural operations in over 30 years.

<u>Comment #4:</u> The Town and applicant should consider alternative lot layouts with larger contiguous areas of open space within the site. In combination with increased buffer distances around natural features, this may provide greater ecological benefits than those shown on the provided plan.

Response to Comment #4: Various alternative layouts were prepared for the project site and the preferred plan submitted includes 45% open space as currently proposed. We believe this addresses the County's request for contiguous areas of open space.

8080 Wehrle Drive Page 3

<u>Comment #5:</u> The project site contains a tributary to Ransom Creek, which is listed as a NYSDEC 303(d) impaired waterway. Development within this area may impact water quality downstream. The Town should ensure that best practices for control of site runoff are utilized during construction.

Response to Comment #5: The Project Sponsor acknowledges the requirement to design and install appropriate site erosion and sediment control features on the Project Site.

<u>Comment #6:</u> The provided EAF Mapper Summary Report identifies the project site as within a potentially archaeologically sensitive area. The applicant should complete a Phase I archaeological survey prior to proceeding with the project.

<u>Response to Comment #6:</u> A Stage 1 Archaeological Investigation has been performed on the project site and no further investigations were recommended from the report. Confirmation of the results will be confirmed with OPRHP.

# III. COMMENTS OF THE ERIE COUNTY DIVISION OF SEWERAGE MANAGEMENT DATED SEPTEMBER 26, 2024:

The e-mail issued by Michael Larson of the Erie County Division of Sewerage Management dated September 26, 2024, provided the following comments:

<u>Comment #1:</u> The proposed project is located inside of Erie County Sewer District No. 5. The sanitary sewers near the proposed project are owned by the ECSD #5. The sanitary flows are tributary to Erie County and Amherst trunk and interceptor lines and ultimately travel to the Amherst Wastewater Treatment Facility.

Response to Comment #1: No comment.

Comment #2: Review and approval of any proposed sanitary sewers is required by Erie County DSM.

<u>Response to Comment #2:</u> The Project Sponsor acknowledges that review and approval of any sanitary sewer design will be required by Erie County DSM.

<u>Comment #3:</u> Sanitary sewer system design shall be in accordance with Ten States Standards and Erie County Sewer District Rules and Regulations and Design Requirements.

<u>Response to Comment #3:</u> The Project Sponsor acknowledges that any sanitary sewer design will follow Ten States Standards and Erie County requirements.

**Comment #4:** A Downstream Sewer Capacity Analysis (DSCA) may be required for this project.

Response to Comment #4: The Project Sponsor acknowledges and understands that a DSCA will be required for project approval by ECDSM. Downstream monitoring was performed in the Spring of 2023 and capacity was available at that time for the project.

Comment #5: Sanitary sewer Inflow and Infiltration (I/I) removal work in ECSD No. 5 may be required for this project.

Response to Comment #5: The Project Sponsor acknowledges and understands that I/I fee or offset work will be required for this project.

# IV. <u>COMMENTS OF THE NEW YORK STATE OFFICE OF PARKS, RECREATION AND HISTORIC PRESERVATION DATED SEPTEMBER 3, 2024:</u>

The e-mail issued by Sydney Snyder of the New York State Office of Parks, Recreation and Historic Preservation dated September 3, 2024, provided the following comments:

8080 Wehrle Drive Page 4

<u>Comment #1:</u> The project is in an archaeologically sensitive location. Therefore, the State Historic Preservation Office/Office of Parks, Recreation and Historic Preservation (SHPO/OPRHP) recommends a Phase IA/IB archaeological survey for components of the project that will involve ground disturbance, unless substantial prior ground disturbance can be documented. A Phase IA/IB survey is designed to determine the presence or absence of archaeological sites or other cultural resources in the project's Area of Potential Effects (APE).

Response to Comment #1: A Stage 1 Archaeological Investigation has been performed on the project site and no further investigations were recommended from the report. The results will be submitted to OPRHP for a final determination.

#### V. CONCLUSION

The applicant requests that the Planning Board issue a negative declaration pursuant to the State Environmental Quality Review Act ("SEQRA") at the next available Planning Board meeting.

Please feel free to contact me at 989-3342 if you have any questions. Thank you for your consideration in this matter.

Sincerely,

GREENMAN-PEDERSEN, INC.

Kenneth C. Zollitsch Director of Land Planning

cc: Designer Homes

Jeffrey Palumbo, Esq., Block & Longo

2300033.00



# **Traffic Impact Study**

January 2025

Greiner & Strickler Rd Subdivision Clarence, New York

Prepared for: Designer Homes of WNY

P.O. Box 470

Eat Amherst, NY 14051



WARNING: The alteration of this material in any way, unless under the direction of a comparable professional, i.e. a Professional Engineer, is a violation of the New York State Education Law and/or Regulations and is a Class 'A' misdemeanor.

# Table of Contents

1.0 Introduction	1
2.0 Project Area	1
3.0 Existing Conditions	3
3.1 Roadway Description	3
3.2 Data Collection	4
3.3 Existing Traffic Volumes	5
3.4 Sight Distance	5
3.5 Crash History	7
3.7 Background Traffic Growth	7
4.0 Projected Traffic Conditions	9
4.1 Site Generated Traffic	9
4.2 Trip Distribution	9
4.3 Build Condition Traffic Volumes	10
5.0 Operating Conditions	14
5.1 Capacity Analysis Description	14
5.2 Results of Analysis	14
5.3 Traffic Signal Warrant Analysis	17
3.5 Traine signar vvariance in any sistematic in a signar was a signar	1 /

# Appendices

- A. Site Plan
- B. Traffic Counts/Data Collection Data
- C. Crash History Data
- D. Capacity Analysis Output Sheets
- E. Signal Warrant Analysis Worksheets



# List of Tables

Table 1 – Sight Distance Summary	5
Table 2 – Crash Type Summary	7
Table 3 – Trip Generation Summary	9
Table 4 – Level of Service Criteria	14
Table 5 – Level of Service Summary	15
List of	Figure
Figure 1 – Site Location Map	2
Figure 1 – Site Location MapFigure 2 – 2024 Existing Condition Peak Hour Traffic Volumes	
	6
Figure 2 – 2024 Existing Condition Peak Hour Traffic Volumes	6 8
Figure 2 – 2024 Existing Condition Peak Hour Traffic Volumes Figure 3 – 2030 No-Build Condition Peak Hour Traffic Volumes	8 11



#### 1.0 Introduction

Greenman-Pedersen Inc. (GPI) has been retained to assess the traffic impacts of a 62-unit residential subdivision located at the corner of Greiner Rd and Strickler Rd in the Town of Clarence, Erie County, New York.

The following report details the analysis performed to assess the traffic impacts of the proposed development on the adjacent roadway network within the study area. This report includes a summary of the assumptions and procedures used in the analysis, as well as the findings of the analysis and any recommended improvements necessary to mitigate the identified traffic impacts resulting from site traffic.


# 2.0 Project Area

This new development is proposed to include 62 single family homes and will be located on the southeast corner of the Greiner Rd and Strickler Rd intersection. It will have two access points, one on Greiner Rd (approximately 1,500 feet from Strickler Rd), the other on Strickler Rd (across from Winding Lane, approximately 1,850 feet from Greiner Rd. A plan showing the site's layout and access is located in Appendix A of this report.

The project area was determined after discussions with the Town and includes the following existing intersections:

- Greiner Rd and Strickler Rd
- Greiner Rd and Kraus Rd
- Strickler Rd and Winding Rd (proposed site access location)
- > Stricker Rd and Main St

Figure 1 – "Site Location Map" depicts the location of the proposed development in relation to the area's roadways.



Engineering Design Planning Construction Management

TRAFFIC IMPACT STUDY CLARENCE, NEW YORK

NO SCALE JANUARY 2025

# 3.0 Existing Conditions

## 3.1 Roadway Description

The study area's intersections are located along Greiner Rd and Strickler Rd in the Town of Clarence, New York. A description of the project area roadways and intersections follows:

#### <u>Roadways</u>

**Greiner Rd** is a 2-lane east-west roadway that is classified as an Urban Minor Arterial and is maintained by the County. Within the study area, Greiner Rd generally consists of one 11-foot travel lane per direction and 2 to 4-foot shoulders. The posted speed limit is 40 mph along this roadway within the study area. The Clarence middle school is located on the northwest corner of the Strickler Rd intersection with Greiner Rd and a 30 mph school speed limit is posted along the school frontage for school days between the hours of 7 AM and 6 PM.

**Strickler Rd** is a 2-lane north-south roadway that is classified as an Urban Major Collector Road and is maintained by the County. Within the study area, Strickler Rd generally consists of one 11-foot travel lane per direction and 2 to 4-foot shoulders. The posted speed limit is 45 mph along this roadway within the study area.

#### Intersections

**Greiner Rd and Strickler Rd** is a 4-legged, all-way stop-controlled (AWSC) intersection located approximately, 1,500 feet west of the site's Greiner Rd entrance and 1,850 north of the site's Strickler Rd entrance. Each approach to this intersection has a single entering and single departing lane.

Greiner Rd and Kraus Rd is a 4-legged, two-way stop-controlled (TWSC) intersection with stop sign control along the Kraus Rd approaches. It is located approximately 2,650 feet east of the Greiner-Strickler intersection. Each approach to this intersection has a single entering and single departing lane. The southern approach is skewed (doesn't approach at a 90 degree angle) and has a large radius on the southwest corner (to accommodate truck turning onto the skewed approach). There are no stop bars or lane striping marked on either of the Kraus Rd approaches.





Strickler Rd and Winding Lane is a 3-legged intersection with stop-sign control on the Winding Ln approach. The Strickler Rd access to the proposed site is planned to access the roadway across from Winding Ln forming a 4-legged TWSC intersection in the future. Each approach to this intersection has a single entering and single exiting lane. Winding Lane is one of three access points that serve a residential subdivision of approximately 75 homes to the west of Strickler Rd.

#### Strickler Rd/Shisler Rd and Main St (NY Route 5)

is a 4-legged signalized intersection located approximately 1,750 feet south of the proposed Strickler Rd Site entrance and Winding Ln. The northern (Strickler Rd) and southern (Shisler Rd) approaches have single entering and exiting lanes, while the east and west approaches have separate thru-right lanes and left turn lanes. The left turn lanes are formed out of a two-way left turn lane





(TWLTL) median that runs along Main St. The turn lanes are striped to provide dedicated left turn lane access at the intersection of 150 feet eastbound and 300 feet westbound, but if queues at the signal extend past those lengths, vehicles can still queue in the TWLTL, so they would not be impeding Main St through traffic. This intersection is controlled by an actuated signal (can detect when vehicles are present and adjust phase lengths accordingly). The signal has separate phases for the Main St and Strickler Rd approaches and has protected-permitted phasing for the main street left turn movement (Protected-permitted meaning left turn vehicles have a dedicated left turn green arrow phase but can turn left when gaps are available during the Main St green phase as well).

#### 3.2 Data Collection

A field investigation of the study area included traffic counts, a speed study and sight distance measurements. Turn movement traffic counts were conducted at the Study Area intersections during the peak travel periods of 7:00 AM – 9:00 AM and 2:30 PM – 6:00 PM on Tuesday, December 10<sup>th</sup>, 2024. This data was utilized to develop AM and PM peak hour traffic volumes for the study area. It should be noted that 2:30 was selected as the PM start time, opposed to the more traditional 4:00 PM, to ensure impacts from the Clarence Middle School peak traffic on the roadway's afternoon peak hour were observed.

## 3.3 Existing Traffic Volumes

Based on the vehicle traffic data recorded it was determined that the weekday morning and afternoon peak hours for roadway traffic within the study area are 8:00 AM – 9:00 AM and 3:30 PM – 4:30 PM, respectively. Reviewing NYSDOT seasonal adjustment factors, it was determined that weekday December traffic is within about 1% of average annual conditions, so no seasonal adjustment was made to the count data. Traffic count data sheets for each of the intersections are included in Appendix B of this report. The 2024 Existing Peak Hour Traffic Volumes are shown in Figure 2 on the next page.


# 3.4 Sight Distance

A speed study was conducted along both Greiner Rd and Strickler Rd at the proposed driveway locations. This study (see Appendix B for data sheet) revealed that the 85<sup>th</sup> percentile speed approaching each of the site driveways is between 47 and 50 mph. As such, a 50-mph design speed was used for the sight distance evaluation.

Sight distance measurements were conducted in accordance with the methodologies discussed in AASHTO's "A policy on geometric design of Highways and Street", 7<sup>th</sup> edition. These measurements revealed that there is more than 1,000 feet of sight distance available in all directions (looking left and right) from each of the site access roads. Any length above 555 feet would be sufficient to meet the required intersection sight distance criteria. As such, sight distance will not be an issue for the proposed site access roads. Table 2 below summarized the sight distance data.

Table 1
Sight Distance Summary

Location	Side Street Turn Movement	Direction	Available Sight Distance	Design Speed (mph)	Required Stopping Sight Distance	Recommended Intersection Sight Distance
S': A D I	Right Turn	Left (West)	1000'+	50	425'	480'
Site Access Road along Greiner Rd	Left Turn	Left (West)	1000'+	50	425'	555'
along Greiner Ku	Leit Turn	Right (East)	1000'+	50	425'	555'
	Right Turn	Left (South)	1000'+	50	425'	480'
Site Access Road along Strickler Rd		Left (South)	1000'+	50	425'	555'
	Left Turn	Right (North)	1000'+	50	425'	555'



Engineering
Design
Planning
Construction Management

GREINER & STRICKLER RD SUBDIVISION TRAFFIC IMPACT STUDY CLARENCE, NEW YORK 2024 EXISTING CONDITION PEAK HOUR VOLUMES

SCALE: DATE: FIGURE NO.

NO SCALE JANUARY 2025 2

#### 3.5 Crash History

A crash analysis was performed along Greiner Rd and Strickler Rd adjacent to the proposed site to assess safety needs near the site access road intersections. This analysis included data for the 3-year period from March 31, 2021, to March 31, 2024, and included all available crash records for Strickler Rd between Winding Ln and Greiner Rd, and Greiner Rd between Strickler Rd and Hillcrest Dr. The crash record details and police reports are in included in Appendix C.

Overall, 9 applicable crashes were noted during the study period. Of these crashes, 6 occurred at the Greiner Rd/and Strickler Rd intersection and 3 occurred along the Greiner Rd segment between Strickler Rd and Hillcrest Dr. There were no reported crashes along the Strickler Rd segment.

Two of the crashes reported involved personal injury (both right angle crashes at the intersection) and the remaining involved property damage only. A summary of the crash types reported during the study period is shown in Table 2.

Table 2
Crash Type Summary


Intersection	Right Angle	Rear End	Animal	Total
Greiner Rd/Strickler Rd Intersection	5	1	0	6
Greiner Rd between Stricker and Hillcrest	0	0	3	3
Strickler Rd between Winding and Greiner	0	0	0	0
Total	5	1	3	9

Reviewing the crash data, only one pattern was noted, that being eastbound vehicles along Greiner Rd running through the stop sign and hitting crossing Strickler Rd vehicles. Reviewing field conditions, there is an advance "stop sign ahead" warning sign eastbound and sufficient sight distance southbound, so no deficiencies were present. However, It is recommended that oversized "STOP" signs be installed on both sides of the roadway for the eastbound approach of the intersection to help reduce these crashes.

# 3.7 Background Traffic Growth

To address the impacts of the proposed development on the surrounding roadway system, it was first necessary to determine the background traffic operations as a baseline. It is anticipated that construction will start in 2026 and the development will be fully occupied by 2030. As such, 2030 was selected as the design year for impact analysis.

Using NYSDOT historical count station traffic data along the adjacent roadways, it was determined that up to 1.5% annual traffic growth could be expected as a result of regional development. Based on this data (see growth rate worksheet in Appendix B), existing traffic volumes were adjusted by a factor of 1.093 (1.5% for 6 years) to estimate the 2030 No-build (background) traffic volumes. These volumes are shown in Figure 3.



Engineering
Design
Planning
Construction Management

GREINER & STRICKLER RD SUBDIVISION TRAFFIC IMPACT STUDY CLARENCE, NEW YORK 2030 NO-BUILD CONDITION PEAK HOUR VOLUMES

SCALE: DATE: FIGURE NO.

NO SCALE JANUARY 2025 3

# 4.0 Projected Traffic Conditions

#### 4.1 Site Generated Traffic

The number of trips generated by the proposed development was estimated for the peak hour conditions using the data contained in the Trip Generation Manual, 11th Edition, published by the Institute of Transportation Engineers (ITE). This publication contains data from various case studies on many different types of land uses. For the proposed development, LUC 210 – "Single Family Detached Housing" was used to estimate the trip generation potential of the site.

For the proposed develop, it is assumed that the site consists of 62 single family dwelling units. The data in the manual suggests a development of this size and type would generate 48 AM peak hour trips and 63 PM peak hour trips.

A summary of the trip generation estimate for the proposed site is included in Table 3.

**TABLE 3** TRIP GENERATION SUMMARY

Land Use	Land Use	Size	AM	Peak H	our	PM Peak Hour			
Code	Land Ose	Size	In	Out	Total	In	Out	Total	
210	Single Family Detached Housing	62 units	12	36	48	40	23	63	
<b>Total Trips</b>	Generated	12	36	48	40	23	63		

# 4.2 Trip Distribution

The trip distribution for the proposed site was developed based on existing traffic volumes, potential employment and shopping destinations, and likely travel routes. This data was substantiated through a sampling of the trip distribution from other residential developments within the area. This sampling was performed using the "Replica" on-line Urban Planning Tool. Replica utilizes government provided census data and de-identified movement data collected from mobile devices to estimate the origins and destinations of traffic along roadway links. The trip distribution for new site trips is projected to be the following:

- > 50% to/from the West via Strickler Rd to Main St
- > 15% to/from the East via Strickler Rd to Main St
- > 5% to/from the East via Greiner Rd
- > 25% to/from the West via Greiner Rd
- 5% to/from Kraus Rd via Greiner Rd


These percentages, along with the percentage of traffic utilizing each of the site driveways, are graphically shown in Figure 4 – "Directional Distribution of New Site Trips".


#### **Greiner & Strickler Rd Subdivision |** *Clarence, New York*


Applying these percentages to the site's trip generation estimate, the trip assignments for new site trips within the study area were determined. These numbers are depicted in Figure 5 – "Trip Assignment of New Site Trips."

#### 4.3 Build Condition Traffic Volumes

The Build Condition peak hour traffic volumes were developed by combining the "2030 No-Build Condition Peak Hour Traffic Volumes" and the "Projected New Site Trips". These volumes are graphically depicted in Figure 6 – "2030 Build Condition Peak Hour Traffic Volumes".







Engineering Design Planning Construction Management

CLARENCE, NEW YORK

NO SCALE JANUARY 2025 FIGURE NO. 6

# **5.0 Operating Conditions**

## 5.1 Capacity Analysis Description

The operating conditions of transportation facilities are evaluated based on the relationship of existing or projected traffic volumes to the theoretical capacity of the highway facility, which can be equated to a level of service (LOS) based on the delay experienced by each vehicle. Level of service ranges from LOS A to LOS F and the delay thresholds that define various levels of service can be found in the *Highway Capacity Manual*, published by the Transportation Research Board. In general, "A" represents the best operating condition with unrestricted flow and little or no delay per vehicle, and "F" represents the worst, with congested conditions, long delays and poor traffic operations. LOS C or better is generally desirable, but LOS D for signalized locations and LOS E for unsignalized are generally acceptable during peak periods as long as the volume to capacity ratio (v/c) is below 1.0.

Table 4 below presents the LOS criteria for both signalized and unsignalized intersections.

TABLE 4
LEVEL OF SERVICE CRITERIA

LOS	Signalized Intersection Delay Per Vehicle (sec.)	Unsignalized Intersection Delay Per Vehicle (sec.)
Α	<u>&lt;</u> 10.0	<u>&lt;</u> 10.0
В	> 10.0 and <u>&lt;</u> 20.0	> 10.0 and <u>&lt;</u> 15.0
С	> 20.0 and <u>&lt;</u> 35.0	>15.0 and <u>&lt;</u> 25.0
D	> 35.0 and <u>&lt;</u> 55.0	> 25.0 and <u>&lt;</u> 35.0
E	> 55.0 and <u>&lt;</u> 80.0	> 35.0 and <u>&lt;</u> 50.0
F	> 80.0	> 50.0

# 5.2 Results of Analysis

Although capacity analysis was performed for this project, it should be noted that New York State Department of Transportation (NYSDOT) has a general rule of thumb that a development that generates less than 100 new trips typically does not require a traffic study, as it is unlikely such a low trip generation would cause any roadway impacts.

Similarly, the Institute of Traffic Engineers (ITE), states in their <u>Traffic Impact Analyses for Site Development</u> publication... "In lieu of other locally preferred thresholds, it is suggested that a transportation impact study be conducted whenever a proposed development will generate 100 or more added (new) trips during the adjacent roadways' peak hour or the development's peak hour." This publication goes on to say that 100 vehicles can change the level of service or appreciably increase the volume to capacity ratio of an intersection approach. This, and other ITE publications, suggest that developments that generate less than 100 peak hour vehicles will have no significant impact on the adjacent roadway traffic operations.

#### **Greiner & Strickler Rd Subdivision |** *Clarence, New York*

Because of this, we can qualitatively say that the maximum hourly trip generation of 63 vehicles for the proposed site will not result in any impacts on traffic operations. This was verified through the capacity analysis performed. This analysis was performed for both the weekday AM and PM peak hour under existing, no-build and future build conditions.

The traffic operations within the study area for each of these conditions are summarized in Table 5 and detailed in the computation worksheets found in Appendix D.

TABLE 5
LEVEL OF SERVICE SUMMARY

	Approach/	А	M Peak Hou	ır	Р	M Peak Hoυ	ır
Location	Movement	Existing	Nobuild	Build	Existing	Nobuild	Build
Greiner Rd and	Northbound	B (10.5)	B (11.2)	B (11.5)	B (11.1)	B (11.9)	B (12.2)
Strickler Rd	Southbound	B (10.9)	B (11.7)	B (11.9)	A (9.9)	B (10.4)	B (10.5)
(AWSC)	Eastbound	B (10.1)	B (10.7)	B (10.9)	B (12.2)	B (13.6)	B (14.1)
	Westbound	B (10.3)	B (11.0)	B (11.2)	A (9.7)	B (10.2)	B (10.3)
	OVERALL	B (10.5)	B (11.2)	B (11.4)	B (11.1)	B (12.1)	B (12.4)
Greiner Rd and	Northbound	C (16.9)	C (19.4)	C (19.9)	D (28.2)	E (38.7)	E (41.0)
Kraus Rd <sup>(1)</sup>	Southbound	C (22.0)	D (25.9)	D (26.9)	C (23.2)	D (27.5)	D (28.5)
(TWSC)	Eastbound/LT	A (8.1)	A (8.2)	A (8.2)	A (8.6)	A (8.7)	A (8.8)
	Westbound/LT	A (8.2)	A (8.3)	A (8.3)	A (8.4)	A (8.5)	A (8.6)
Strickler Rd and	Northbound/LT	A (7.8)	A (7.8)	A (7.8)	A (7.6)	A (7.6)	A (7.6)
Winding Ln /	Southbound/LT	n/a	n/a	A (7.7)	n/a	n/a	A (7.8)
Proposed Site Access <sup>(1)</sup>	Eastbound	B (11.0)	B (11.4)	B (12.1)	B (10.5)	B (10.7)	B (11.5)
(TWSC)	Westbound	n/a	n/a	B (12.1)	n/a	n/a	B (11.6)
Strickler Rd/Shisler Rd	Northbound	C (24.0)	C (24.5)	C (24.7)	C (26.5)	C (28.0)	C (28.5)
and	Southbound	C (25.9)	C (26.7)	C (28.4)	C (24.0)	C (24.4)	C (25.2)
Main St	Eastbound	A (10.0)	B (10.4)	B (10.4)	B (12.9)	B (14.2)	B (14.0)
(Signalized)	Westbound	B (12.0)	B (12.7)	B (12.8)	B (11.5)	B (12.1)	B (12.3)
	OVERALL	B (15.1)	B (15.7)	B (16.3)	B (15.7)	B (16.7)	B (16.9)
Greiner Rd and Proposed Site Access <sup>(1)</sup> (TWSC)	Northbound Westbound/LT	n/a	n/a	A (9.9) A (7.5)	n/a	n/a	B (10.5) A (7.7)

<sup>1.</sup> HCM Two-way stop control (TWSC) methodology assumes uncontrolled through and right turn movements have a theoretical delay of zero, so only mainline left turn movement and side street delays are shown in the table for these type intersections.

The analysis results were as expected. Because of the low number of trips generated by the site, levels of service for all intersections remained the same between the No-build and Build condition for both the AM and PM peak hours, and no impacts were identified. A more detailed description of the level of service at each of the studied intersection is below.

For the Greiner/Strickler Rd intersection, the overall intersection level of service was LOS B for both the AM and PM peak of the Existing, No-build and Build conditions. The only change in levels of service were on the southbound and westbound approaches, where the PM peak hour levels of service dropped from the Existing LOS A to LOS B in the 2030 No-build condition.

X (XX.X) = Level of Service (Delay per vehicle in seconds)

#### **Greiner & Strickler Rd Subdivision |** Clarence, New York

However, that drop happens regardless of whether the proposed development is built, and those levels of service are still well within an acceptable range.

For the Greiner/Strickler Rd intersection, It should be noted that during the afternoon school pick-up time there are vehicles parked along the Greiner Rd shoulder from the school entrance to the Strickler Rd intersection and around the corner along Stricker Rd, so this condition was reviewed to determine if it caused any traffic operational issues. It was found that this queue only existing for about a 20-minute period, between 3:20 and 3:40 PM, and our video of the condition at this time showed traffic at the intersection



flowing acceptably and not impeded by the queue. Additionally, no crashes involving parked cars were noted in the crash study performed, so there doesn't appear to be a significant safety issue with these cars on the side of the road. Finally, it is worth noting that the majority of the proposed site's peak hour traffic would be occurring after 4:00 PM (end of business day), which is outside the timeframe of the queue. All these facts combined indicate that intersection traffic operations in the existing condition is not significantly impacted by this queue. Based on the analysis conducted, the proposed site traffic will not cause any significant impacts to school operations or safety.

At the Greiner/Kraus Rd intersection, the existing LOS C on the southbound approach drops to LOS D in both the No-build AM and PM peak hours, and the existing LOS D on the northbound approach drops to LOS E in the No-build PM peak hour, but again, the Build condition level of service is the same as the No-build condition, and the approach levels of service are all within a generally acceptable range.

For the signalized Strickler Rd and Main St intersection, the eastbound approach goes from an existing LOS A to LOS B in the No-build AM peak hour, but all other No-build and Build condition approach levels of service remain the same as Existing. All approaches operate at an acceptable LOS C or better for all conditions analyzed during both the AM and PM peak hours.

Additionally, the two site access road locations will operate at no worse than LOS B for all side street approaches for all periods and conditions. This is also well with an acceptable operating range.

Overall, the analysis shows traffic generated by the proposed development will have little to no impact on traffic operations within the study area.

## **5.3 Traffic Signal Warrant Analysis**

Traffic Signal Warrant Analyses were performed for the Greiner Rd and Strickler Rd intersection for each of the analyzed conditions (Existing, No-build, Build). These analyses were conducted in accordance with the guidelines shown in the Manual on Uniform Traffic Control Devices (MUTCD) Chapter 4, which lists criteria for nine separate traffic signal warrants. Satisfaction of any or all the warrants does not in itself require the installation of a traffic control signal, but satisfaction of at least one of the warrants does provide justification for signalization. The traffic signal warrants listed in the MUTCD include:

- Warrant 1, Eight-Hour Vehicular Volume
- Warrant 2, Four-Hour Vehicular Volume
- Warrant 3, Peak Hour
- Warrant 4, Pedestrian Volume
- Warrant 5, School Crossing
- Warrant 6, Coordinated Signal System
- > Warrant 7, Crash Experience
- ➤ Warrant 8, Roadway Network
- Warrant 9, Intersection Near a Grade Crossing

Of these warrants, #4, 5, 6, 8 & 9 require conditions not present at the intersection and are not applicable. Warrants 1, 2, 3 & 7 were reviewed to determine if a signal is justified at this location.

It should be noted that the warranting criteria states, "if a studied intersection is located where the critical speed of the major street traffic is greater than 40 mph, or is in a built-up area of an isolated community with population less than 10,000, the warranting criteria is reduced to 70% of the standard warranting thresholds." Given speed limit along Strickler Rd is 45 mph and the measured 85<sup>th</sup> percentile travel speed along both roadways was nearly 50 mph, it was determined the 70% criteria was appropriate for this location.

#### Warrant 1 – 8-hour vehicular volume

This warrant requires that minimum volume thresholds on both the mainline roadway and side streets are met for a minimum of 8 hours in a day. This criteria was met in zero hours of the day for the Existing and No-build conditions and only 1 hour of the day under Build conditions.

#### This volume warrant is not met.

#### Warrant 2 – 4-hour vehicular volume

This warrant has different warranting thresholds than the 8-hour warrant, and these thresholds must be satisfied for at least 4 hours during the day. The intersection volumes exceeded these thresholds only 2 hours of the day in the Existing condition and 3 hours of the day in the Nobuild and Build condition. **This volume warrant is not met.** 

#### **Greiner & Strickler Rd Subdivision |** Clarence, New York

#### Warrant 3 – Peak Hour

In some cases peak roadway traffic hours are so extreme that a signal is warranted even if heavy traffic is not present during other hours of the day. For this warrant, the peak hour thresholds needs to be met for just a single hour of the day for signal justification. However, in this case, the peak hour threshold was not met for any hour of the day under the reviewed conditions. *This volume warrant is not met*.

#### Warrant 7 - Crash Experience

The final warrant reviewed involves safety, and requires that 5 angle or pedestrian crashes occur in a single year, or 6 within a 3-year period. If those thresholds are met, it also requires that 80% of the volume requirements for Warrant 1 be met as well. The analyzed intersection had only 5 angle crashes in a 3-year period, which does not meet the criteria, and the volumes only meet the criteria for 4 of 8 hours. In both cases, *the required criteria were not satisfied*.

Based on the warrant analysis, a traffic signal is not currently warranted and will continue to not be warranted in the future Build condition. See warrant analysis worksheets in Appendix E.

# 6.0 Findings & Recommendations

The preceding analylsis evaluated the potential traffic impacts resulting from a new housing subdivision located along Greiner Rd and Strickler Rd in Clarence, New York. The development is proposed to include 62 single-family detached homes and full build out and occupation is expected by the end of 2030. Findings and recommendations derived from the traffic analysis performed include the following:

- 1. Existing traffic volumes were counted in December 2024. Based on NYSDOT seasonal adjustment factors, the counted volumes should be a reasonable representation of average annual traffic.
- 2. Historic traffic volume data along Greiner Rd and Strickler Rd suggests that a 1.5% per year traffic growth as a result of regional development would be reasonable. As such, existing traffic was grown by a factor of 1.093 to estimate 2030 No-build traffic conditions.
- 3. Data collected at the site indicated that the 85th percentle speed is between 47 to 50 mph at the proposed site access road locations. As such a 50-mph design speed was assumed for these roads within the study area.
- 4. The crash analysis revealed that 9 crashes occurred within a 3-year period adjacent to the site, with 6 of them being at the Greiner Rd and Strickler Rd intersection. 5 of the 6 at the intersection were right angle involving eastbound vehicles running through the stop sign. It is recommended that oversized "STOP" signs be placed on both sides of the roadway facing the eastbound approach to help reduce these type crashes.
- 5. Using data from the ITE Trip Generation Manual, the trip generation potential of the proposed site is estimated to be 48 trips (12 entering/36 exiting) in the AM peak hour and 63 trips (40 entering/23 exiting) in the PM peak hour.
- 6. No existing intersection has an increase of more than 54 vehicles per hour as a result of the development. Qualitatively, you can deduce that this traffic will not impact existing traffic operations, as less than 100 trips are present at each location.
- 7. Highway capacity analysis was performed and it confirmed that traffic at each intersection within the study area would not be significantly impacted. There will be no change in level of service between the No-build and Build condition and all approaches will operate at acceptable levels of service.
- 8. Access roadways should both include a single lane in each direction at the Greiner Rd and Strickler Rd intersections.
- 9. Traffic signal warrants for the Griner Rd and Strickler Rd intersection were reviewed for the Existing, No-build and Build conditions. No warrants were satisfied and a signal is not justified.

Based on the preceding analysis, traffic from the the proposed development will not significantly impact the traffic operations of the existing roadway network.

# APPENDIX A Site Plan





# APPENDIX B Traffic Counts/Data Collection



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection: Strickler Road at Greiner Road GPI Project No.: 2300033.00 Location: Town of Clarence, New York Count Date: 12/10/2024

	Total Traffic - Cars & Heavy Vehicles																			
		St	rickler Ro	ad			G	reiner Ro	ad			St	rickler Ro	ad			G	reiner Roa	nd	
		S	outhboun	ıd			١	Vestboun	d			N	orthbour	ıd			ı	Eastbound	l	
Start Time	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes
7:00 AM	0	0	19	2	0	0	2	12	2	0	0	1	5	0	0	0	2	10	3	0
7:15 AM	0	1	18	7	0	0	2	36	2	0	0	7	7	1	0	0	1	13	7	0
7:30 AM	0	1	22	10	0	0	3	38	2	0	0	12	8	0	0	0	1	22	12	0
7:45 AM	0	0	20	25	0	0	2	63	3	0	0	30	10	1	0	0	3	31	16	0
8:00 AM	0	0	17	21	0	0	8	29	1	0	0	20	7	0	0	0	6	29	15	0
8:15 AM	0	2	33	16	0	0	6	42	0	0	0	27	9	1	0	0	2	14	9	0
8:30 AM	0	3	47	34	0	0	5	30	1	0	0	21	22	0	0	0	7	15	10	0
8:45 AM	0	0	30	18	0	0	4	26	2	0	0	25	29	1	0	0	7	26	19	0
9:00 AM	0	0	19	3	0	0	2	24	1	0	0	6	12	3	0	0	3	15	5	0
9:15 AM	0	0	17	5	0	0	2	23	2	0	0	6	11	0	0	0	1	11	6	0
9:30 AM	0	1	18	7	0	0	2	36	1	0	0	6	6	0	0	0	5	23	5	0
9:45 AM	0	0	17	7	0	0	2	25	1	0	0	5	4	0	0	0	2	6	8	0
10:00 AM	0	0	17	3	0	0	5	27	1	0	0	5	12	1	0	0	4	14	6	0
10:15 AM	0	3	8	4	0	0	2	18	1	0	0	8	14	0	0	0	4	26	2	0
10:30 AM	0	2	15	5	0	0	1	21	2	0	0	5	5	1	0	0	5	19	6	0
10:45 AM	0	0	4	6	0	0	3	16	1	0	0	12	9	2	0	0	4	14	4	0
11:00 AM	0	2	13	2	0	0	3	22	1	0	0	6	8	1	0	0	3	20	7	0
11:15 AM	0	2	9	2	0	0	2	21	1	0	0	6	10	2	0	0	3	27	11	0
11:30 AM	0	0	18	7	0	0	1	22	2	0	0	10	14	1	0	0	4	24	9	0
11:45 AM	0	2	14	1	0	0	1	23	1	0	0	9	13	1	0	0	1	17	11	0
12:00 PM	0	2	8	6	0	0	2	16	2	0	0	9	14	2	0	0	5	22	16	0
12:15 PM	0	1	11	2	0	0	2	25	0	0	0	6	14	4	0	0	6	27	7	0
12:30 PM	0	2	12	3	0	0	3	18	0	0	0	10	16	0	0	0	4	31	14	0
12:45 PM	0	1	12	2	0	0	1	12	1	0	0	4	9	2	0	0	4	26	9	0
1:00 PM	0	1	10	4	0	0	1	21	1	0	0	9	13	3	0	0	2	27	15	0
1:15 PM	0	1	9	5	0	0	2	25	2	0	0	10	11	1	0	0	9	26	6	0
1:30 PM	0	0	13	2	0	0	2	14	2	0	0	9	10	3	0	0	9	28	18	0
1:45 PM	0	0	17	3	0	0	2	22	0	0	0	4	15	0	0	0	6	36	9	0
2:00 PM	0	1	16	7	0	0	3	15	0	0	0	12	18	2	0	0	4	30	16	0
2:15 PM 2:30 PM	0	2	12 8	10 2	0	0	4 5	20 22	1	0	0	3	17 15	1 3	0	0	4 5	28 36	12 8	0
2:45 PM	0		16		0	0	2	19	0	0	0	7	16		0	0			9	0
3:00 PM	0	3	15	5 11	0	0	1	27	1	0	0	14	17	2 0	0	0	6 7	38 24	10	0
3:15 PM	0	1	16	6	0	0	3	24	3	0	0	15	16	2	0	1	10	37	13	0
3:30 PM	0	2	12	18	0	0	4	21	5	0	0	18	32	4	0	0	13	44	19	0
3:45 PM	0	3	18	11	0	0	4	20	5	0	0	18	29	5	0	0	11	46	27	0
4:00 PM	0	1	16	4	0	0	5	23	0	0	0	11	24	3	0	0	14	46	15	0
4:15 PM	0	1	13	10	0	0	2	18	1	0	0	12	29	2	0	0	8	43	13	0
4:30 PM	0	0	12	8	0	0	0	21	1	0	0	6	24	3	0	0	9	42	12	0
4:45 PM	0	1	14	2	0	0	1	27	2	0	0	10	40	2	0	0	2	34	14	0
5:00 PM	0	3	15	3	0	0	1	22	0	0	0	9	24	1	0	0	4	41	13	0
5:15 PM	0	3	7	11	0	0	2	20	5	0	0	12	22	1	0	0	7	43	8	0
5:30 PM	0	0	17	10	0	0	0	20	0	0	0	9	25	3	0	0	13	33	17	0
5:45 PM	0	1	17	3	0	0	3	24	2	0	0	10	21	2	0	0	7	34	8	0
6:00 PM	0	2	14	7	0	0	0	15	2	0	0	5	9	2	0	0	5	36	8	0
6:15 PM	0	3	15	3	0	0	1	29	5	0	0	4	7	2	0	0	2	23	10	0
6:30 PM	0	0	5	2	0	0	1	13	0	0	0	7	14	0	0	0	3	22	4	0
6:45 PM	0	2	4	2	0	0	0	9	1	0	0	3	8	1	0	0	3	21	4	0



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection:	Strickler Road at Greiner Road	GPI Project No.:	2300033.00
Location:	Town of Clarence, New York	Count Date:	12/10/2024

#### **Peak Hour Traffic Volumes**

			rickler Roa outhbound			Greiner Road Westbound					Strickler Road Northbound					Greiner Road Eastbound				
	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes
AM Peak Ho	ur:		8:00 AM	to	9:00 AM															
8:00 AM	0	0	17	21	. 0	0	8	29	1	0	0	20	7	0	0	0	6	29	15	0
8:15 AM	0	2	33	16	0	0	6	42	0	0	0	27	9	1	0	0	2	14	9	0
8:30 AM	0	3	47	34	. 0	0	5	30	1	0	0	21	22	0	0	0	7	15	10	0
8:45 AM	0	0	30	18	0	0	4	26	2	0	0	25	29	1	0	0	7	26	19	0
Total Volume	0	5	127	89	0	0	23	127	4	0	0	93	67	2	0	0	22	84	53	0
696			221					154					162					159		
No. of Trucks	0	0	21	0	0	0	0	2	1	0	0	1	32	0	0	0	2	2	0	0
Truck %	0.0%	0.0%	16.5%	0.0%		0.0%	0.0%	1.6%	25.0%	0.0%	0.0%	1.1%	47.8%	0.0%	0.0%	0.0%	9.1%	2.4%	0.0%	0.0%
8.8%			9.5%			1.9%			20.4%						2.5%					
PHF	0.00	0.42	0.68	0.65		0.00	0.72	0.76	0.50	0.00	0.00	0.86	0.58	0.50	0.00	0.00	0.79	0.72	0.70	0.00
0.89			0.66					0.80					0.74					0.76		

	Strickler Road						G	reiner Roa	d		Strickler Road					Greiner Road					
		S	outhbound	i			V	Vestbound	ı			N	orthbound	d			Eastbound				
	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	
PM Peak Ho	ur:		3:15 PM	to	4:15 PM																
3:15 PM	0	1	16	6	0	0	3	24	3	0	0	15	16	2	0	1	10	37	13	0	
3:30 PM	0	2	12	18	0	0	4	21	5	0	0	18	32	4	0	0	13	44	19	0	
3:45 PM	0	3	18	11	0	0	4	20	5	0	0	18	29	5	0	0	11	46	27	0	
4:00 PM	0	1	16	4	0	0	5	23	0	0	0	11	24	3	0	0	14	46	15	0	
Total Volume	0	7	62	39	0	0	16	88	13	0	0	62	101	14	0	1	48	173	74	0	
698			108					117					177					296			
No. of Trucks	0	2	11	6	0	0	0	1	2	0	0	1	8	0	0	0	6	0	0	0	
Truck %	0.0%	28.6%	17.7%	15.4%		0.0%	0.0%	1.1%	15.4%	0.0%	0.0%	1.6%	7.9%	0.0%	0.0%	0.0%	12.5%	0.0%	0.0%	0.0%	
5.3%			17.6%					2.6%					5.1%					2.0%			
PHF	0.00	0.58	0.86	0.54	_	0.00	0.80	0.92	0.65	0.00	0.00	0.86	0.79	0.70	0.00	0.25	0.86	0.94	0.69	0.00	
0.89			0.84					0.98					0.82					0.88			



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection:	Kraus Road at Greiner Road	GPI Project No.:_	2300033.00
Location:	Town of Clarence, New York	Count Date:	12/10/2024

							1	Total 1	raffic	- Cars	: & He	avy V	ehicle	S							
		ı	Kraus Roa	d			G	reiner Ro	ad				Kraus Roa	d		Greiner Road					
		S	outhboun	Westbound						N	Iorthbour	d		Eastbound							
Start Time	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	
7:00 AM	0	0	0	1	0	0	2	13	0	0	0	4	5	2	0	0	1	17	3	0	
7:15 AM	0	1	3	2	0	0	4	36	1	0	0	1	2	3	0	0	0	22	4	0	
7:30 AM	0	2	4	3	0	0	5	48	1	0	0	5	2	1	0	0	0	38	4	0	
7:45 AM	0	6	4	1	0	0	13	108	10	0	0	10	1	10	0	0	0	83	3	0	
8:00 AM	0	4	3	0	0	0	26	93	4	0	0	4	2	10	0	0	0	86	10	0	
8:15 AM	0	0	5	3	0	0	14	66	1	0	0	3	2	11	0	0	1	50	5	0	
8:30 AM	0	4	10	4	0	0	24	80	8	0	0	2	4	26	0	0	4	73	8	0	
8:45 AM	0	1	9	3	0	0	18	103	3	0	0	9	5	13	0	0	3	73	7	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM 10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM 10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	1	3	3	0	0	0	28	0	0	0	2	4	2	0	0	6	53	12	0	
2:45 PM	0	0	4	3	0	0	0	28	0	0	0	5	2	2	0	0	2	63	2	0	
3:00 PM	0	3	7	4	0	0	5	49	0	0	0	4	2	4	0	0	4	51	7	0	
3:15 PM	0	4	6	3	0	0	3	30	1	0	0	1	6	8	0	0	4	79	11	0	
3:30 PM	0	0	5	2	0	0	11	91	17	0	0	7	9	25	0	0	2	97	9	0	
3:45 PM	0	0	1	4	0	0	29	119	20	0	0	8	7	13	0	0	4	57	5	0	
4:00 PM	0	0	3	5	0	0	8	59	2	0	0	2	7	4	0	0	4	67	15	0	
4:15 PM	0	1	0	1	0	0	4	38	0	0	0	6	6	2	0	0	3	72	13	0	
4:30 PM	0	0	4	1	0	0	3	46	2	0	0	8	7	2	0	0	2	56	6	0	
4:45 PM	0	0	3	0	0	0	2	39	1	0	0	5	7	2	0	0	2	45	12	0	
5:00 PM	0	1	1	4	0	0	3	38	1	0	0	8	6	1	0	0	7	61	4	0	
5:15 PM	0	4	3	1	0	0	3	32 61	0 8	0	0	6 4	10	3	0	0	3	71	14	0	
5:30 PM			9	1			12						5	6				73	5	0	
5:45 PM 6:00 PM	0	0	0	0	0	0	4 0	43 0	3	0	0	6	3	4 0	0	0	4 0	60 0	8	0	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
U.43 FIVI	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection:Kraus Road at Greiner RoadGPI Project No.:2300033.00Location:Town of Clarence, New YorkCount Date:12/10/2024

#### **Peak Hour Traffic Volumes**

			(raus Road			Greiner Road Westbound							Craus Road			Greiner Road Eastbound						
	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes		
AM Peak Ho	ur:		8:00 AM	to	9:00 AM																	
8:00 AM	0	4	3	0	0	0	26	93	4	0	0	4	2	10	0	0	0	86	10	0		
8:15 AM	0	0	5	3	0	0	14	66	1	0	0	3	2	11	0	0	1	50	5	0		
8:30 AM	0	4	10	4	. 0	0	24	80	8	0	0	2	4	26	0	0	4	73	8	0		
8:45 AM	0	1	9	3	0	0	18	103	3	0	0	9	5	13	0	0	3	73	7	0		
Total Volume	0	9	27	10	0	0	82	342	16	0	0	18	13	60	0	0	8	282	30	0		
897	7 46					440							91			320						
No. of Trucks	0	0	2	0	0	0	0	3	0	0	0	0	0	0	0	0	0	4	2	0		
Truck %	0.0%	0.0%	7.4%	0.0%		0.0%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.4%	6.7%	0.0%		
1.2%	4.3%						0.7%						0.0%			1.9%						
PHF	0.00	0.56	0.68	0.63		0.00	0.79	0.83	0.50	0.00	0.00	0.50	0.65	0.58	0.00	0.00	0.50	0.82	0.75	0.00		
0.91			0.64					0.89					0.71			0.83						

Ī		К	raus Road			Greiner Road						ı	(raus Road	i	Greiner Road							
	Southbound						Westbound						Iorthboun	d			Eastbound					
	U Turns	Left Turns	Straight	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right	Peds/ Bikes	U Turns	Left Turns	Straight	Right	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right	Peds/ Bikes		
PM Peak Ho	ur:		Through 3:15 PM	to	4:15 PM			inrough	Turns	DIKES			Through	Turns	bikes		1	inrough	Turns	bikes		
3:15 PM	0	4	6	3	3 0	0	3	30	1	0	0	1	6	8	C	(	) 4	79	11	0		
3:30 PM	0	0	5	2	2 0	0	11	91	17	0	0	7	9	25	0	(	) 2	97	9	0		
3:45 PM	0	0	1	4	٠ 0	0	29	119	20	0	0	8	7	13	0	(	) 4	57	5	0		
4:00 PM	0	0	3	5	0	0	8	59	2	0	0	2	7	4	0	(	) 4	67	15	0		
Total Volume	0	4	15	14	1 0	0	51	299	40	0	0	18	29	50	0	(	) 14	300	40	0		
874	4 33						390						97			354						
No. of Trucks	0	0	1	C	0	0	0	7	1	0	0	0	2	1	0	(	) 0	5	1	0		
Truck %	0.0%	0.0%	6.7%	0.0%	Ś	0.0%	0.0%	2.3%	2.5%	0.0%	0.0%	0.0%	6.9%	2.0%	0.0%	0.0%	6 0.0%	1.7%	2.5%	0.0%		
2.1%	3.0%						2.1%						3.1%			1.7%						
PHF	0.00	0.25	0.63	0.70	)	0.00	0.44	0.63	0.50	0.00	0.00	0.56	0.81	0.50	0.00	0.00	0.88	0.77	0.67	0.00		
0.79			0.63					0.58			0.59						0.82					



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection:	Strickler Road at Winding Lane	GPI Project No.:	2300033.00
Location:	Town of Clarence, New York	Count Date:	12/10/2024

**Total Traffic - Cars & Heavy Vehicles** 

Start     Start										<u> </u>	<u>- Cars</u>	<u>&amp; H</u> e									
Same   Time   Time									-										_		
Time			5	outhbour	ıd			١	Westboun	d			N	Iorthbour	ıd				Eastbound	l	
7:15 AM		U Turns	Left Turns				U Turns	Left Turns				U Turns	Left Turns				U Turns	Left Turns			
739AM	7:00 AM	0	0	24		0	0		0	0	0	0	0	6	0	0	0		0	0	
745 MA																					
8:00 MM			0				0		0	0		0			0		0			2	
8:15 MM																					
8:39 AM																					
SASS AM																					
900 AM																					
9.15 AM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																					
939 AM																					
9.458 M																					
1000AM																					
10:15 AM																					
10:30 AM																					
10.55 AM																					
11:00 AM																					
11:15 AM																					
11:30 AM																					
11:45 AM																					
12:05 PM																					
12:15 PM																					
12:30 PM																					
12:45 PM																					
1:00 PM																					
1:15 PM																					
1:30 PM																					
1:45 PM																					
2:00 PM																					
2:15 PM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																					
2:30 PM																					
2:45 PM																					
3:00 PM																					
3:15 PM 0 0 0 33 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																					
3:30 PM 0 0 0 34 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																					
3:45 PM																					
4:00 PM         0         0         33         5         0<																					
4:15 PM         0         0         24         2         0<																					
4:30 PM         0         0         23         4         0<																					
4:45 PM         0         0         30         0<																					
5:00 PM         0         0         27         3         0<																					
5:15 PM         0         0         16         1         0         0         0         0         0         0         1         31         0         0         0         2         0         1         0           5:30 PM         0         0         29         3         0																					
5:30 PM         0         0         29         3         0<																					
5:45 PM         0         0         26         2         0<																					
6:00 PM         0 </td <td></td>																					
6:15 PM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																					
6:30 PM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0																					



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection:	Strickler Road at Winding Lane	GPI Project No.: 2300033.00
Location:	Town of Clarence, New York	Count Date: 12/10/2024

### **Peak Hour Traffic Volumes**

			rickler Roa outhbound				v	0 Vestbound	ı				rickler Roa Iorthbound					inding Lan Eastbound		
	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes
AM Peak Ho	ur:		8:00 AM	to	9:00 AM															
8:00 AM	0	0	38	2	0	0	0	0	0	0	0	0	25	0	0	0	3	0	0	0
8:15 AM	0	0	44	3	0	0	0	0	0	0	0	1	36	0	0	0	1	0	0	0
8:30 AM	0	0	62	0	0	0	0	0	0	0	0	0	44	0	0	0	3	0	2	0
8:45 AM	0	0	52	2	. 0	0	0	0	0	0	0	0	50	0	0	0	1	0	0	0
Total Volume	0	0	196	7	0	0	0	0	0	0	0	1	155	0	0	0	8	0	2	0
369			203					0					156					10		
No. of Trucks	0	0	21	0	0	0	0	0	0	0	0	1	34	0	0	0	0	0	0	0
Truck %	0.0%		10.7%	0.0%		0.0%			0.0%	0.0%	0.0%	100.0%	21.9%		0.0%	0.0%	0.0%		0.0%	0.0%
15.2%			10.3%					0.0%					22.4%					0.0%		
PHF	0.00		0.79	0.58		0.00			0.00	0.00	0.00	0.25	0.78		0.00	0.00	0.67		0.25	0.00
0.83			0.82					#DIV/0!					0.78					0.50		

			rickler Roa outhbound				V	0 Vestbound	i				rickler Roa Iorthbound					'inding Lan Eastbound		
	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes
PM Peak Ho	ur:		3:15 PM	to	4:15 PM															
3:15 PM	0	0	33	0	0	0	0	0	0	0	0	2	31	0	0	0	2	0	0	0
3:30 PM	0	0	34	0	0	0	0	0	0	0	0	2	59	0	0	0	1	0	1	0
3:45 PM	0	0	47	3	0	0	0	0	0	0	0	0	45	0	0	0	2	0	0	0
4:00 PM	0	0	33	5	0	0	0	0	0	0	0	0	47	0	0	0	1	0	2	0
Total Volume	0	0	147	8	0	0	0	0	0	0	0	4	182	0	0	0	6	0	3	0
350			155					0					186					9		
No. of Trucks	0	0	10	1	. 0	0	0	0	0	0	0	0	9	0	0	0	1	0	0	0
Truck %	0.0%		6.8%	12.5%		0.0%				0.0%	0.0%	0.0%	4.9%		0.0%	0.0%	16.7%		0.0%	0.0%
6.0%			7.1%					0.0%					4.8%					11.1%		
PHF	0.00		0.78	0.40		0.00				0.00	0.00	0.50	0.77		0.00	0.00	0.75		0.38	0.00
0.90			0.78					#DIV/0!					0.76					0.75		



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection: Main Street (NY-5) at Strickler Road GPI Project No.: 2300033.00 Location: Town of Clarence, New York Count Date: 12/10/2024

												ars & Heavy Vehicles								
		St	rickler Ro	ad				n Street (1					hisler Roa				Maiı	n Street (N	IY-5)	
		S	outhboun	ıd			١	Nestboun	d			N	Iorthbour	d				Eastbound	l	
Start Time	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes
7:00 AM	0	2	12	6	0	0	15	106	1	0	0	10	5	6	0	0	2	32	5	0
7:15 AM	0	2	14	5	0	0	26	103	3	0	0	13	7	4	0	0	4	43	5	0
7:30 AM	0	6	20	10	0	0	18	131	4	0	0	7	14	3	0	0	3	41	10	0
7:45 AM	0	8	19	10	0	0	30	124	8	0	0	17	10	7	0	0	10	57	6	0
8:00 AM	0	3	24	11	0	0	21	106	4	0	0	11	10	9	0	0	10	55	9	0
8:15 AM	0	2	20	14	0	0	9	113	7	0	0	6	21	9	0	0	10	39	7	0
8:30 AM	0	5	22	40	0	0	13	132	5	0	0	6	21	10	0	0	23	65	8	0
8:45 AM	0	12	24	21	0	0	16	105	3	0	0	18	15	10	0	0	34	65	13	0
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2:30 PM	0	4	8	11	0	0	10	84	1	0	0	18	13	21	0	0	9	113	14	0
2:45 PM	0	8	5	13	0	0	15	76	4	0	0	11	14	12	0	0	9 7	106	12	0
3:00 PM	0	9	19	10	0	0	11	99	6	0	0	14	17	25	1	0		102	18	0
3:15 PM	0	11	7	14	0	0	16	104	3	0	0	12	20	15	0	0	13	108	9	
3:30 PM	0	12	20	12	0	0	16	111	5	0	0	22	28	28	0	0	24	139	11	0
3:45 PM	0	13 7	17 17	10 12	0	0	11 10	102	9	0	0	9 16	21 25	19 17	0	0	14 10	129 127	21 16	0
4:00 PM 4:15 PM	0	6	17	5	0	0	9	81 103	9	0	0	16	25	17	0	0	7	113	10	0
																			10 14	0
4:30 PM 4:45 PM	0	8	11 13	7	0	0	9 10	85 112	5 10	0	0	10 6	16 28	16 26	0	0	9	128 127	10	0
5:00 PM	0	11	13		0	0	10	95		0	0	13	28	19	0	0	11	127	10	0
5:00 PM 5:15 PM	0	6 5	8	5 6	0	0	18	79	4 5	0	0	13	15	27	0	0	14	123	7	0
5:15 PIVI 5:30 PM	0	5	11	10	0	0	8	79	8	0	0	6	16	10	0	0	15	121	8	0
5:30 PM 5:45 PM	0	9	11	10	0	0	11	86	5	0	0	8	16	20	0	0	12	113	14	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	113	0	0
6:00 PM 6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6:15 PM 6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0																	0	
6:45 PM	0	U	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	U	0



80 Wolf Rd, Suite 600 Albany, NY 12205 (518) 453-9431

Intersection:Main Street (NY-5) at Strickler RoadGPI Project No.:2300033.00Location:Town of Clarence, New YorkCount Date:12/10/2024

#### **Peak Hour Traffic Volumes**

			trickler Roa Southbound				Main Street (NY-5) Westbound					hisler Road Iorthbound			Main Street (NY-5) Eastbound					
	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes
AM Peak Ho	ur:		8:00 AM	to	9:00 AM															
8:00 AM	0	3	24	11	. 0	0	21	106	4	0	0	11	10	9	0	0	10	55	9	0
8:15 AM	0	2	20	14	0	0	9	113	7	0	0	6	21	9	0	0	10	39	7	0
8:30 AM	0	5	22	40	0	0	13	132	5	0	0	6	21	10	0	0	23	65	8	0
8:45 AM	0	12	24	21	. 0	0	16	105	3	0	0	18	15	10	0	0	34	65	13	0
Total Volume	0	22	90	86	0	0	59	456	19	0	0	41	67	38	0	0	77	224	37	0
1,216			198					534					146					338		
No. of Trucks	0	0	6	13	0	0	2	16	2	0	0	2	0	6	0	0	32	16	3	0
Truck %	0.0%	0.0%	6.7%	15.1%	,	0.0%	3.4%	3.5%	10.5%	0.0%	0.0%	4.9%	0.0%	15.8%	0.0%	0.0%	41.6%	7.1%	8.1%	0.0%
8.1%			9.6%					3.7%					5.5%					15.1%		
PHF	0.00	0.46	0.94	0.54		0.00	0.70	0.86	0.68	0.00	0.00	0.57	0.80	0.95	0.00	0.00	0.57	0.86	0.71	0.00
0.87			0.74					0.89					0.85					0.75		

			rickler Roa outhbound				Main Street (NY-5) Westbound					hisler Road Iorthbound			Main Street (NY-5) Eastbound					
	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes	U Turns	Left Turns	Straight Through	Right Turns	Peds/ Bikes
PM Peak Ho	ur:		3:15 PM	to	4:15 PM															
3:15 PM	0	11	7	14	1 0	0	16	104	3	0	(	) 12	20	15	0	C	13	108	9	0
3:30 PM	0	8	20	12	2 0	0	16	111	5	0	(	) 22	28	28	0	C	24	139	11	0
3:45 PM	0	13	17	10	0	0	11	102	9	0	(	) 9	21	19	1	C	14	129	21	1
4:00 PM	0	7	17	12	2 0	0	10	81	9	0	(	16	25	17	0	C	10	127	16	0
Total Volume	0	39	61	48	3 0	0	53	398	26	0	(	59	94	79	1	C	61	503	57	1
1,480			148					477					233					622		
No. of Trucks	0	2	3	2	2 0	0	0	9	2	0	(	) 0	3	0	1	C	) 4	6	3	1
Truck %	0.0%	5.1%	4.9%	4.2%	,	0.0%	0.0%	2.3%	7.7%	0.0%	0.0%	0.0%	3.2%	0.0%	100.0%	0.0%	6.6%	1.2%	5.3%	100.0%
2.3%			4.7%					2.3%					1.3%					2.1%		
PHF	0.00	0.75	0.76	0.86	ò	0.00	0.83	0.90	0.72	0.00	0.00	0.67	0.84	0.71	0.25	0.00	0.64	0.90	0.68	0.25
0.87			0.93					0.90					0.75					0.89		



# Strickler and Greiner - Speed Study

Northbound									
Date:	12/10/2024								
Time:	1:30 PM								
Trial	Speed*								
1	51								
2	45								
3	43								
4	44								
5	43								
6	54								
7	42								
8	46								
9	44								
10	44								
11	42								
12	47								
13	52								
14	46								
15	40								
16	33								
17	48								
18	50								
19	42								
20	51								
21	38								
22	43								
23	49								
24	37								
25	46								
26	44								
27	47								
28	39								
29	48								
30	44								
Avg.	44.7								

Southbound									
Date:	12/10/2024								
Time:	1:30 PM								
Trial	Speed*								
1	41								
2	42								
3	47								
4	58								
5	44								
6	42								
7	44								
8	47								
9	48								
10	41								
11	35								
12	41								
13	36								
14	33								
15	39								
16	46								
17	47								
18	48								
19	50								
20	43								
21	36								
22	38								
23	37								
24	35								
25	44								
26	41								
27	33								
28	43								
29	35								
30	43								
Avg.	41.9								


### Strickler Road Clarence, New York



Posted Speed Limit: 45 MPH

85th Pe	ercentile	Speeds					
NB		SB					
49.7 47.0							

### **Location Map**



<sup>\* -</sup> Denotes speed measured at proposed access location with vehicles traveling under free flow conditions, in MPH

# Strickler and Greiner - Speed Study

Eastbound								
Date:	12/11/2024							
Time:	11:00 AM							
Trial	Speed*							
1	41							
2	40							
3	43							
4	48							
5	50							
6	48							
7	45							
8	43							
9	38							
10	41							
11	38							
12	46							
13	37							
14	41							
15	40							
16	47							
17	44							
18	44							
19	45							
20	40							
21	49							
22	43							
23	42							
24	40							
25	47							
26	44							
27	37							
28	48							
29	43							
30	41							
Avg.	43.1							

West	bound
Date:	12/11/2024
	11:00 AM
Time:	
Trial	Speed*
1	45
2	38
3	53
4	39
5	46
6	43
7	39
8	36
9	39
10	42
11	50
12	45
13	49
14	43
15	38
16	48
17	39
18	39
19	51
20	44
21	33
22	44
23	38
24	52
25	49
26	39
27	50
28	35
29	41
30	48
Avg.	43.2


### Greiner Road Clarence, New York



Posted Speed Limit: 40 MPH

85th Pe	ercentile	Speeds
EB		WB
47.7		49.7

### **Location Map**



<sup>\* -</sup> Denotes speed measured at proposed access location with vehicles traveling under free flow conditions, in MPH

# APPENDIX C Crash History Data



2 12/06/21 8:44 2 PDO NORTH 1 REAR END 3: 3 05/04/23 11:06 2 PI 1 1 2 3 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 3: 4 07/06/23 22:40 2 PDO 4 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 3: 5 09/21/23 7:40 2 PI 1 1 1 1 1 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4: 6 09/25/23 9:34 2 PDO 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4: 7 10/23/21 18:00 1 PDO 3 1 1 1 2 ANIMAL EAST 7 ANIMAL 3: 8 01/09/23 17:35 1 PDO 5 1 1 1 2 ANIMAL EAST 7 ANIMAL 3:														
STRICKLER RD. AND STRICKLER RD. AND STRICKLER RD. TO HILLCREST DR.   STRICKLER RD. TO HILLCREST D							ROUTE NO.	OR STREET N	AME:					
TIME FROM: TO: 03/31/2021 03/31/2024 03/31/2	COUNTY:	ERIE		P.I.N.:			STRICK	LER RD. AN	ND GREINI	ER RD.			CD	
No. OF MONTHS:   36   36   36   37   37   36   37   37							AT INTERSE	CTION WITH/	OR BETWEE	N:				
Period:   03/31/2021   03/31/2024   03/31/		TOWN OF	CLAREN	NCE, NY			WINDIN	G LN. TO G	REINER R	D. AND STRICKLER RD. TO HILLCREST DR.			Engineering   Design   Planning   Construction	Management
Period:   03/31/2021   03/31/2024   03/31/	TIME	FROM:	TO:			ENVIRONME	NTAL:			Light Conditions: Roadway Character:	Roadway Surface	Weather:		
No. OF MONTHS:   36   29   29   29   29   29   20   20   20						Use Codes fr		nown at right) f		Daylight	Condition:	1. Clear		
No. OF MONTHS:   36   Sught All Park Road Unitigned   S. Dack Road Unitigned   S. Cure & Grade   S. Cure & Grade   S. Sugh S		03/31/2021	03/31/2024			categories				Dusk 3. Straight & Hillcrest	2. Wet	3. Rain		
No. OF MONTHS:   36   36   37   36   38   36   38   38   38   38   38										Dark Road Unlighted     S. Curve & Grade	4. Snow/Ice	5. Sleet/Hail/Freezin		
ACCIDENT No. DATE TIME										6. Curve & Hillorest				
1 08/17/21 19:54 2 PDO 1 1 1 1 1 1 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 33 05/04/23 11:06 2 PI 1 1 1 2 3 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 33 05/04/23 22:40 2 PDO 4 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 35 09/21/23 7:40 2 PI 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 46 09/25/23 9:34 2 PDO 1 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 46 09/25/23 11:00 1 PDO 3 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 46 01/09/23 17:35 1 PDO 5 1 1 1 2 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No. OF MONT	HS:	36	LES								<sup>1</sup> Use Codes fro	m MV 104 Police Report	
1         08/17/21         19:54         2         PDO         1         1         1         1         FAILURE TO YEILD RIGHT OF WAY         SOUTH-EAST         1         RIGHT ANGLE         33           2         12/06/21         8:44         2         PDO         -         -         -         -         NORTH         1         REAR END         38           3         05/04/23         11:06         2         PI         1         1         2         3         FAILURE TO YEILD RIGHT OF WAY         SOUTH-EAST         1         RIGHT ANGLE         38           4         07/06/23         22:40         2         PDO         4         1         1         2         FAILURE TO YEILD RIGHT OF WAY         SOUTH-EAST         1         RIGHT ANGLE         38           5         09/21/23         7:40         2         PI         1         1         1         FAILURE TO YEILD RIGHT OF WAY         SOUTH-EAST         1         RIGHT ANGLE         44           6         09/25/23         9:34         2         PDO         1         1         1         2         FAILURE TO YEILD RIGHT OF WAY         SOUTH-EAST         1         RIGHT ANGLE         44           7         10/23/2		DATE	TIME		VERITY	3HT ONDITIONS	ADWAY IARACTER	ADWAY IRFACE INDITION	EATHER		DIRECTION	TYPE <sup>1</sup>	DESCRIPTION	CASE NO.
2 12/06/21 8:44 2 PDO NORTH 1 REAR END 3: 3 05/04/23 11:06 2 PI 1 1 2 3 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 3: 4 07/06/23 22:40 2 PDO 4 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 3: 5 09/21/23 7:40 2 PI 1 1 1 1 1 1 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4: 6 09/25/23 9:34 2 PDO 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4: 7 10/23/21 18:00 1 PDO 3 1 1 1 2 ANIMAL EAST 7 ANIMAL 3: 8 01/09/23 17:35 1 PDO 5 1 1 2 ANIMAL EAST 7 ANIMAL 3: 9 07/22/23 22:00 1 PDO 5 1 1 1 ANIMAL EAST 7 ANIMAL 3:				ž	S	_∃ 8	გ ბ	2 2 2	₹					
3 05/04/23 11:06 2 PI 1 1 2 3 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 3:07/06/23 22:40 2 PDO 4 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 3:09/21/23 7:40 2 PI 1 1 1 1 1 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4:09/25/23 9:34 2 PDO 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4:09/25/23 9:34 2 PDO 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4:09/25/23 18:00 1 PDO 3 1 1 1 2 ANIMAL EAST 7 ANIMAL 3:09/25/23 22:00 1 PDO 5 1 1 1 2 ANIMAL EAST 7 ANIMAL 3:09/25/23 22:00 1 PDO 5 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:09/25/23 22:00 1 PDO 5 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:09/25/25/25 22:00 1 PDO 5 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:09/25/25/25 22:00 1 PDO 5 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:09/25/25/25 22:00 1 PDO 5 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:09/25/25/25 22:00 1 PDO 5 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:09/25/25/25 22:00 1 PDO 5 1 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:09/25/25/25/25/25/25/25/25/25/25/25/25/25/	1	08/17/21	19:54	2	PDO	1	1	1	1	FAILURE TO YEILD RIGHT OF WAY	SOUTH-EAST	1	RIGHT ANGLE	38978434
4 07/06/23 22:40 2 PDO 4 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 3: 09/21/23 7:40 2 PI 1 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4: 09/25/23 9:34 2 PDO 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 4: 07 10/23/21 18:00 1 PDO 3 1 1 1 2 ANIMAL EAST 7 ANIMAL 3: 01/09/23 17:35 1 PDO 5 1 1 1 2 ANIMAL EAST 7 ANIMAL 3: 09 07/22/23 22:00 1 PDO 5 1 1 1 1 ANIMAL EAST 7 ANIMAL 3: 01/09/23 17:35 1 PDO 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	12/06/21	8:44	2	PDO	-	-	-	-	-	NORTH	1	REAR END	39186033
5 09/21/23 7:40 2 PI 1 1 1 1 1 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 44 6 09/25/23 9:34 2 PDO 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 44 7 10/23/21 18:00 1 PDO 3 1 1 2 ANIMAL EAST 7 ANIMAL 3: 8 01/09/23 17:35 1 PDO 5 1 1 1 2 ANIMAL EAST 7 ANIMAL 3: 9 07/22/23 22:00 1 PDO 5 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:	3	05/04/23	11:06	2	PI	1	1	2	3	FAILURE TO YEILD RIGHT OF WAY	SOUTH-EAST	1	RIGHT ANGLE	39815680
6 09/25/23 9:34 2 PDO 1 1 1 1 2 FAILURE TO YEILD RIGHT OF WAY SOUTH-EAST 1 RIGHT ANGLE 44 7 10/23/21 18:00 1 PDO 3 1 1 1 2 ANIMAL EAST 7 ANIMAL 33 8 01/09/23 17:35 1 PDO 5 1 1 2 ANIMAL EAST 7 ANIMAL 33 9 07/22/23 22:00 1 PDO 5 1 1 1 1 ANIMAL EAST 7 ANIMAL 33	4	07/06/23	22:40	2	PDO	4	1	1	2	FAILURE TO YEILD RIGHT OF WAY	SOUTH-EAST	1	RIGHT ANGLE	39931893
7 10/23/21 18:00 1 PDO 3 1 1 2 ANIMAL EAST 7 ANIMAL 3: 8 01/09/23 17:35 1 PDO 5 1 1 2 ANIMAL EAST 7 ANIMAL 3: 9 07/22/23 22:00 1 PDO 5 1 1 1 ANIMAL EAST 7 ANIMAL 3:	5	09/21/23	7:40	2	PI	1	1	1	1	FAILURE TO YEILD RIGHT OF WAY	SOUTH-EAST	1	RIGHT ANGLE	40000584
8 01/09/23 17:35 1 PDO 5 1 1 2 ANIMAL EAST 7 ANIMAL 3: 9 07/22/23 22:00 1 PDO 5 1 1 1 1 ANIMAL EAST 7 ANIMAL 3:	6	09/25/23	9:34	2	PDO	1	1	1	2	FAILURE TO YEILD RIGHT OF WAY	SOUTH-EAST	1	RIGHT ANGLE	40002201
9 07/22/23 22:00 1 PDO 5 1 1 1 ANIMAL EAST 7 ANIMAL 33	7	10/23/21	18:00	1	PDO	3	1	1	2	ANIMAL	EAST	7	ANIMAL	39076081
	8	01/09/23	17:35	1	PDO	5	1	1	2	ANIMAL	EAST	7	ANIMAL	39672343
	9	07/22/23	22:00	1	PDO	5	1	1	1	ANIMAL	EAST	7	ANIMAL	39916431
						-	_	- ]	-					
									-					

Crashes at Greiner Rd and Strickler Rd Intersection


Crashes along Greiner Rd between Strickler Rd and Hillcrest Dr

No Crashes occured along Stricklet Rd between Winding Ln and Greiner Rd during the study period.

		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration				Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
Ci	ity c	or Tow	1						Sta	ate	Zip	Code		Cit	y or Town					State	Zip Code		
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' ˈ	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		Joue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
V	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>		J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ī				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	نيد ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage Г	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u>-`</u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•		4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b>	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝΕ	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age 🗆 To	wn of_					
L							Э.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	200mig							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+			-	+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

### POLICE ACCIDENT REPORT

Accident Diagram




		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration				Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
Ci	ity c	or Tow	1						Sta	ate	Zip	Code		Cit	y or Town					State	Zip Code		
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' ˈ	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		s. 50ue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
V	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>		J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ī				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	نيد ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage □	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u> </u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•	. =	4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b>	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝ <b>Ε</b>	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age □ To	wn of_					
L							Э.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	200mig							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+			-	+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

Page of Pages

New York State Department of Motor Vehicles

POLICE ACCIDENT REPORT

Accident Diagram



#### → ← HERE FOLD -

Use only for accidents that happen in New York State

New York State Department of Motor Vehicles

# REPORT OF MOTOR VEHICLE ACCIDENT www.dmv.ny.gov


	BEFORE COMPLETING THIS FORM, READ THE INSTRUCTIONS IN SECTION A ON PAGE 2	[ 1
	Page of Page of Page of Page of Of Page of Page of Of Page of Of Page of	الـــا
	Accident Date    Day of Week   Time   AM   Number of Vehicles   Number   Nu	
	12   6   2021   MON   5.44   Dem   Z   D   DET Yes   D NO   FULL CO. SHEWIT	<del> </del>
0	Driver License ID Number State of License Driver License ID Number ; State of License	
•	Driver Name-exactly as printed on license (Last, First, M.I.)  Name-exactly as printed on license (Last, First, M.I.)	<u> </u>
~	B LAVOCAT, DEREK T ROPACH LORI J	
RIVER	Address (Include Number & Street)  Apt. Number   Address (Include Number & Street)   Apt. Number & Address (Include Number & Street)   Apt. Number	]
	815° SALT ROAD  City or Town  State Zip Code  City or Town  State Zip Code	
	Charene Con My 14032 Charener Con My 14032	
	Date of Birth  Month  Day  People in  Poplic  Property  Damaged  Date of Birth  Month  Day  People in  Poplic  Property  Damaged  Damaged  Damaged	
ᅴ	Name-exactly as printed on registration    Day   Year   People in Vehicle   Property   Damaged   Day 3   Year   Froperty   Property   Damaged   Property	3
9	Month   Day   Year   13/11 TO O   Month   Day   Year   Month   Month   Day   Year   Month	
¥	Address (Include Number & Street)  Apt. Number Address (Include Number & Street)  Apt. Number	
F	3150 SALT RO 6815 STRUMEN (20	4
REGISTRANT	City or Town State Zip Code City or Town State Zip Code  CLANGELLS COX. HI 14032	
뽒	CLANGE TO 14032 CLANGE OF H 14032  Plate Number State of Reg. Vehicle Year & Marke Vehicle Type Ins. Code Plate Number State of Reg. Vehicle Year & Marke Vehicle Type Ins. Code	<u> </u>
_	KRV1432 My Zoiy Gray 4050 295 HYL6155 My 2019 GAC SUBN 743	
8	Estimated Cost of Property Damage - Verticle 1	6
Ж	Describe damage to vehicle 1 ACCIDENT DIAGRAM: Circle one of the 9 diagrams (numbered 0-8) if it   Left Turn   Rear End   Sideswipe   Describe damage to vehicle 2	
VEHICLE DAMAG	describes the ascident, or draw your own diagram below in space #9.  Number the vehicles. Your vehicle is # 1    Same direction	7
Ž	Horr Califu Angle Right Turn  Thru Cante Bompan  Thru Cante Bompan  Thru Cante Bompan  Thru Cante Bompan	
Ш	in mater	
질	<u> </u>	23
茰	Right Tum Head On Sideswipe (opposite direction)	
	9.   6.   7.   8.   +   1	24
4	Place Where Accident Occurred in New York State:	
- 1	County East   City   Village   Town of Christiste   Permanent Landmark	
잍	Road on which accident occurred Structure (Liber (Route Number or Street Name)	
LOCATION	at 21) intersecting street GRUNG LOAD	25
의	(Route Number or Street Name)  or 2)	ب
Z	Feet Miles (Milepost, Nearest intersecting Route Number or Street Name)	26
	How did the accident happen?	
ACCIDE	VEHICLE 1 RAM Eropo VEHICLE Z	
_	8. Which Veh. 9. Position 10 Safety 12. 13. 16. Injury If Deceased, Enter	27
6	Names of All Persons Involved Occupied In/on Vehicle Equip. Used Age Sex A B C Describe Injuries Date of Death	٠
ČED.	They are Carocary / / 2,3 17 h	
밁	LILLY SCANANTINE 1/ Z Zi3 16 F	28
ALL INVOLV	Cari Ropaus 2 1 49 F	
<u>_</u>	tdentify Damaged Property	٠.
		H 
NC	That issued Policy For Vehicle 1 / U(V/DT) OPCC / P) SWATTER PARTY OF Number CO / O / O / O / O / O / O / O / O / O	29
SURANCE	Policy Holder Thursing Mc Morent GLSD Stay 110 Clustera Con Py 14032 From 425121 To 4128/122	╽└╌┘╷
	If Vehicle was Operated Under Permit Name and Address (ICC, USDOT or NYSDOT), give No. of Permit Holder	<u> </u>
Z	If Self-Insured, give Certificate No. and State	30
Date	Print Name of Driver Signature of Driver	
12	Print Name of Driver (or Representative*)  Of Vehicle 1  Print Name of Driver (or Representative*)  Of Vehicle 1  Signature of Driver (or Representative*)  Of Vehicle 1	
	A representative may sign for the driver if the driver is unable to sign Injury An accident report is not considered complete and filed unless it is signed,	, ,
ber:	use of injury or death. If you are signing as the driver's representative, k the box that describes why the driver cannot sign.	

		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration				Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
Ci	ity c	or Tow	1						Sta	ate	Zip	Code		Cit	y or Town					State	Zip Code		
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' ˈ	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		Joue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
V	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>	,   ,	J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ī				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	نيد ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage □	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u> </u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•		4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b>	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝ <b>Ε</b>	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age 🗆 To	wn of_					
L							3.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	Jooning							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+				+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

## New York State Department of Motor Vehicles

# POLICE ACCIDENT REPORT


Accident Diagram



		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration				Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
Ci	ity c	or Tow	1						Sta	ate	Zip	Code		Cit	y or Town					State	Zip Code		
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' ˈ	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		Joue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
V	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>		J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ī				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	نيد ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage □	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u> </u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•		4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b> }─	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝΕ	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age □ To	wn of_					
L							3.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	Jooning							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+				+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

# POLICE ACCIDENT REPORT

Accident Diagram



		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration				Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
Ci	ity c	or Tow	1						Sta	ate	Zip	Code		Cit	y or Town					State	Zip Code		
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' ˈ	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		Joue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
v	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>		J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ī				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	ني ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage Г	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u> </u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•	. =	4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b>	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝΕ	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age □ To	wn of_					
L							3.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	Jooning							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+			-	+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

Page of Pages

## New York State Department of Motor Vehicles

# POLICE ACCIDENT REPORT


Accident Diagram

_	Greiner Road Town of Clarence	
-		

		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration	I			Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
Ci	ity c	or Tow	1						Sta	ate	Zip	Code		Cit	y or Town					State	Zip Code		
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' ˈ	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		Joue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
v	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>		J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ī				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	ني ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage Г	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u> </u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•	. =	4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b>	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝΕ	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age 🗆 To	wn of_					
L							3.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	200mig							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+				+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

# New York State Department of Motor Vehicles POLICE ACCIDENT REPORT

Accident Diagram




		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration	I			Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
Ci	ity c	or Tow	1						Sta	ate	Zip	Code		Cit	y or Town					State	Zip Code		
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' '	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		Joue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
v	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>		J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ï				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	نيد ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage Г	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u> </u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•	. =	4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b>	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝ <b>Ε</b>	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age □ To	wn of_					
L							3.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	200mig							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+				+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

		Loc	ge cal Cod	of les	Pag	ges						AC	epartment CIDE 104A (6	NT	<b>REP</b>		Т						
٦.,	ooid	dent Da	ato.					-		ED REF		DI	MV COF	Υ			This izins a	ı			Left Scene	Police	Photos
	Mon		Day		Year			Day of W	vеек		Military T	ime	No. of Vehic	les	No. Inju	rea	No. Killed		stigated at Scene		_		
╬						1//	 EHICLI							1-	   VEHICL	F 2	BICY		Reconstructed		OTHER		es 🗆 No
			- Drive			V	ENICL	<u> </u>				St	tate of Lic.		HICLE 2 -		□ ыст	CLIST	☐ PEDESTF	MAIN L	_ OTHER		ate of Lic.
$\vdash$	-		Numbe											_	ense ID N								
			e -exac n licens												ver Name printed on								
Ad	ddre	ess (In	clude N	lumbei	r & Stree	et)							Apt. No.	Ad	dress (Incl	ude Nu	mber & Stre	et)					Apt. No.
Ci	ity c	or Towi	n							State	Zi	p Code		Cit	y or Town					State	Z	ip Code	
	ate Mon	of Birth	Day	Y	'ear	Sex	Ur	nlicensed		No. of Occupants	s	Public Proper Damag	ty	M	te of Birth onth	Day	Year	Sex	Unlicensed	No. of Occupar	nts	Public Property Damage	, ed
N	lame	e-exac	tly as p	rinted	on regis	stration	I			Sex	Date o Monti		/ Year	Na	me-exactl	y as pri	nted on regi	stration		Sex	Date of Month		Year
A	ddre	ess (In	clude N	lumbei	r & Stree	<i>∋t</i> )				Apt. No.	Haz.		Released	Ad	dress (Incl	ude Nu	mber & Stre	et)		Apt. No.	Haz.		Released
											Mat Code										Mat. Code		
City or Town State								ate	Zip	Code		Cit	y or Town					State	Zip Code				
Pi	late	Numb	er		State	of Reg.	Vehicle	Year &	Mak	e I	/ehicle T	vne	Ins. Cod	e Pir	ate Numbe	r	Stato	of Reg. V	ehicle Year & Ma	ke	Vehicle Ty	ne li	ns. Code
ļ' '	.uic	. 141110	<b>.</b> 1		Ciale	o. 1 tog.	1 0111016	, roar a	wich	`   '	- JIIIOIO I	, 00		"	14411111111111111111111111111111111	•	Julia	J. 1 10g.   V	ooio i oai a ivia		. or note Ty		Joue
		et/Arres	t		•		-						•		ket/Arrest			<u> </u>					
_	lumb 'iolat	ber(s)												_	mber(s)								
		on(s)													ction(s)								
Γ					vehicle						f involve								w that describe		ccident, or	draw y	our own
v	<b>/</b>	□ mo	re thai	n 34 f	nches veet lon	g;			٧	☐ more	than 3	4 feet lo	ong;			Rear	<u>.</u>	Left, Turr	umber the veh	Right	Turn H	lead On	
H					an over an over				E				erweight erdimens			1	- 🖝	<b>│</b>	,   ,	J	>	$\rightarrow$	<b>←</b>
ı	⊢.				DAM,				ï				MAGE C	_		1. Sides		3. Left Turn	, <b>†</b>	5. /	Turn S	Sideswipe	
c C			- Poin				1	2	С	Box 1 -			t	1	2		e direction)	<b>*</b>	-   -	نيد ا	<b>←</b>	opposite (	direction)
L	_		- Mos up to t		nage Г	3	4	5	L	Box 2 - Enter u		•	3	4	5	2. ACC	IDENT DIA	O. Y	4.	6. 🗸	8	. <del>-</del>	<u> </u>
٦,			Dama		odes	٦	4	"	2	more D				7									
Ι.		/ehicle	Ву						1	Vehicle	Ву					1							
		owed:	То							Towed:	То												
١,	∟ VE	HICLE	E DAN	IAGE	CODIN	NG:			•	. =	4		5	6	7	1							
	1-1	3. SE	E DIA	GRA	M ON I	RIGHT				3	1	<b>/</b> }─	4		1								
	1	4. UN	NDER	CARF		17.	DEMO	LISHE		2			13		8	9.							
			AILEF ERTU		:D		NO DA	AMAGE		\_	/					Cos	t of rensi	s to any	one vehicle v	will he m	nore than	\$1000	
	1	υ. Ο\	/EKI	νΚΙΝΕ	ט.	19.	OIHE	IX.		1 L				10	<b>.</b> ,			-	one venicle v			_	<b>]</b> No
-	Ref	ferenc	e Mar	ker T	Coordi	inates	(if avai	lable)	T	Place W	12 /here A		nt Occi		d:		_ CHRIO	, Orial	to Dotom				. 110
Ė				-	Latitud		•									□ Villa	age □ To	wn of_					
L							Э.		F	Road on v	which ac	cident o	occurred										
																		(Route I	Number or Street	Name)			
					Longit	ude/Ea	asting:			,	200mig							(Route I	Number or Street	Name)			
										or 2)		4:1		∃ŵ	of		/A 411 - 1	Na **	tonoction D	NI. us-1-	n Ctu/ *1		
A	cci	¦ dent Γ	escrir	 otion/0	Officer's	s Note	s		—	Fe	eet N	liles					(Milepost	, inearest ii	ntersecting Route	Number o	r Street Nai	ne)	
[ "			- 2011				-																
l	8		0			10		11	10	10	1.4	15	16	17	DV.	TO	10		Names of all !-	wolved		Data	of Death
Γ	ď		9	Т		10		11	12	13	14	15	16	17	DĪ	10	18		Names of all ir	ivoivea		Date	วา เวเลเก
t				+				+															
				+				+														+	
_		-		+			-	+														+	
		-		+				+									+					+	
1																						-	
ff: a			1,								 		la la		ا ما ما		tl C+ - · ·	/Da-+/  D			Is :		7 av -! -
nd :	Sig	s Ran ınatur									Bac	lge/ID N	NO.   NC	)IC  \			st Station Sector		eviewing fficer		Date	e/ i ime l	Reviewe
int Fu		ame																					
. u	411												- 1		1			1					

### New York State Department of Motor Vehicles

## POLICE ACCIDENT REPORT

Accident Diagram



# APPENDIX D Capacity Analysis Output Sheets



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	22	84	53	23	127	4	97	69	2	5	127	89
Future Vol, veh/h	22	84	53	23	127	4	97	69	2	5	127	89
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	3	3	3	2	2	2	2	40	2	10	10	10
Mvmt Flow	25	94	60	26	143	4	109	78	2	6	143	100
Number of Lanes	0	1	0	0	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	1			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			1		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			1			1		
HCM Control Delay	10.1			10.3			10.5			10.9		
HCM LOS	R			R			R			R		

Lane	NBLn1	EBLn1	WBLn1	SBLn1	
Vol Left, %	58%	14%	15%	2%	
Vol Thru, %	41%	53%	82%	57%	
Vol Right, %	1%	33%	3%	40%	
Sign Control	Stop	Stop	Stop	Stop	
Traffic Vol by Lane	168	159	154	221	
LT Vol	97	22	23	5	
Through Vol	69	84	127	127	
RT Vol	2	53	4	89	
Lane Flow Rate	189	179	173	248	
Geometry Grp	1	1	1	1	
Degree of Util (X)	0.282	0.26	0.26	0.351	
Departure Headway (Hd)	5.379	5.23	5.402	5.091	
Convergence, Y/N	Yes	Yes	Yes	Yes	
Cap	668	686	664	708	
Service Time	3.411	3.262	3.434	3.122	
HCM Lane V/C Ratio	0.283	0.261	0.261	0.35	
HCM Control Delay	10.5	10.1	10.3	10.9	
HCM Lane LOS	В	В	В	В	
HCM 95th-tile Q	1.2	1	1	1.6	

Intersection						
Int Delay, s/veh	0.3					
Mayamant	EDI	EDD	NDI	NDT	CDT	CDD
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	¥			ની	- î≽	_
Traffic Vol, veh/h	8	2	1	160	196	7
Future Vol, veh/h	8	2	1	160	196	7
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage	e,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	83	83	83	83	83	83
Heavy Vehicles, %	1	1	5	5	7	7
Mymt Flow	10	2	1	193	236	8
WIVIII I IOW	10			155	200	U
Major/Minor	Minor2	ľ	Major1	N	//ajor2	
Conflicting Flow All	435	240	244	0	-	0
Stage 1	240	-	-	-	-	-
Stage 2	195	_	_	_	-	-
Critical Hdwy	6.41	6.21	4.15	_	_	_
Critical Hdwy Stg 1	5.41	-	-	_	_	_
Critical Hdwy Stg 2	5.41	_	_	_	_	_
Follow-up Hdwy			2.245			
Pot Cap-1 Maneuver	580	801	1305		_	
			1303	-	-	-
Stage 1	802	-		-	-	-
Stage 2	840	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	579	801	1305	-	-	-
Mov Cap-2 Maneuver	579	_				
Stage 1			-	-	-	-
Olago I	801	-	-	-	-	-
			-	-		-
Stage 2	801	-		-	-	-
Stage 2	801 840	-	-	- - -	-	- - -
Stage 2 Approach	801 840 EB	-	NB	-	SB	-
Stage 2  Approach HCM Control Delay, s	801 840	-	-	-	-	-
Stage 2 Approach	801 840 EB	-	NB	-	SB	-
Stage 2  Approach HCM Control Delay, s	801 840 EB	-	NB	-	SB	-
Stage 2  Approach  HCM Control Delay, s  HCM LOS	801 840 EB 11 B	-	NB 0	- - -	- - SB 0	- - -
Stage 2  Approach HCM Control Delay, s HCM LOS  Minor Lane/Major Mvn	801 840 EB 11 B	- - NBL	NB 0	EBLn1	SB 0	SBR
Stage 2  Approach HCM Control Delay, s HCM LOS  Minor Lane/Major Mvn Capacity (veh/h)	801 840 EB 11 B	NBL 1305	NB 0	613	SB 0	-
Stage 2  Approach HCM Control Delay, s HCM LOS  Minor Lane/Major Mvn Capacity (veh/h) HCM Lane V/C Ratio	801 840 EB 11 B	NBL 1305 0.001	NB 0	613 0.02	SB 0	-
Stage 2  Approach HCM Control Delay, s HCM LOS  Minor Lane/Major Mvn Capacity (veh/h) HCM Lane V/C Ratio HCM Control Delay (s)	801 840 EB 11 B	NBL 1305 0.001 7.8	NB 0  NBT I	613 0.02 11	SB 0	-
Stage 2  Approach HCM Control Delay, s HCM LOS  Minor Lane/Major Mvn Capacity (veh/h) HCM Lane V/C Ratio	801 840 EB 11 B	NBL 1305 0.001	NB 0	613 0.02	SB 0	-

	۶	<b>→</b>	*	•	<b>←</b>	4	1	<b>†</b>	~	<b>/</b>	<b>+</b>	4
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	₽		ሻ	<b>₽</b>			4			4	
Traffic Volume (veh/h)	76	224	37	59	456	19	41	66	38	22	90	86
Future Volume (veh/h)	76	224	37	59	456	19	41	66	38	22	90	86
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1678	1678	1678	1841	1841	1841	1811	1811	1811	1752	1752	1752
Adj Flow Rate, veh/h	87	257	43	68	524	22	47	76	44	25	103	99
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Percent Heavy Veh, %	15	15	15	4	4	4	6	6	6	10	10	10
Cap, veh/h	427	719	120	625	889	37	134	194	94	78	173	150
Arrive On Green	0.06	0.51	0.51	0.05	0.51	0.51	0.22	0.22	0.22	0.22	0.22	0.22
Sat Flow, veh/h	1598	1401	234	1753	1754	74	308	896	431	94	799	690
Grp Volume(v), veh/h	87	0	300	68	0	546	167	0	0	227	0	0
Grp Sat Flow(s),veh/h/ln	1598	0	1636	1753	0	1827	1635	0	0	1583	0	0
Q Serve(g_s), s	1.7	0.0	7.6	1.2	0.0	14.5	0.0	0.0	0.0	2.2	0.0	0.0
Cycle Q Clear(g_c), s	1.7	0.0	7.6	1.2	0.0	14.5	5.8	0.0	0.0	8.9	0.0	0.0
Prop In Lane	1.00		0.14	1.00		0.04	0.28		0.26	0.11		0.44
Lane Grp Cap(c), veh/h	427	0	839	625	0	926	422	0	0	402	0	0
V/C Ratio(X)	0.20	0.00	0.36	0.11	0.00	0.59	0.40	0.00	0.00	0.57	0.00	0.00
Avail Cap(c_a), veh/h	472	0	1161	685	0	1297	530	0	0	514	0	0
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00	0.00
Uniform Delay (d), s/veh	8.6	0.0	10.0	7.4	0.0	12.0	23.4	0.0	0.0	24.6	0.0	0.0
Incr Delay (d2), s/veh	0.2	0.0	0.3	0.1	0.0	0.6	0.6	0.0	0.0	1.3	0.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	0.5	0.0	2.2	0.4	0.0	4.7	2.3	0.0	0.0	3.2	0.0	0.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	8.8	0.0	10.3	7.4	0.0	12.6	24.0	0.0	0.0	25.9	0.0	0.0
LnGrp LOS	Α	Α	В	Α	Α	В	С	Α	Α	С	Α	A
Approach Vol, veh/h		387			614			167			227	
Approach Delay, s/veh		10.0			12.0			24.0			25.9	
Approach LOS		Α			В			С			С	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	7.6	41.4		20.0	8.1	41.0		20.0				
Change Period (Y+Rc), s	4.0	6.0		5.0	4.0	6.0		5.0				
Max Green Setting (Gmax), s	6.0	49.0		20.0	6.0	49.0		20.0				
Max Q Clear Time (g_c+l1), s	3.2	9.6		10.9	3.7	16.5		7.8				
Green Ext Time (p_c), s	0.0	1.7		8.0	0.0	3.5		0.7				
Intersection Summary												
HCM 6th Ctrl Delay			15.1									
HCM 6th LOS			В									

Intersection												
Int Delay, s/veh	3.6											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	8	282	30	82	342	16	18	13	60	9	27	10
Future Vol, veh/h	8	282	30	82	342	16	18	13	60	9	27	10
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage	e,# -	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	2	2	2	2	2	2	1	1	1	4	4	4
Mvmt Flow	9	310	33	90	376	18	20	14	66	10	30	11
Major/Minor	Major1			Major2			Minor1			Minor2		
Conflicting Flow All	394	0	0	343	0	0	931	919	327	950	926	385
Stage 1	394	-	-	343	-	-	345	345	321	565	565	300
Stage 2	_	_	_		-	_	586	574	_	385	361	_
Critical Hdwy	4.12		-	4.12	-	-	7.11	6.51	6.21	7.14	6.54	6.24
Critical Hdwy Stg 1	7.12	_	_	7.12	_	_	6.11	5.51	0.21	6.14	5.54	0.24
Critical Hdwy Stg 1	_		-	_		-	6.11	5.51		6.14	5.54	_
Follow-up Hdwy	2.218	_	_	2.218	<u> </u>	<u> </u>	3.509	4.009	3.309	3.536	4.036	3.336
Pot Cap-1 Maneuver	1165	_	_	1216	_	_	248	272	717	238	267	658
Stage 1	- 100	_	_	-	_	_	673	638	- 111	506	505	-
Stage 2	_	_	_	_	_	_	498	505	_	634	622	_
Platoon blocked, %		_	_		_	_	.00	500		30 1	JLL	
Mov Cap-1 Maneuver	1165	_	_	1216	-	-	203	244	717	190	239	658
Mov Cap-2 Maneuver	-	-	-	-	_	-	203	244	-	190	239	-
Stage 1	_	_	_	-	_	_	666	632	-	501	457	_
Stage 2	-	-	-	-	_	-	414	457	-	557	616	-
Annanah	ED			WD			ND			OD		
Approach	EB			WB			NB			SB		
HCM Control Delay, s	0.2			1.5			16.9			22		
HCM LOS							С			С		
Minor Lane/Major Mvm	nt 1	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1			
Capacity (veh/h)		403	1165	-	-	1216	-	-	262			
HCM Lane V/C Ratio		0.248	0.008	-	-	0.074	-	-	0.193			
HCM Control Delay (s)		16.9	8.1	0	-	8.2	0	-	22			
HCM Lane LOS		С	Α	Α	-	Α	Α	-	С			
HCM 95th %tile Q(veh	)	1	0	-	-	0.2	-	-	0.7			

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	49	173	75	16	88	13	67	110	15	7	63	39
Future Vol, veh/h	49	173	75	16	88	13	67	110	15	7	63	39
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	2	2	2	3	3	3	5	5	5	15	15	15
Mvmt Flow	55	194	84	18	99	15	75	124	17	8	71	44
Number of Lanes	0	1	0	0	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	1			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			1		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			1			1		
HCM Control Delay	12.2			9.7			11.1			9.9		
HCM LOS	В			Α			В			Α		

Lane	NBLn1	EBLn1	WBLn1	SBLn1	
Vol Left, %	35%	16%	14%	6%	
Vol Thru, %	57%	58%	75%	58%	
Vol Right, %	8%	25%	11%	36%	
Sign Control	Stop	Stop	Stop	Stop	
Traffic Vol by Lane	192	297	117	109	
LT Vol	67	49	16	7	
Through Vol	110	173	88	63	
RT Vol	15	75	13	39	
Lane Flow Rate	216	334	131	122	
Geometry Grp	1	1	1	1	
Degree of Util (X)	0.325	0.463	0.196	0.188	
Departure Headway (Hd)	5.43	4.996	5.358	5.536	
Convergence, Y/N	Yes	Yes	Yes	Yes	
Cap	662	724	669	648	
Service Time	3.465	2.996	3.391	3.575	
HCM Lane V/C Ratio	0.326	0.461	0.196	0.188	
HCM Control Delay	11.1	12.2	9.7	9.9	
HCM Lane LOS	В	В	Α	Α	
HCM 95th-tile Q	1.4	2.5	0.7	0.7	

Intersection						
Int Delay, s/veh	0.4					
		EDD	NIDI	NDT	CDT	CDD
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	À	^		4	<b>♣</b>	0
Traffic Vol, veh/h	6	3	4	186	146	8
Future Vol, veh/h	6	3	4	186	146	8
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage	e, # 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	10	10	5	5	7	7
Mvmt Flow	7	3	4	207	162	9
Maine/Mine	N 4: C		14-1-4		1-1-0	
	Minor2		Major1		//ajor2	
Conflicting Flow All	382	167	171	0	-	0
Stage 1	167	-	-	-	-	-
Stage 2	215	-	-	-	-	-
Critical Hdwy	6.5	6.3	4.15	-	-	-
Critical Hdwy Stg 1	5.5	-	-	-	-	-
Critical Hdwy Stg 2	5.5	-	-	-	-	-
Follow-up Hdwy	3.59	3.39	2.245	-	-	-
Pot Cap-1 Maneuver	605	857	1388	-	-	-
Stage 1	843	-	-	-	-	-
Stage 2	802	_	-	-	_	_
Platoon blocked, %	302			_	_	_
Mov Cap-1 Maneuver	603	857	1388	_	_	_
Mov Cap-1 Maneuver	603	- 001	1300	_	_	_
Stage 1	840	_	-	-	-	-
_	802			_		
Stage 2	002	-	-	-	-	-
Approach	EB		NB		SB	
HCM Control Delay, s	10.5		0.2		0	
HCM LOS	В					
NA:	.1	ND	NDT	EDL .	ODT	000
Minor Lane/Major Mvn	nt	NBL	NBI	EBLn1	SBT	SBR
Capacity (veh/h)		1388	-	669	-	-
HCM Lane V/C Ratio		0.003	-	0.015	-	-
HCM Control Delay (s)		7.6	0	10.5	-	-
HCM Lane LOS		Α	Α	В	-	-
HCM 95th %tile Q(veh	)	0	-	0	-	-
	,					

	۶	<b>→</b>	•	•	<b>←</b>	•	1	<b>†</b>	~	<b>/</b>	<b>+</b>	✓
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	1>		ሻ	<b>₽</b>			4			4	
Traffic Volume (veh/h)	64	503	57	53	398	26	59	100	79	39	62	48
Future Volume (veh/h)	64	503	57	53	398	26	59	100	79	39	62	48
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1826	1826	1826
Adj Flow Rate, veh/h	74	578	66	61	457	30	68	115	91	45	71	55
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	5	5	5
Cap, veh/h	506	847	97	391	883	58	134	175	121	127	180	114
Arrive On Green	0.06	0.51	0.51	0.05	0.51	0.51	0.22	0.22	0.22	0.22	0.22	0.22
Sat Flow, veh/h	1781	1648	188	1781	1736	114	314	802	555	282	824	524
Grp Volume(v), veh/h	74	0	644	61	0	487	274	0	0	171	0	0
Grp Sat Flow(s),veh/h/ln	1781	0	1836	1781	0	1850	1672	0	0	1629	0	0
Q Serve(g_s), s	1.3	0.0	18.1	1.1	0.0	12.1	4.3	0.0	0.0	0.0	0.0	0.0
Cycle Q Clear(g_c), s	1.3	0.0	18.1	1.1	0.0	12.1	10.3	0.0	0.0	6.0	0.0	0.0
Prop In Lane	1.00		0.10	1.00	_	0.06	0.25	_	0.33	0.26		0.32
Lane Grp Cap(c), veh/h	506	0	944	391	0	941	430	0	0	421	0	0
V/C Ratio(X)	0.15	0.00	0.68	0.16	0.00	0.52	0.64	0.00	0.00	0.41	0.00	0.00
Avail Cap(c_a), veh/h	563	0	1308	458	0	1318	545	0	0	531	0	0
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00	0.00
Uniform Delay (d), s/veh	8.0	0.0	12.5	9.4	0.0	11.3	24.9	0.0	0.0	23.3	0.0	0.0
Incr Delay (d2), s/veh	0.1	0.0	0.9	0.2	0.0	0.4	1.6	0.0	0.0	0.6	0.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	0.4	0.0	5.9	0.3	0.0	4.0	4.0	0.0	0.0	2.2	0.0	0.0
Unsig. Movement Delay, s/veh		0.0	10.4	0.0	0.0	44.7	00.5	0.0	0.0	04.0	0.0	0.0
LnGrp Delay(d),s/veh	8.1	0.0	13.4	9.6	0.0	11.7	26.5	0.0	0.0	24.0	0.0	0.0
LnGrp LOS	A	A 740	В	A	A 540	В	С	A 07.4	A	С	A 74	A
Approach Vol, veh/h		718			548			274			171	
Approach Delay, s/veh		12.9			11.5			26.5			24.0	
Approach LOS		В			В			С			С	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	7.4	41.3		20.0	7.8	41.0		20.0				
Change Period (Y+Rc), s	4.0	6.0		5.0	4.0	6.0		5.0				
Max Green Setting (Gmax), s	6.0	49.0		20.0	6.0	49.0		20.0				_
Max Q Clear Time (g_c+l1), s	3.1	20.1		8.0	3.3	14.1		12.3				
Green Ext Time (p_c), s	0.0	4.3		0.6	0.0	3.0		0.9				
Intersection Summary												
HCM 6th Ctrl Delay			15.7									
HCM 6th LOS			В									

Intersection												
Int Delay, s/veh	4.2											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	14	300	40	51	390	40	18	29	50	4	15	14
Future Vol, veh/h	14	300	40	51	390	40	18	29	50	4	15	14
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	_	-	-	_	_	-	-	-	-	-	-	-
Veh in Median Storage	e.# -	0	-	-	0	-	-	0	_	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	79	79	79	79	79	79	79	79	79	79	79	79
Heavy Vehicles, %	2	2	2	2	2	2	3	3	3	3	3	3
Mvmt Flow	18	380	51	65	494	51	23	37	63	5	19	18
Major/Mina-	Mais =1			/lois=0			Minera			Miner		
	Major1			Major2			Minor1	444-		Minor2	444-	500
Conflicting Flow All	545	0	0	431	0	0	1110	1117	406	1142	1117	520
Stage 1	-	-	-	-	-	-	442	442	-	650	650	-
Stage 2	4.40	-	-	1 10	-	-	668	675	6.00	492	467	6.00
Critical Hdwy	4.12	-	-	4.12	-	-	7.13	6.53	6.23	7.13	6.53	6.23
Critical Hdwy Stg 1	-	-	-	-	-	-	6.13	5.53	-	6.13	5.53	-
Critical Hdwy Stg 2	2 240	-	-	2 240	-	-	6.13	5.53	2 207	6.13	5.53	2 207
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.527	4.027	3.327	3.527		3.327
Pot Cap-1 Maneuver	1024	-	-	1129	-	-	186	206	643	177	206	554
Stage 1	-	-	-	-	-	-	592	575	-	456	464	-
Stage 2	-	-	-	-	-	-	446	452	-	557	560	-
Platoon blocked, %	1024	-	-	1129	-	-	153	185	643	125	185	554
Mov Cap-1 Maneuver	1024	-	-	1129	-	-	153	185		125	185	
Mov Cap-2 Maneuver	-	-	-	-	-	-	578	562	-	446	425	-
Stage 1	-	-	-	-	-	-	378	414	-	446	547	-
Stage 2	-	-	-	-	-	-	3/0	414	-	409	547	-
Approach	EB			WB			NB			SB		
HCM Control Delay, s	0.3			0.9			28.2			23.2		
HCM LOS							D			С		
Minor Lane/Major Mvm	nt 1	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1			
Capacity (veh/h)		275	1024	-	-	1129	-	-	239			
HCM Lane V/C Ratio			0.017	_		0.057	_	_	0.175			
HCM Control Delay (s)		28.2	8.6	0	-	8.4	0	-	23.2			
HCM Lane LOS		D	A	A	_	A	A	_	C			
HCM 95th %tile Q(veh	)	2.2	0.1	-	-	0.2	-	-	0.6			
	,											

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	24	92	58	25	139	4	107	75	2	5	139	97
Future Vol, veh/h	24	92	58	25	139	4	107	75	2	5	139	97
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	3	3	3	2	2	2	2	40	2	10	10	10
Mvmt Flow	27	103	65	28	156	4	120	84	2	6	156	109
Number of Lanes	0	1	0	0	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	1			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			1		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			1			1		
HCM Control Delay	10.7			11			11.2			11.7		
HCM LOS	R			R			R			R		

Lane	NBLn1	EBLn1	WBLn1	SBLn1	
Vol Left, %	58%	14%	15%	2%	
Vol Thru, %	41%	53%	83%	58%	
Vol Right, %	1%	33%	2%	40%	
Sign Control	Stop	Stop	Stop	Stop	
Traffic Vol by Lane	184	174	168	241	
LT Vol	107	24	25	5	
Through Vol	75	92	139	139	
RT Vol	2	58	4	97	
Lane Flow Rate	207	196	189	271	
Geometry Grp	1	1	1	1	
Degree of Util (X)	0.319	0.294	0.293	0.395	
Departure Headway (Hd)	5.555	5.415	5.59	5.255	
Convergence, Y/N	Yes	Yes	Yes	Yes	
Cap	645	663	642	685	
Service Time	3.6	3.46	3.635	3.296	
HCM Lane V/C Ratio	0.321	0.296	0.294	0.396	
HCM Control Delay	11.2	10.7	11	11.7	
HCM Lane LOS	В	В	В	В	
HCM 95th-tile Q	1.4	1.2	1.2	1.9	

Intersection						
Intersection Int Delay, s/veh	0.3					
-						
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W			4	٦	
Traffic Vol, veh/h	9	2	1	175	214	8
Future Vol, veh/h	9	2	1	175	214	8
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage	, # 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	83	83	83	83	83	83
Heavy Vehicles, %	1	1	5	5	7	7
Mvmt Flow	11	2	1	211	258	10
	Minor2		Major1		/lajor2	
Conflicting Flow All	476	263	268	0	-	0
Stage 1	263	-	-	-	-	-
Stage 2	213	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.15	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.245	-	-	-
Pot Cap-1 Maneuver	549	778	1278	-	-	-
Stage 1	783	-	-	-	-	-
Stage 2	825	-	_	-	-	
Platoon blocked, %	-			-	_	-
Mov Cap-1 Maneuver	548	778	1278	_	-	-
Mov Cap-2 Maneuver	548	-	1210	_	_	_
Stage 1	782	_	_	_	_	_
Stage 2	825	_	_	_	_	_
Olaye Z	020			_		_
Approach	EB		NB		SB	
HCM Control Delay, s	11.4		0		0	
HCM LOS	В					
Minor Lane/Major Mum	+	NDI	NDT	EDI 51	CPT	CDD
Minor Lane/Major Mvm	ı	NBL		EBLn1	SBT	SBR
Capacity (veh/h)		1278	-	• • •	-	-
HCM Lane V/C Ratio		0.001		0.023	-	-
HCM Control Delay (s)		7.8	0	11.4	-	-
HCM Lane LOS		Α	Α	В	-	-
HCM 95th %tile Q(veh)		0	-	0.1	-	-

	۶	<b>→</b>	•	•	<b>←</b>	4	1	<b>†</b>	~	<b>/</b>	<b>†</b>	✓
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	₽		7	₽			- 4			4	
Traffic Volume (veh/h)	83	245	40	64	498	21	45	72	42	24	98	94
Future Volume (veh/h)	83	245	40	64	498	21	45	72	42	24	98	94
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1678	1678	1678	1841	1841	1841	1811	1811	1811	1752	1752	1752
Adj Flow Rate, veh/h	95	282	46	74	572	24	52	83	48	28	113	108
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Percent Heavy Veh, %	15	15	15	4	4	4	6	6	6	10	10	10
Cap, veh/h	398	720	117	603	887	37	134	187	90	80	173	149
Arrive On Green	0.06	0.51	0.51	0.05	0.51	0.51	0.22	0.22	0.22	0.22	0.22	0.22
Sat Flow, veh/h	1598	1407	229	1753	1754	74	310	864	417	100	796	687
Grp Volume(v), veh/h	95	0	328	74	0	596	183	0	0	249	0	0
Grp Sat Flow(s),veh/h/ln	1598	0	1636	1753	0	1827	1591	0	0	1583	0	0
Q Serve(g_s), s	1.9	0.0	8.5	1.3	0.0	16.5	0.0	0.0	0.0	3.3	0.0	0.0
Cycle Q Clear(g_c), s	1.9	0.0	8.5	1.3	0.0	16.5	6.6	0.0	0.0	10.0	0.0	0.0
Prop In Lane	1.00		0.14	1.00		0.04	0.28		0.26	0.11		0.43
Lane Grp Cap(c), veh/h	398	0	837	603	0	924	412	0	0	401	0	0
V/C Ratio(X)	0.24	0.00	0.39	0.12	0.00	0.64	0.44	0.00	0.00	0.62	0.00	0.00
Avail Cap(c_a), veh/h	439	0	1159	659	0	1294	519	0	0	513	0	0
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00	0.00
Uniform Delay (d), s/veh	9.2	0.0	10.3	7.5	0.0	12.5	23.8	0.0	0.0	25.1	0.0	0.0
Incr Delay (d2), s/veh	0.3	0.0	0.3	0.1	0.0	0.8	0.8	0.0	0.0	1.6	0.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	0.5	0.0	2.5	0.4	0.0	5.4	2.5	0.0	0.0	3.6	0.0	0.0
Unsig. Movement Delay, s/veh		0.0	10 C	7.6	0.0	12.2	04.5	0.0	0.0	06.7	0.0	0.0
LnGrp Delay(d),s/veh	9.5	0.0 A	10.6 B	7.6	0.0	13.3 B	24.5 C	0.0	0.0	26.7 C	0.0	0.0
LnGrp LOS	A		D	A	A C70	Б	U	A 402	A	U	A 240	A
Approach Vol, veh/h		423			670			183			249	
Approach Delay, s/veh		10.4			12.7			24.5			26.7	
Approach LOS		В			В			С			С	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	7.8	41.4		20.0	8.2	41.0		20.0				
Change Period (Y+Rc), s	4.0	6.0		5.0	4.0	6.0		5.0				
Max Green Setting (Gmax), s	6.0	49.0		20.0	6.0	49.0		20.0				
Max Q Clear Time (g_c+l1), s	3.3	10.5		12.0	3.9	18.5		8.6				
Green Ext Time (p_c), s	0.0	1.9		0.8	0.0	3.9		0.7				
Intersection Summary												
HCM 6th Ctrl Delay			15.7									
HCM 6th LOS			В									

-												
Intersection	_										_	
Int Delay, s/veh	4.2											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			44			44	
Traffic Vol, veh/h	9	308	33	90	374	17	20	14	66	10	30	11
Future Vol, veh/h	9	308	33	90	374	17	20	14	66	10	30	11
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	_	None	_	_	None	_	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	_
Veh in Median Storage	e,# -	0	-	-	0	-	-	0	-	-	0	_
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	2	2	2	2	2	2	1	1	1	4	4	4
Mvmt Flow	10	338	36	99	411	19	22	15	73	11	33	12
Major/Minor I	Major1			Major2			Minor1			Minor2		
Conflicting Flow All	430	0	0	374	0	0	1017	1004	356	1039	1013	421
Stage 1	-	-		-	-	-	376	376	-	619	619	
Stage 2	_	_	_	_	_	_	641	628	_	420	394	_
Critical Hdwy	4.12	_	_	4.12	_	_	7.11	6.51	6.21	7.14	6.54	6.24
Critical Hdwy Stg 1		_	_		_	_	6.11	5.51	-	6.14	5.54	
Critical Hdwy Stg 2	_	_	_	-	_	_	6.11	5.51	-	6.14	5.54	_
Follow-up Hdwy	2.218	_	_	2.218	_	-	3.509	4.009	3.309	3.536	4.036	3.336
Pot Cap-1 Maneuver	1129	_	_	1184	-	_	217	243	690	207	237	628
Stage 1		_	_		_	-	647	618	-	473	477	-
Stage 2	_	_	_	-	-	_	465	477	-	607	602	_
Platoon blocked, %		_	_		_	-	100				302	
Mov Cap-1 Maneuver	1129	_	_	1184	-	_	170	214	690	159	209	628
Mov Cap-2 Maneuver		_	_		_	-	170	214	-	159	209	-
Stage 1	-	_	_	-	-	-	640	611	-	468	425	-
Stage 2	_	_	_	_	_	-	374	425	_	524	595	_
<b></b>							J. 1	5		J	300	
Approach	EB			WB			NB			SB		
HCM Control Delay, s	0.2			1.6			19.4			25.9		
HCM LOS	0.2			1.0			C			20.0 D		
Minor Lane/Major Mvm	nt I	NBLn1	EBL	EBT	EBR	WBL	WBT	WRR	SBLn1			
Capacity (veh/h)		359	1129			1184	,,,,,,		228			
HCM Lane V/C Ratio		0.306	0.009	-		0.084	_	-	0.246			
HCM Control Delay (s)		19.4	8.2	0	-	8.3	0	<u>-</u>	25.9			
HCM Lane LOS		19.4 C	0.2 A	A	-	6.5 A	A	-	25.9 D			
HCM 95th %tile Q(veh	١	1.3	0	- A	-	0.3	- -	-	0.9			
HOW SOUT /ottle Q(VeII	)	1.3	U	-		0.3		_	0.9			

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	54	189	82	17	96	14	73	120	16	8	69	43
Future Vol, veh/h	54	189	82	17	96	14	73	120	16	8	69	43
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	2	2	2	3	3	3	5	5	5	15	15	15
Mvmt Flow	61	212	92	19	108	16	82	135	18	9	78	48
Number of Lanes	0	1	0	0	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	1			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			1		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			1			1		
HCM Control Delay	13.6			10.2			11.9			10.4		
HCM LOS	R			R			R			R		

Lane	NBLn1	EBLn1	WBLn1	SBLn1	
Vol Left, %	35%	17%	13%	7%	
Vol Thru, %	57%	58%	76%	57%	
Vol Right, %	8%	25%	11%	36%	
Sign Control	Stop	Stop	Stop	Stop	
Traffic Vol by Lane	209	325	127	120	
LT Vol	73	54	17	8	
Through Vol	120	189	96	69	
RT Vol	16	82	14	43	
Lane Flow Rate	235	365	143	135	
Geometry Grp	1	1	1	1	
Degree of Util (X)	0.366	0.519	0.22	0.215	
Departure Headway (Hd)	5.61	5.117	5.551	5.738	
Convergence, Y/N	Yes	Yes	Yes	Yes	
Cap	641	705	645	624	
Service Time	3.652	3.155	3.599	3.787	
HCM Lane V/C Ratio	0.367	0.518	0.222	0.216	
HCM Control Delay	11.9	13.6	10.2	10.4	
HCM Lane LOS	В	В	В	В	
HCM 95th-tile Q	1.7	3	8.0	0.8	

Intersection						
Intersection Int Delay, s/veh	0.3					
IIIL Delay, 5/Vell						
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	¥			ની	f)	
Traffic Vol, veh/h	7	3	4	202	159	9
Future Vol, veh/h	7	3	4	202	159	9
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage	,# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	10	10	5	5	7	7
Mvmt Flow	8	3	4	224	177	10
N A		_				
	/linor2		Major1		/lajor2	
Conflicting Flow All	414	182	187	0	-	0
Stage 1	182	-	-	-	-	-
Stage 2	232	-	-	-	-	-
Critical Hdwy	6.5	6.3	4.15	-	-	-
Critical Hdwy Stg 1	5.5	-	-	-	-	-
Critical Hdwy Stg 2	5.5	-	-	-	-	-
Follow-up Hdwy	3.59	3.39	2.245	-	-	-
Pot Cap-1 Maneuver	580	840	1369	-	-	-
Stage 1	830	-	-	-	-	-
Stage 2	788	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	578	840	1369		-	-
Mov Cap-2 Maneuver	578	-	-	-	_	-
Stage 1	828	_	-	_	-	-
Stage 2	788	_	_	-	_	_
Jugo 2	, 00					
Approach	EB		NB		SB	
HCM Control Delay, s	10.7		0.1		0	
HCM LOS	В					
Minor Lane/Major Mvm	ŀ	NBL	NRT	EBLn1	SBT	SBR
						SDIX
Capacity (veh/h)		1369	-		-	-
HCM Cartest Dates (a)		0.003		0.017	-	-
HCM Control Delay (s)		7.6	0	10.7	-	-
HCM Lane LOS		A	Α	В	-	-
HCM 95th %tile Q(veh)		0	-	0.1	-	-

	۶	<b>→</b>	•	•	<b>—</b>	•	4	<b>†</b>	~	<b>\</b>	<b>+</b>	✓
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	7	î,		7	f)			4			44	
Traffic Volume (veh/h)	69	550	62	58	435	28	64	109	86	42	68	52
Future Volume (veh/h)	69	550	62	58	435	28	64	109	86	42	68	52
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1826	1826	1826
Adj Flow Rate, veh/h	79	632	71	67	500	32	74	125	99	48	78	60
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	5	5	5
Cap, veh/h	475	846	95	354	883	57	136	174	122	125	176	112
Arrive On Green	0.06	0.51	0.51	0.05	0.51	0.51	0.22	0.22	0.22	0.22	0.22	0.22
Sat Flow, veh/h	1781	1651	186	1781	1739	111	326	798	559	274	807	515
Grp Volume(v), veh/h	79	0	703	67	0	532	298	0	0	186	0	0
Grp Sat Flow(s),veh/h/ln	1781	0	1837	1781	0	1850	1684	0	0	1597	0	0
Q Serve(g_s), s	1.4	0.0	20.8	1.2	0.0	13.7	4.6	0.0	0.0	0.0	0.0	0.0
Cycle Q Clear(g_c), s	1.4	0.0	20.8	1.2	0.0	13.7	11.3	0.0	0.0	6.7	0.0	0.0
Prop In Lane	1.00		0.10	1.00		0.06	0.25		0.33	0.26		0.32
Lane Grp Cap(c), veh/h	475	0	941	354	0	940	432	0	0	413	0	0
V/C Ratio(X)	0.17	0.00	0.75	0.19	0.00	0.57	0.69	0.00	0.00	0.45	0.00	0.00
Avail Cap(c_a), veh/h	529	0	1306	416	0	1316	547	0	0	522	0	0
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00	0.00
Uniform Delay (d), s/veh	8.3	0.0	13.3	10.3	0.0	11.7	25.4	0.0	0.0	23.7	0.0	0.0
Incr Delay (d2), s/veh	0.2	0.0	1.5	0.3	0.0	0.5	2.6	0.0	0.0	0.8	0.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	0.4	0.0	7.0	0.4	0.0	4.5	4.6	0.0	0.0	2.5	0.0	0.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	8.5	0.0	14.8	10.5	0.0	12.2	28.0	0.0	0.0	24.4	0.0	0.0
LnGrp LOS	Α	Α	В	В	Α	В	С	Α	Α	С	Α	<u>A</u>
Approach Vol, veh/h		782			599			298			186	
Approach Delay, s/veh		14.2			12.1			28.0			24.4	
Approach LOS		В			В			С			С	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	7.6	41.3		20.0	7.9	41.0		20.0				
Change Period (Y+Rc), s	4.0	6.0		5.0	4.0	6.0		5.0				
Max Green Setting (Gmax), s	6.0	49.0		20.0	6.0	49.0		20.0				
Max Q Clear Time (g_c+l1), s	3.2	22.8		8.7	3.4	15.7		13.3				
Green Ext Time (p_c), s	0.0	4.8		0.7	0.0	3.4		0.9				
Intersection Summary												
HCM 6th Ctrl Delay			16.7									
HCM 6th LOS			В									

Intersection												
Int Delay, s/veh	5.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	15	328	44	56	426	44	20	32	55	4	16	15
Future Vol, veh/h	15	328	44	56	426	44	20	32	55	4	16	15
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	_	-	-	-	-	-	-	-
Veh in Median Storage	e,# -	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	79	79	79	79	79	79	79	79	79	79	79	79
Heavy Vehicles, %	2	2	2	2	2	2	3	3	3	3	3	3
Mvmt Flow	19	415	56	71	539	56	25	41	70	5	20	19
Major/Minor	Major1		N	Major2		ı	Minor1			Minor2		
	595	0		471	0		1210	1218	443	1246	1218	567
Conflicting Flow All	595	0	0	4/1	0	0	481	481	443	709	709	50 <i>1</i>
Stage 1 Stage 2	-	-	-	-	-	-	729	737	-	537	509	_
Critical Hdwy	4.12	-	-	4.12	-	-	7.13	6.53	6.23	7.13	6.53	6.23
Critical Hdwy Stg 1	4.12	_	_	4.12	-	_	6.13	5.53	0.23	6.13	5.53	0.23
Critical Hdwy Stg 2	-	_	_	_		<u>-</u>	6.13	5.53	_	6.13	5.53	-
Follow-up Hdwy	2.218	_	_	2.218	_	-	3.527	4.027		3.527	4.027	
Pot Cap-1 Maneuver	981	_	_	1091	_	_	159	180	613	150	180	521
Stage 1	301	_	_	-	_	_	564	552	013	423	436	JZ I -
Stage 2	-	_	-	_	_	_	413	423	_	526	536	_
Platoon blocked, %		_	_		_	_	710	720		020	000	
Mov Cap-1 Maneuver	981	_	_	1091	_	_	126	158	613	97	158	521
Mov Cap-2 Maneuver	-	_	_	-	<u> </u>	_	126	158	-	97	158	JZ 1 -
Stage 1	_	_	_	_	_	_	549	538	_	412	393	_
Stage 2	_	_	_	_	_	_	340	382	_	420	522	_
5 tag 5 L							3.10	302		.20	JLL.	
				14.5						^=		
Approach	EB			WB			NB			SB		
HCM Control Delay, s	0.3			0.9			38.7			27.5		
HCM LOS							Е			D		
Minor Lane/Major Mvm	nt 1	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR :	SBLn1			
Capacity (veh/h)		237	981	-	-	1091	-	-	204			
HCM Lane V/C Ratio			0.019	-	_	0.065	-	_	0.217			
HCM Control Delay (s)		38.7	8.7	0	-	8.5	0	-	27.5			
HCM Lane LOS		E	A	A	_	A	A	_	D			
HCM 95th %tile Q(veh	)	3.2	0.1	-	-	0.2	-	-	0.8			
	,											

Intersection	
Intersection Delay, s/veh	11.4
Intersection Delay, s/veh Intersection LOS	В

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	24	93	61	27	143	4	114	75	3	5	139	97
Future Vol, veh/h	24	93	61	27	143	4	114	75	3	5	139	97
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	3	3	3	2	2	2	2	40	2	10	10	10
Mvmt Flow	27	104	69	30	161	4	128	84	3	6	156	109
Number of Lanes	0	1	0	0	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	1			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			1		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			1			1		
HCM Control Delay	10.9			11.2			11.5			11.9		
HCM LOS	В			В			В			В		

Lane	NBLn1	EBLn1	WBLn1	SBLn1	
Vol Left, %	59%	13%	16%	2%	
Vol Thru, %	39%	52%	82%	58%	
Vol Right, %	2%	34%	2%	40%	
Sign Control	Stop	Stop	Stop	Stop	
Traffic Vol by Lane	192	178	174	241	
LT Vol	114	24	27	5	
Through Vol	75	93	143	139	
RT Vol	3	61	4	97	
Lane Flow Rate	216	200	196	271	
Geometry Grp	1	1	1	1	
Degree of Util (X)	0.336	0.303	0.306	0.4	
Departure Headway (Hd)	5.6	5.46	5.638	5.313	
Convergence, Y/N	Yes	Yes	Yes	Yes	
Сар	641	656	635	677	
Service Time	3.65	3.513	3.691	3.36	
HCM Lane V/C Ratio	0.337	0.305	0.309	0.4	
HCM Control Delay	11.5	10.9	11.2	11.9	
HCM Lane LOS	В	В	В	В	
HCM 95th-tile Q	1.5	1.3	1.3	1.9	

Intersection												
Int Delay, s/veh	1.1											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	LDL	4	LDIN	VVDL	4	WDIX	NDL	4	NOIN	ODL	4	ODIN
Traffic Vol, veh/h	9	0	2	22	0	7	1	176	7	3	216	8
Future Vol, veh/h	9	0	2	22	0	7	1	176	7	3	216	8
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	Olop -	Olop -	None	- Olop	- Olop	None	-	-	None	-	-	None
Storage Length	_	_	-	_	_	-	_	_	-	_	_	-
Veh in Median Storage	e.# -	0	_	_	0	_	_	0	_	_	0	_
Grade, %	,	0	_	_	0	_	_	0	_	_	0	_
Peak Hour Factor	83	92	83	92	92	92	83	83	92	92	83	83
Heavy Vehicles, %	1	2	1	2	2	2	5	5	2	2	7	7
Mymt Flow	11	0	2	24	0	8	1	212	8	3	260	10
			_					_   _			200	
Major/Minor	Minor2			Minart			Maior1			Majara		
		400		Minor1	404		Major1	0		Major2	0	^
Conflicting Flow All	493	493	265	490	494	216	270	0	0	220	0	0
Stage 1	271	271	-	218	218	-	-	-	-	-	-	-
Stage 2	222	222	- 6 01	272	276	6 22	1.15	-	-	1.10	-	-
Critical Hdwy	7.11	6.52	6.21	7.12	6.52	6.22	4.15	-	-	4.12	-	-
Critical Hdwy Stg 1	6.11	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.52	2 200	6.12	5.52	2 240	2 245	-	-	2 240	-	-
Follow-up Hdwy	3.509	4.018	3.309	3.518	4.018			-	-	2.218	-	-
Pot Cap-1 Maneuver	488	477	776	489	476	824	1276	-	-	1349	-	-
Stage 1	737	685	-	784	723	-	-	-	-	-	-	-
Stage 2	783	720	-	734	682	-	-	-	-	-	-	-
Platoon blocked, %	400	175	770	400	171	004	1070	-	-	1240	-	-
Mov Cap-1 Maneuver	482	475	776	486	474	824	1276	-	-	1349	-	-
Mov Cap-2 Maneuver	482	475	-	486	474	-	-	-	-	-	-	-
Stage 1	736	683	-	783	722	-	-	-	-	-	-	-
Stage 2	775	719	-	730	680	-	-	-	-	-	-	-
Approach	EB			WB			NB			SB		
HCM Control Delay, s	12.1			12.1			0			0.1		
HCM LOS	В			В								
Minor Lane/Major Mvm	nt	NBL	NBT	NBR	EBLn1\	VBLn1	SBL	SBT	SBR			
Capacity (veh/h)		1276	-	-	518	539	1349					
HCM Lane V/C Ratio		0.001	_	_	0.026			_	_			
HCM Control Delay (s)		7.8	0	-	12.1	12.1	7.7	0	_			
HCM Lane LOS		7.0 A	A	_	12.1 B	12.1 B	Α	A	_			
HCM 95th %tile Q(veh	)	0	-	<u>-</u>	0.1	0.2	0	-	_			
HOW JOHN JOHN Q(VEH	1	U			0.1	0.2	U					

	۶	<b>→</b>	•	•	<b>←</b>	4	1	<b>†</b>	~	<b>/</b>	<b>†</b>	✓
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ሻ	₽		ሻ	ĵ∍			₩.			4	
Traffic Volume (veh/h)	89	245	40	64	498	23	45	72	42	30	98	112
Future Volume (veh/h)	89	245	40	64	498	23	45	72	42	30	98	112
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1678	1678	1678	1841	1841	1841	1811	1811	1811	1752	1752	1752
Adj Flow Rate, veh/h	102	282	46	74	572	26	52	83	48	34	113	129
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Percent Heavy Veh, %	15	15	15	4	4	4	6	6	6	10	10	10
Cap, veh/h	397	721	118	604	882	40	131	182	88	84	156	160
Arrive On Green	0.06	0.51	0.51	0.05	0.51	0.51	0.22	0.22	0.22	0.22	0.22	0.22
Sat Flow, veh/h	1598	1407	229	1753	1747	79	296	842	405	118	723	738
Grp Volume(v), veh/h	102	0	328	74	0	598	183	0	0	276	0	0
Grp Sat Flow(s),veh/h/ln	1598	0	1636	1753	0	1826	1543	0	0	1579	0	0
Q Serve(g_s), s	2.0	0.0	8.5	1.3	0.0	16.7	0.0	0.0	0.0	4.5	0.0	0.0
Cycle Q Clear(g_c), s	2.0	0.0	8.5	1.3	0.0	16.7	6.9	0.0	0.0	11.4	0.0	0.0
Prop In Lane	1.00		0.14	1.00		0.04	0.28		0.26	0.12		0.47
Lane Grp Cap(c), veh/h	397	0	838	604	0	922	401	0	0	400	0	0
V/C Ratio(X)	0.26	0.00	0.39	0.12	0.00	0.65	0.46	0.00	0.00	0.69	0.00	0.00
Avail Cap(c_a), veh/h	437	0	1157	660	0	1291	507	0	0	511	0	0
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00	0.00
Uniform Delay (d), s/veh	9.3	0.0	10.3	7.5	0.0	12.6	23.8	0.0	0.0	25.7	0.0	0.0
Incr Delay (d2), s/veh	0.3	0.0	0.3	0.1	0.0	0.8	0.8	0.0	0.0	2.7	0.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	0.6	0.0	2.5	0.4	0.0	5.5	2.5	0.0	0.0	4.1	0.0	0.0
Unsig. Movement Delay, s/veh		0.0	40.0	7.0	0.0	40.4	04.7	0.0	0.0	00.4	0.0	0.0
LnGrp Delay(d),s/veh	9.6	0.0	10.6	7.6	0.0	13.4	24.7	0.0	0.0	28.4	0.0	0.0
LnGrp LOS	Α	A	В	Α	Α	В	С	A	Α	С	Α	A
Approach Vol, veh/h		430			672			183			276	
Approach Delay, s/veh		10.4			12.8			24.7			28.4	
Approach LOS		В			В			С			С	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	7.8	41.5		20.0	8.3	41.0		20.0				
Change Period (Y+Rc), s	4.0	6.0		5.0	4.0	6.0		5.0				
Max Green Setting (Gmax), s	6.0	49.0		20.0	6.0	49.0		20.0				
Max Q Clear Time (g_c+l1), s	3.3	10.5		13.4	4.0	18.7		8.9				
Green Ext Time (p_c), s	0.0	1.9		0.8	0.0	3.9		0.7				
Intersection Summary												
HCM 6th Ctrl Delay			16.3									
HCM 6th LOS			В									

Intersection												
Int Delay, s/veh	4.3											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	9	311	33	92	383	17	20	14	67	10	30	11
Future Vol, veh/h	9	311	33	92	383	17	20	14	67	10	30	11
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage	e, # -	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	2	2	2	2	2	2	1	1	1	4	4	4
Mvmt Flow	10	342	36	101	421	19	22	15	74	11	33	12
Major/Minor	Major1			Majora			liner1			Minor		
	Major1	0		Major2	^		Minor1	1000		Minor2	1004	404
Conflicting Flow All	440	0	0	378	0	0	1035	1022	360	1058	1031	431
Stage 1	-	-	-	-	-	-	380	380	-	633	633	-
Stage 2	4 10	-	-	1 10	-	-	655	642	6.01	425	398	6 24
Critical Hdwy	4.12	-	-	4.12	-	-	7.11 6.11	6.51	6.21	7.14 6.14	6.54 5.54	6.24
Critical Hdwy Stg 1	-	-	-	-	-	-		5.51 5.51	-		5.54	-
Critical Hdwy Stg 2	2.218	-	-	2.218	-	-	6.11 3.509	4.009	3.309	6.14 3.536	4.036	3.336
Follow-up Hdwy	1120	-	-	1180	-	-	211	237	3.309	201	231	620
Pot Cap-1 Maneuver		-	-	1100	-	-	644	616		464	470	020
Stage 1	-	-	-	-	-	-	457	470	-	603	599	
Stage 2 Platoon blocked, %	-	-	-		-	-	437	470	-	003	วษษ	-
Mov Cap-1 Maneuver	1120	-	-	1180	-	-	164	208	687	153	202	620
Mov Cap-1 Maneuver		-	-	1100	-	-	164	208	007	153	202	020
Stage 1	-		-	_	-	-	637	609	-	459	416	_
Stage 2	_	_	_	_	_	_	366	416	-	519	592	_
Staye 2	<u>-</u>	<u>-</u>	_	-	<u>-</u>	_	500	410	<u>-</u>	313	JJZ	-
Approach	EB			WB			NB			SB		
HCM Control Delay, s	0.2			1.6			19.9			26.9		
HCM LOS							С			D		
Minor Lane/Major Mvm	nt N	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1			
Capacity (veh/h)			1120	_		1180	_	_	220			
HCM Lane V/C Ratio		0.315		_		0.086	_		0.255			
HCM Control Delay (s)		19.9	8.2	0	-	8.3	0	-				
HCM Lane LOS		C	A	A	_	A	A	_	D			
HCM 95th %tile Q(veh	)	1.3	0	-	-	0.3	-	-	1			
		1.0				3.0			•			

Intersection						
Int Delay, s/veh	0.3					
		EDD.	MA	MOT	NDI	NDD
	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	₽			ન	¥	
Traffic Vol, veh/h	99	2	1	168	6	2
Future Vol, veh/h	99	2	1	168	6	2
Conflicting Peds, #/hr	0	0	0	0	0	0
	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	0	-
Veh in Median Storage,	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	89	89	89	89	89	89
Heavy Vehicles, %	3	3	3	3	2	2
Mvmt Flow	111	2	1	189	7	2
NA ' /NA' NA			4 : 0		P 4	
	ajor1		Major2		Minor1	
Conflicting Flow All	0	0	113	0	303	112
Stage 1	-	-	-	-	112	-
Stage 2	-	-	-	-	191	-
Critical Hdwy	-	-	4.13	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	-	2.227	-	3.518	3.318
Pot Cap-1 Maneuver	-	-	1470	-	689	941
Stage 1	-	-	-	-	913	-
Stage 2	-	-	-	-	841	-
Platoon blocked, %	-	_		_		
Mov Cap-1 Maneuver	-	-	1470	_	688	941
Mov Cap-2 Maneuver	_	_	-	_	688	-
Stage 1	_	_	_	_	913	_
Stage 2	_	_	_	_	840	_
Olago Z					070	
Approach	EB		WB		NB	
HCM Control Delay, s	0		0		9.9	
HCM LOS					Α	
Minantana (Maian Monat		JDI 4	EDT	EDD	WDI	WDT
Minor Lane/Major Mvmt	ľ	VBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)		738	-		1470	-
HCM Lane V/C Ratio		0.012	-	-	0.001	-
HCM Control Delay (s)		9.9	-	-		0
HCM Lane LOS		Α	-	-	Α	Α
HCM 95th %tile Q(veh)		0	-	-	0	-

Intersection	
Intersection Delay, s/veh	12.4
Intersection LOS	В

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	54	193	90	18	98	14	78	120	18	8	69	43
Future Vol, veh/h	54	193	90	18	98	14	78	120	18	8	69	43
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles, %	2	2	2	3	3	3	5	5	5	15	15	15
Mvmt Flow	61	217	101	20	110	16	88	135	20	9	78	48
Number of Lanes	0	1	0	0	1	0	0	1	0	0	1	0
Approach	EB			WB			NB			SB		
Opposing Approach	WB			EB			SB			NB		
Opposing Lanes	1			1			1			1		
Conflicting Approach Left	SB			NB			EB			WB		
Conflicting Lanes Left	1			1			1			1		
Conflicting Approach Right	NB			SB			WB			EB		
Conflicting Lanes Right	1			1			1			1		
HCM Control Delay	14.1			10.3			12.2			10.5		
HCM LOS	R			R			R			R		

Lane	NBLn1	EBLn1	WBLn1	SBLn1	
Vol Left, %	36%	16%	14%	7%	
Vol Thru, %	56%	57%	75%	57%	
Vol Right, %	8%	27%	11%	36%	
Sign Control	Stop	Stop	Stop	Stop	
Traffic Vol by Lane	216	337	130	120	
LT Vol	78	54	18	8	
Through Vol	120	193	98	69	
RT Vol	18	90	14	43	
Lane Flow Rate	243	379	146	135	
Geometry Grp	1	1	1	1	
Degree of Util (X)	0.382	0.541	0.228	0.218	
Departure Headway (Hd)	5.665	5.148	5.614	5.813	
Convergence, Y/N	Yes	Yes	Yes	Yes	
Cap	633	701	637	616	
Service Time	3.711	3.191	3.668	3.868	
HCM Lane V/C Ratio	0.384	0.541	0.229	0.219	
HCM Control Delay	12.2	14.1	10.3	10.5	
HCM Lane LOS	В	В	В	В	
HCM 95th-tile Q	1.8	3.3	0.9	0.8	

Internation												
Intersection	1											
Int Delay, s/veh	1											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		4			4			4			4	
Traffic Vol, veh/h	7	0	3	14	0	5	4	204	24	8	160	9
Future Vol, veh/h	7	0	3	14	0	5	4	204	24	8	160	9
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	_	-	-
Veh in Median Storage	,# -	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	_	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	10	2	10	2	2	2	5	5	2	2	7	7
Mvmt Flow	8	0	3	16	0	6	4	227	27	9	178	10
Major/Minor N	Minor2			Minor1			Major1			Major2		
Conflicting Flow All	453	463	183	452	455	241	188	0	0	254	0	0
Stage 1	201	201	103	249	249	241	100	-	U	204	-	-
Stage 2	252	262	-	203	206	_	_	-	-	_	_	_
Critical Hdwy	7.2	6.52	6.3	7.12	6.52	6.22	4.15	<u>-</u>	-	4.12	-	<u>-</u>
Critical Hdwy Stg 1	6.2	5.52	0.5	6.12	5.52	0.22	<del>1</del> .10	-	_	7.12	_	_
Critical Hdwy Stg 2	6.2	5.52		6.12	5.52	<u>-</u>	<u>-</u>	<u>-</u>	-	-	-	<u>-</u>
Follow-up Hdwy	3.59	4.018	3.39	3.518	4.018	3.318	2.245	-	_	2.218	_	_
Pot Cap-1 Maneuver	504	496	839	518	501	798	1368	_		1311	_	
Stage 1	783	735	- 009	755	701	130	1000	_	_	1011	_	_
Stage 2	735	691		799	731	<u>-</u>	<u>-</u>	<u>-</u>	-	-	-	<u>-</u>
Platoon blocked, %	100	031	_	133	131	_	<u>-</u>	_	_	<u>-</u>	_	_
Mov Cap-1 Maneuver	496	491	839	512	495	798	1368	_	_	1311	-	
Mov Cap-1 Maneuver	496	491	- 039	512	495	130	1000	_	_	1011	_	_
Stage 1	781	729	-	753	699	-	_	_	_	_	-	
Stage 2	728	689	_	789	725	_	_	_	_	_	_	_
Olaye Z	120	009		103	123	_	<u>-</u>	<u>-</u>	_	<u>-</u>	_	<u>-</u>
Approach	EB			WB			NB			SB		
HCM Control Delay, s	11.5			11.6			0.1			0.4		
HCM LOS	В			В								
Minor Lane/Major Mvm	t	NBL	NBT	NBR	EBLn1\	VBLn1	SBL	SBT	SBR			
Capacity (veh/h)		1368		-	565	565	1311	-				
HCM Lane V/C Ratio		0.003	_	_		0.037						
HCM Control Delay (s)		7.6	0		11.5	11.6	7.8	0	_			
HCM Lane LOS		Α.	A	_	В	В	Α.	A	_			
HCM 95th %tile Q(veh)		0		_	0.1	0.1	0	-	_			
HOW JOHN JOHNE Q(VEH)		U			0.1	0.1	U	_	_			

	۶	<b>→</b>	•	•	<b>←</b>	4	1	<b>†</b>	~	<b>/</b>	<b>†</b>	✓
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	ħ	<b>₽</b>		ሻ	₽			₩.			4	
Traffic Volume (veh/h)	89	550	62	58	435	34	64	109	86	45	68	64
Future Volume (veh/h)	89	550	62	58	435	34	64	109	86	45	68	64
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1826	1826	1826
Adj Flow Rate, veh/h	102	632	71	67	500	39	74	125	99	52	78	74
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	5	5	5
Cap, veh/h	475	850	96	356	865	67	135	172	120	125	158	124
Arrive On Green	0.06	0.51	0.51	0.05	0.51	0.51	0.22	0.22	0.22	0.22	0.22	0.22
Sat Flow, veh/h	1781	1651	186	1781	1713	134	324	793	556	275	729	572
Grp Volume(v), veh/h	102	0	703	67	0	539	298	0	0	204	0	0
Grp Sat Flow(s),veh/h/ln	1781	0	1837	1781	0	1846	1674	0	0	1577	0	0
Q Serve(g_s), s	1.8	0.0	20.8	1.2	0.0	14.1	3.8	0.0	0.0	0.0	0.0	0.0
Cycle Q Clear(g_c), s	1.8	0.0	20.8	1.2	0.0	14.1	11.5	0.0	0.0	7.7	0.0	0.0
Prop In Lane	1.00		0.10	1.00		0.07	0.25		0.33	0.25		0.36
Lane Grp Cap(c), veh/h	475	0	946	356	0	933	427	0	0	407	0	0
V/C Ratio(X)	0.21	0.00	0.74	0.19	0.00	0.58	0.70	0.00	0.00	0.50	0.00	0.00
Avail Cap(c_a), veh/h	519	0	1299	417	0	1306	541	0	0	514	0	0
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	1.00	0.00	1.00	1.00	0.00	0.00	1.00	0.00	0.00
Uniform Delay (d), s/veh	8.5	0.0	13.2	10.3	0.0	12.0	25.6	0.0	0.0	24.2	0.0	0.0
Incr Delay (d2), s/veh	0.2	0.0	1.5	0.3	0.0	0.6	2.8	0.0	0.0	1.0	0.0	0.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	0.5	0.0	7.0	0.4	0.0	4.7	4.6	0.0	0.0	2.8	0.0	0.0
Unsig. Movement Delay, s/veh		0.0	447	40.5	0.0	40.0	00.5	0.0	0.0	05.0	0.0	0.0
LnGrp Delay(d),s/veh	8.7	0.0	14.7	10.5	0.0	12.6	28.5	0.0	0.0	25.2	0.0	0.0
LnGrp LOS	Α	A	В	В	A	В	С	A	A	С	A	A
Approach Vol, veh/h		805			606			298			204	
Approach Delay, s/veh		14.0			12.3			28.5			25.2	
Approach LOS		В			В			С			С	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	7.6	41.7		20.0	8.3	41.0		20.0				
Change Period (Y+Rc), s	4.0	6.0		5.0	4.0	6.0		5.0				
Max Green Setting (Gmax), s	6.0	49.0		20.0	6.0	49.0		20.0				
Max Q Clear Time (g_c+l1), s	3.2	22.8		9.7	3.8	16.1		13.5				
Green Ext Time (p_c), s	0.0	4.8		0.7	0.0	3.4		0.9				
Intersection Summary												
HCM 6th Ctrl Delay			16.9									
HCM 6th LOS			В									

Intersection												
Int Delay, s/veh	5.7											
		EDT	EDD	WDI	WDT	WDD	NDI	NDT	NDD	CDI	CDT	CDD
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	45	4	4.4		4	40	00	4		4	4	45
Traffic Vol, veh/h	15	338	44	57	432	43	20	32	57	4	16	15
Future Vol, veh/h	15	338	44	57	432	43	20	32	57	4	16	15
Conflicting Peds, #/hr	0	0	0	_ 0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage		0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	- 70	-	0	-
Peak Hour Factor	79	79	79	79	79	79	79	79	79	79	79	79
Heavy Vehicles, %	2	2	2	2	2	2	3	3	3	3	3	3
Mvmt Flow	19	428	56	72	547	54	25	41	72	5	20	19
Major/Minor N	Major1		1	Major2			Minor1			Minor2		
Conflicting Flow All	601	0	0	484	0	0	1232	1239	456	1269	1240	574
Stage 1	-	-	-	-	-	-	494	494	-	718	718	-
Stage 2	_	_	_	_	_	_	738	745	_	551	522	_
Critical Hdwy	4.12	_	-	4.12	-	-	7.13	6.53	6.23	7.13	6.53	6.23
Critical Hdwy Stg 1	-	_	-	-	-	-	6.13	5.53	-	6.13	5.53	-
Critical Hdwy Stg 2	-	_	-	-	-	-	6.13	5.53	_	6.13	5.53	-
Follow-up Hdwy	2.218	-	-	2.218	-	-	3.527	4.027	3.327	3.527	4.027	3.327
Pot Cap-1 Maneuver	976	_	_	1079	-	_	153	175	602	144	174	516
Stage 1	-	-	-	-	-	-	555	545	-	419	432	-
Stage 2	_	_	-	-	-	-	408	420	-	517	529	-
Platoon blocked, %		-	-		-	-						
Mov Cap-1 Maneuver	976	-	-	1079	-	-	120	153	602	92	152	516
Mov Cap-2 Maneuver	-	-	-	-	-	-	120	153	-	92	152	-
Stage 1	-	-	-	-	-	-	540	530	-	408	388	-
Stage 2	-	-	-	-	-	-	335	378	-	409	515	-
Approach	EB			WB			NB			SB		
HCM Control Delay, s	0.3			0.9			41			28.5		
HCM LOS	0.0			0.0			E			20.5 D		
TOW LOO												
Minor Lane/Major Mvm	+ 1	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SRI n1			
Capacity (veh/h)		232	976	-		1079	-	-	197			
HCM Control Dolay (a)		0.595	0.019	-	-	0.067	-		0.225			
HCM Lang LOS		41	8.8	0	-	8.6	0	-				
HCM Ceth % tile O(voh)		E	Α	Α	-	A	Α	-	D			
HCM 95th %tile Q(veh)		3.4	0.1	-	-	0.2	-	-	0.8			

Intersection						
Int Delay, s/veh	0.2					
		EDD	14/51	MOT	ND	NDD
	EBT	EBR	WBL	WBT	NBL	NBR
Lane Configurations	₽			ની	¥	
Traffic Vol, veh/h	213	6	2	127	3	1
Future Vol, veh/h	213	6	2	127	3	1
Conflicting Peds, #/hr	0	0	0	0	0	0
	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	0	-
Veh in Median Storage, #	# 0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	232	7	2	138	3	1
N.A. '. (N.A.)						
	ajor1		Major2		Minor1	
Conflicting Flow All	0	0	239	0	378	236
Stage 1	-	-	-	-	236	-
Stage 2	-	-	-	-	142	-
Critical Hdwy	-	-	4.12	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	-	5.42	-
Follow-up Hdwy	-	-	2.218	-	3.518	3.318
Pot Cap-1 Maneuver	-	-	1328	-	624	803
Stage 1	_	_	-	-	803	-
Stage 2	-	_	-	_	885	-
Platoon blocked, %	_	_		-	- 555	
Mov Cap-1 Maneuver	_	_	1328	_	623	803
Mov Cap-1 Maneuver	_		1320	_	623	- 003
Stage 1	-	_	_	-	803	
•	_	•	•	•	883	-
Stage 2	-	-	-	-	003	-
Approach	EB		WB		NB	
HCM Control Delay, s	0		0.1		10.5	
HCM LOS					В	
					_	
Minor Lane/Major Mvmt	1	NBLn1	EBT	EBR	WBL	WBT
Capacity (veh/h)		660	-	-	1328	-
HCM Lane V/C Ratio		0.007	-	-	0.002	-
HCM Control Delay (s)		10.5	-	-	7.7	0
HCM Lane LOS		В	-	-	Α	Α
HCM 95th %tile Q(veh)		0	-	-	0	-


# APPENDIX E Traffic Signal Warrant Worksheets




## TRAFFIC SIGNAL WARRANT SUMMARY

Project:	WNY-230	0033.00 Str	rickler-Greir	ner Traffic S	tudy			Condition:	Existing				
Location:	Clarence,	NY					<del>-</del> -	Date:	Decembe	r 10, 2024			
								_					
	ajor Street:	-					Lanes:	2	Cri	tical Appro	ach Speed:	45 r	mph
IVI	inor Street:	Strickler I	ка				Lanes:	2					
Volume Le	evel Criteria												
	. Is the criti . Is the inte	-	-	_		-		loss than 10	2 0002				es lo
۷.	. is the litte	rsection in	a buiit-up a	rea or arrisc	nateu comi	numity with	population	iess tilali 10	J,000 :			IN	10
	If either Qu	uestion 1 or	Question 2	is answered	d "Yes", the	n use the 7	0% volume l	level.		Cri	teria used:	70	)%
	T 1 - EIGHT is satisfied i				R is 1∩0% s	atisfied				W	/arrant 1 S	atisfied:	NO
	is also satisf		_	_			the 80% vol	ume level.					
		ĺ	0 111	44 14: :	V/ 1: 1	V/ I		4D 1 1 1'	10 "	T (f	T ( 10 ()	<b>6</b> 111 /	o : 1)
				on 1A - Minim that criteria is				1B - Interuption that criteria is			1 otal Satis	fied Hours (	8 requirea) 0
	Minimum Volu	me Criteria	420	140	336	112	630	70	504	56	Condition	Condition	80% for
Start	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	1A	1B	Both
Time	Volume <sup>1</sup>	Volume <sup>2</sup>	100%	100%	80%	80%	100%	100%	80%	80%	Satisfied	Satisfied	Satisfied
12:00 AM			-	-	-	-	-	-	-	-	-	-	-
1:00 AM			-	-	-	-	-	-	-	-	-	-	-
2:00 AM			-	-	-	-	-	-	-	-	-	-	-
3:00 AM	<b>.</b>		-	-	-	-	-	-	-	-	-	-	-
4:00 AM			-	-	-	-	-	-	-	-	-	-	-
5:00 AM 6:00 AM			-	-	-	-	-	-	-	-	-	-	-
7:00 AM	-	125	-	-	-	- X	-	- X	-	- X	-	-	-
8:00 AM	<b>.</b>	221		X	_	X		X		X			
9:00 AM		94	-	-	-	-	-	X	-	X	-	-	-
10:00 AM	206	74	-	-	-	-	-	Х	-	Х	-	-	-
11:00 AM	237	81	-	-	-	-	-	Х	-	Х	-	-	-
12:00 PM		90	-	-	-	-	-	Χ	-	Х	-	-	-
1:00 PM		88	-	-	-	-	-	Х	-	Х	-	-	-
2:00 PM		100	-	-	-	-	-	X	-	X	-	-	-
3:00 PM	-	170	-	X	X	X	-	X	-	X	-	-	-
4:00 PM		166	-	Х	Х	X	-	X	-	X	-	-	-
5:00 PM 6:00 PM		139 62	-	-	-	- X	-	X -	-	X	-	-	-
7:00 PM		02	_	-	_	-	-	_	_	-		-	
8:00 PM			-	-	-	-	-	-	-	-	_	-	-
9:00 PM			-	-	-	-	-	-	-	-	-	-	-
10:00 PM			-	-	-	-	-	-	-	-	-	-	-
11:00 PM			-	-	-	-	-	-	-	-	-	-	-
	treet Volum						hes.						
<sup>2</sup> Minor St	treet volume	es is the hig	hest single s	side street a	pproach vo	lume.							

WARRANT 2 - FOUR HOUR VEHICULAR VOLUME Warrant 2 Satisfic									
Warrant is satisfied if four (4) or more hours satisfy the volume requirements									
depicted on the four hour warranting graph (see page 2).	No. of Points Above Criteria Curve:	2							
WARRANT 3 - PEAK HOUR VEHICULAR VOLUME	Warrant 3 Satisfied:	No							
Warrant is satisfied if any hour satisfy the volume requirements depicted on the	_								
peak hour warranting graph (see page 3), and ALL three of the following requirement are met.	No. of Points Above Criteria Curve:	0							
1. Total stopped time delay on Minor Street equals or exceeds 4 VHD (single lane) or 5 VHD (two lanes): N/A VHD Mi									
2. Volume on Minor Street equals or exceeds 100 vehicles (single lane) or 150 vehicles (two la	nes):	No							
3. Total intersection volume serviced during the hour equals or exceeds 650 veh. (3-leg) or 80	0 veh. (4-leg or more):	No							
	<del>-</del>								







## TRAFFIC SIGNAL WARRANT SUMMARY

Location:	Clarence		ickici Gieli	ner Traffic S	caay		•	Condition: Date:		er 10, 2024			
	2.27 2.1100,							Juic.	2 2 2 2 1 1 1 1 2	10, 1027			
M	ajor Street:	Greiner R	ld				Lanes:	2	Cri	tical Appro	ach Speed:	45 ו	mph
Mi	nor Street:	Strickler I	Rd				Lanes:	2					
Volume Le	vel Criteria												
1	Is the crit	ical speed o	f major stre	et traffic gr	eater than	10 mnh2						v	es
			-	_		-	population	less than 10	0,000?				10
	If either Qu	uestion 1 or	Question 2	is answere	d "Yes", the	n use the 70	0% volume l	level.		Cri	teria used:	7(	0%
		HOUR VE								v	/arrant 1 S	atisfied:	NO
			_	<u>R</u> Condition A <u>AND</u> Cond			the 80% vol	lume level.					
			Conditio	n 1A - Minim	um Vehicula	r Volume	Condition 7	1B - Interuption	on of Continu	ious Traffic	Total Satis	fied Hours (	(8 required
			( X indicates	that criteria is	met for specif	ied condition)	( X indicates	that criteria is	met for specif	ied condition)	0	0	0
N	1inimum Volu	me Criteria:	420	140	336	112	630	70	504	56	Condition	Condition	80% for
Start	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	1A	1B	Both
Time	Volume <sup>1</sup>	Volume <sup>2</sup>	100%	100%	80%	80%	100%	100%	80%	80%	Satisfied	Satisfied	Satisfied
12:00 AM			-	-	-	-	-	-	-	-	-	-	-
1:00 AM 2:00 AM			-	-	-	-	-	-	-	-	-	-	-
3:00 AM			-	-	-	-	-	-	-	-	-	-	-
4:00 AM			_	-	-	_	_	_	_	_	_	_	_
5:00 AM			-	-	-	-	-	-	-	-	-	-	-
6:00 AM			-	-	-	-	-	-	-	-	-	-	-
7:00 AM	315	137	-	-	-	Χ	-	Х	-	Х	-	-	-
8:00 AM	343	242	-	Х	Х	Х	-	Х	-	Х	-	-	-
9:00 AM	231	103	-	-	-	-	-	Х	-	Х	-	-	-
10:00 AM		81	-	-	-	-	-	Х	-	Х	-	-	-
11:00 AM		89	-	-	-	-	-	Х	-	Х	-	-	-
12:00 PM		99	-	-	-	-	-	X	-	X	-	-	-
1:00 PM		97	-	-	-	-	-	X	-	X	-	-	-
2:00 PM		110	-	- V	-	- V	-	X	-	X	-	-	-
3:00 PM 4:00 PM		186 182	-	X	X	X	-	X	-	X	-	-	-
5:00 PM		152	-	X	X	X	-	X	-	X	-	-	-
6:00 PM		68	-	-	-	-	-	-	-	X	-	-	-
0.00 1 101		00		-	-	_	-	_	-	-	_	-	-
7:00 PM			-	-	-	-	_	-	-	-	_	_	-
7:00 PM 8:00 PM			<b>-</b>	_	_	-	-	-	-	-	-	_	-
			-	_						i			
8:00 PM			-	-	-	-	-	-	-	-	_	-	-

WARRANT 2 - FOUR HOUR VEHICULAR VOLUME		Warrant 2 Satisfied:	No	
Warrant is satisfied if four (4) or more hours satisfy the volume requirements depicted on the four hour warranting graph (see page 2).	No. of Points Above Criteria Curve:			
WARRANT 3 - PEAK HOUR VEHICULAR VOLUME		Warrant 3 Satisfied:	No	
Warrant is satisfied if any hour satisfy the volume requirements depicted on the peak hour warranting graph (see page 3), and <u>ALL</u> three of the following requirement are met.	No. of Poin	ts Above Criteria Curve:	0	
1. Total stopped time delay on Minor Street equals or exceeds 4 VHD (single lane) or 5 VHD (t	wo lanes):	N/A VHD Max.	No	
2. Volume on Minor Street equals or exceeds 100 vehicles (single lane) or 150 vehicles (two la	ines):	_	No	
3. Total intersection volume serviced during the hour equals or exceeds 650 veh. (3-leg) or 80	0 veh. (4-leg or mo	re):	No	
		_		





# TRAFFIC SIGNAL WARRANT SUMMARY

Project:	WNY-230	00033.00 Sti	rickler-Greir	ner Traffic S	tudy		Condition:		n:					
Location:	Clarence	, NY					Date: December 10, 2024			er 10, 2024				
	aias Ctraat.	Cuainau D	اما				Laması	2	C=	itical Annua	aab Caaadi	45 -		
	ajor Street: inor Street:						Lanes: Lanes:	2	Critical Approach Speed: 45			npn		
IVI	mor street.	Strickler	itu .				Lanes.		•					
Volume Le	evel Criteria													
												.,		
	. Is the crit . Is the inte	-	-	_			nonulation	less than 10	2.000?				es Io	
			a same ap a				population		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
	If either Q	uestion 1 or	Question 2	is answere	d "Yes", the	n use the 70	0% volume	level.		Cri	teria used:	70	0%	
\A/ADDAN	IT 1 - EIGHT	T HOLID VE	MICHII AB /	/OLLIME						\ <u>\</u>	Varrant 1 S	atisfied	No	
	is satisfied				B is 100% s	satisfied.				v	Vallalit 1 3	atisiieu.	NO	
	is also satis			<del></del>			the 80% vol	ume level.						
			Condition	n 1A - Minim	um Vehicula	r Volume	Condition	1B - Interupti	on of Continu	ous Traffic	Total Satis	fied Hours (	8 required)	
				that criteria is				Condition 1B - Interuption of Continuous Traffic (X indicates that criteria is met for specified condition)			1	Total Satisfied Hours (8 required 1 0 0		
N	Minimum Volu	ıme Criteria:	420	140	336	112	630	70	504	56	Condition	Condition	80% for	
Start	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	Major St.	Minor St.	1A	1B	Both	
Time	Volume <sup>1</sup>	Volume <sup>2</sup>	100%	100%	80%	80%	100%	100%	80%	80%	Satisfied	Satisfied	Satisfied	
12:00 AM	1		-	-	-	-	-	-	-	-	-	-	-	
1:00 AM 2:00 AM	1		-	-	-	-	-	-	-	-	-	-	-	
3:00 AM	1		-	-	-	_		-		-	-	_	-	
4:00 AM			_	_	_	-	_	_	_	_	_	_	_	
5:00 AM			-	-	-	-	-	-	-	-	-	-	-	
6:00 AM	1		-	-	-	-	-	-	-	-	-	-	-	
7:00 AM	323	144	-	Х	-	Х	-	Х	-	Х	-	-	-	
8:00 AM	+	248	-	Х	Х	Х	-	Х	-	Χ	-	-	-	
9:00 AM		107	-	-	-	-	-	X	-	X	-	-	-	
10:00 AM		85	-	-	-	-	-	X	-	X	-	-	-	
11:00 AM 12:00 PM		93 104	-	-	-	-		X	-	X	-	-	-	
1:00 PM		102	-	_	-	_	_	X	_	X	-	_	-	
2:00 PM		115	-	-	-	Х	-	X	-	X	-	-	-	
3:00 PM	1 428	191	Х	Х	Х	Х	-	Х	-	Х	1	-	-	
4:00 PM	400	189	-	Х	Х	Х	-	Х	-	Х	-	-	-	
5:00 PM		158	-	Х	Х	Х	-	Х	-	Х	-	-	-	
6:00 PM		73	-	-	-	-	-	Х	-	Х	-	-	-	
7:00 PM 8:00 PM		-	-	-	-	-	-	-	-	-	-	-	-	
9:00 PM	1		-	-	-	-	-	-	-	-	-	-	-	
10:00 PM			-	-	-	-	-	-	-	-	-	-	-	
11:00 PM	1		-	-	-	-	-	-	-	-	-	-	-	
	treet Volum treet volum						nes.							
WARRAN	IT 2 - FOUR	HOUR VE	HICULAR V	OLUME						v	Varrant 2 S	atisfied:	No	
Warrant is satisfied if four (4) or more hours satisfy the volume requirements depicted on the four hour warranting graph (see page 2).  No. of Points Above Criteria Curve:						ia Curve:	3							
WARRAN	IT 3 - PEAK	HOUR VEH	IICULAR V	OLUME						v	Varrant 3 S	atisfied:	No	
Warrant is	satisfied if	any hour sa	tisfy the vol	ume requir		icted on the		not	No	of Points /	Above Crite	ia Curvo:	0	

1. Total stopped time delay on Minor Street equals or exceeds 4 VHD (single lane) or 5 VHD (two lanes):

3. Total intersection volume serviced during the hour equals or exceeds 650 veh. (3-leg) or 800 veh. (4-leg or more):


2. Volume on Minor Street equals or exceeds 100 vehicles (single lane) or 150 vehicles (two lanes):


No

No

No

N/A VHD Max.







gpinet.com



WETLAND DELINEATION REPORT GREINER AND STRICKLER ROAD PARCELS TOWN OF CLARENCE

PREPARED FOR DESIGNER HOMES, LLC.

# **CLIENT:**

DESIGNER HOMES, LLC. 9495 BENT GRASS RUN CLARENCE, NEW YORK 14032

# PROJECT NAME:

**GREINER AND STRICKLER ROAD PARCELS** 

# **PROJECT LOCATION:**

SBL 72.01-4-6, 7, 8, & 9
SOUTH OF AND ADJACENT TO GREINER ROAD
EAST OF AND ADJACENT TO STRICKLER ROAD
TOWN OF CLARENCE
ERIE COUNTY, NEW YORK

## ACTION:

SECTION 404 WETLAND DELINEATION REPORT

# **PREPARED BY:**

DAVEY RESOURCE GROUP, INC. 750 ENSMINGER, SUITE 100 TONAWANDA, NEW YORK 14150 OFFICE (716) 565-3000

## DATE:

10 / 09 / 2023

# **TABLE OF CONTENTS**

EXECUTIVE SUMMARY	i
1.0 INTRODUCTION	1
1.1 Current Regulations	1
2.0 AGENCY RESOURCE INFORMATION	3
2.1 USGS Quadrangle Map	3
2.2 National Wetlands Inventory Map	3
2.3 NYSDEC Freshwater Wetlands Map	3
2.4 NRCS Soil Map	3
2.5 Agency Resource Conclusions	5
3.0 SITE DESCRIPTION	6
3.1 Site Ecology	6
4.0 METHODS	7
5.0 RESULTS & CONCLUSIONS	9
5.1 Results	9
5.2 Conclusions	10

# **LIST OF TABLES**

# TABLE 1. VEGETATION IDENTIFIED DURING FIELD STUDY

Includes common and scientific names and indicator status

# **LIST OF APPENDICES**

APPENDIX A. FIGURES

APPENDIX B. FIELD DATA FORMS

APPENDIX C. SITE PHOTOS

APPENDIX D. WETLAND DELINEATION MAP

# **EXECUTIVE SUMMARY**

Davey Resource Group, Inc. (DRG) has been retained by Designer Homes, LLC to evaluate and define wetlands subject to jurisdiction under Section 404 of the Clean Water Act and Article 24 of the New York State Environmental Conservation Law on lands located south of and adjacent to Greiner Road, and east of and adjacent to Strickler Road in the Town of Clarence, New York. Approximately 81.10± acres of land were delineated as the scope of this project.

DRG conducted the delineation of State and Federal wetlands during August and September 2023. As a result of the onsite field investigation two (2) wetlands were identified within the site. The wetland delineation results were based on the presence of hydric soils, hydrophytic vegetation, and wetland hydrology found within the project boundaries. The wetlands were flagged at the time of the fieldwork and the locations of the wetlands were recorded using a Trimble R1 GNSS Receiver with sub-meter accuracy. The site wetlands are depicted on the attached Wetland Map in Appendix D.

The subject parcel consists of a mixed successional woodland and scrub shrub community, with areas of dense scrub shrub vegetation further to the south. An intermittent tributary to Ransom Creek flows along the western boundary, until traveling offsite via a culvert under Greiner Road. A second tributary to Ransom Creek flows east from the western boundary in the northern area of the site, until it merges with the main channel of the tributary. Wetlands were found in the northern region of the site.

This report is intended for the use of the property owner(s), their agents and assigns as a planning aid in the development of this parcel. Results of the Wetland Delineation are subject to review by both the New York State Department of Environmental Conservation under Article 24 of the NYS Environmental Conservation Law, and the U.S. Army Corps of Engineers under Section 404 of the Clean Water Act, along with the Town of Clarence. This Wetland Delineation Report is a representation of DRG's assessment of Federal and State wetlands. The review of this document by the U.S. Army Corps of Engineers and State Department of Conservation could produce alterations in the delineated boundary as determined by DRG. The wetlands, as delineated by DRG, were completed to the best of our ability and in compliance with the guidelines presented in the Corps of Engineers Wetlands Delineation Manual Technical Report Y-87-1 (U.S. Waterways Experiment Station, 1987) and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region, dated January 2012; accepted as the current methodology in delineation practice.

## 1.0 INTRODUCTION

Davey Resource Group, Inc. (DRG) has been retained by Spauling Green, LLC to evaluate and define wetlands subject to jurisdiction under Section 404 of the Clean Water on an 81.10± acre area in the Town of Clarence, Erie County, New York. This report presents the results of the on-site field investigation which was conducted to determine if the United States Army Corps of Engineers (USACE) and New York State Department of Environmental Conservation (NYSDEC) permit relative to Section 404 of the Clean Water Act and Article 24 of the New York State Environmental Conservation Law would be required for the development of the parcels. Based on the results of the investigation, DRG determined that two (2) wetlands are located within the site. The determination was based on the presence of hydric soils, hydrophytic vegetation, and wetland hydrology.

The subject parcel consists of a mixed successional woodland and scrub shrub community, with areas of dense scrub shrub vegetation further to the south. An intermittent tributary to Ransom Creek flows along the western boundary, until traveling offsite via a culvert under Greiner Road. A second tributary to Ransom Creek flows east from the western boundary in the northern area of the site, until it merges with the main channel of the tributary. Wetlands were found in low lying areas of the site, with poor drainage. The results of the Wetland Delineation were surveyed and are contained in Appendix D of this report.

## 1.1 CURRENT REGULATION

The Code of Federal Regulations defines a wetland as an area having hydric soils, wetland hydrology and supporting vegetation dominated by hydrophytes. All three of these criteria must be present for an area to qualify as a wetland. Hydrophytic vegetation has been defined as species which due to morphological, physiological, and/or reproductive adaptation(s), have the ability to grow, effectively compete, reproduce, and/or persist in anaerobic soil conditions. These species have been given an indicator status defining their probability of occurring in a wetland. These indicators statuses are defined as Obligate Wetland (OBL), Facultative Wetland (FACW) and Facultative (FAC). Non-hydrophytic species are assigned an indicator status of Facultative Upland (FACU) or Obligate Upland (UPL).

DRG performs wetland delineations in accordance with the 1987 Corps of Engineers Wetland Delineation Manual and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region, dated January 2012. The development of this supplement follows the recommendations of the National Research Council to increase the regional sensitivity of wetland delineation methods.

With the issuance of the Federal Register, the U.S. Army Corps of Engineers reissued it Nationwide Permit program (NWP). The reason for the amendment was to reduce the impacts to wetland as well as reduce the regulatory effort expended in governing the activities associated with minimal environmental impacts. These amendments went into effect on March 23, 2022 when the Corps of Engineers reissued the existing NWPs.

The permit most often utilized by the public is the Nationwide Permit (NWP) for the discharge of dredge or fill material into non-tidal jurisdictional wetlands. This permit allows for the placement of dredged or fill material in non-tidal jurisdictional wetlands and open waters (e.g. rivers, streams, lakes, and ponds) as long as that discharge does not result in the loss (negative impact) of greater than 1/2 acres. An application must be submitted to the USACE for approval prior to any disturbance of jurisdictional area.

## 2.0 AGENCY RESOURCE INFORMATION

Prior to initiation of the on-site investigation, available environmental information was gathered and reviewed. The results of the review are summarized as follows.

## 2.1 USGS QUADRANGLE MAP (FIGURE 1)

The U.S. Geological Service has produced geological maps for every county of the United States. These maps are useful in wetland delineation for the purpose of identifying areas of concern within a parcel. In addition to civil works and boundaries, indicators of marshes, swamps, perennial and intermittent streams, and contours are depicted. The Clarence, NY Quadrangle was referenced for this site.

## 2.2 NATIONAL WETLANDS INVENTORY MAP (FIGURE 2)

NWI maps were produced by the U.S. Department of the interior, Fish and Wildlife Service in the years 1977 to present day. These maps provide the approximate configurations and community types of suspected Federal wetlands. Although they serve as useful guidelines, they are incomplete due to compilation methods primary utilizing aerial photography which contain an inherent margin of error, only reflect conditions the year in which they were taken and some wetlands areas too small of obscured by dense forest may not be depicted. The FWS Wetland Mapper was referenced for this site. Federal wetlands are mapped in the northwestern and northeastern regions of the parcel.

## 2.3 NYSDEC FRESHWATER WETLANDS MAP (FIGURE 3)

The New York State Department of Environmental Conservation (DEC) has developed criterion for wetland identification based on vegetation cover with minimum acreage requirements. Identified wetlands have been promulgated with the production and distribution of Freshwater Wetlands Maps (FWW). The boundaries of identified wetlands are approximations and require surveying of a field delineation performed by a DEC representative to determine exact boundaries and acreage. The NYSDEC Environmental Resource Mapper was referenced for this site. No NYS regulated wetlands are mapped within the subject site.

## 2.4 NRCS SOILS MAP (FIGURE 4)

The Natural Resources Conservation Service (former U.S. Soil Conservation Service) has performed a soils identification study on a county by county basis. Aerial photography plates have been utilized in conjunction with field testing to identify soil types and locations in various counties. The results have been compiled and published in county-specific Soil Surveys. Also included in the surveys is information pertaining to the various soils identified within the county which includes, but is not limited to, texture, range of chroma colors, range of mottle colors, subgroup and drainage classification. Most counties in New York State have been completed and published, though a few are still in progress. The NRCS Web Soil Survey along with the Soil Survey of Erie County was referenced to determine the likelihood of encountering soils with hydric characteristic or which may contain hydric inclusions.

The following soil series are mapped within the limits of the delineation area:

SYMBOL	SERIES	DRAINAGE
BfB	Benson very channery loam, 3 to 8 percent slopes	Somewhat Excessive
CgB	Cazenovia silt loam, 3 to 8 percent slopes	Moderately Well
NfA	Niagara silt loam, 0 to 3 percent slopes	Somewhat Poor
OvA	Ovid silt loam, 0 to 3 percent slopes	Somewhat Poor
OvB	Ovid silt loam, 3 to 8 percent slopes	Somewhat Poor
WaB	Wassaic silt loam, 3 to 8 percent slopes	Well
WcE	Wassaic-Rock outcrop complex, 25 to 40 percent slopes	Well to Excessively Well

The soil symbols associated with the detailed soils map indicates the soil series and the slope associated with that mapped unit. For example, Od identified the soil series as Odessa. The last capital letter of any symbol identifies the slope range for that soil unit. A represents a slope of 0 to 3 percent, B represents 3 to 8 percent slope, C represents 8 to 15 percent, D corresponds to a slope of 15 to 25 percent and E represents a slope of 25 to 35 percent. No third letter designation indicates no slope or nearly level.

The Benson series consists of shallow to limestone or calcareous shale, somewhat excessively and excessively drained soils on glaciated uplands. They formed in loamy till. Bedrock is at a depth of 10 to 20 inches. Permeability is moderate throughout the soil.

Cazenovia soils are very deep and deep, moderately well drained soils formed in loamy till. They are nearly level to very steep soils on till plains. Saturated hydraulic conductivity is moderately high to high in the surface layer and subsoil and moderately low to moderately high in the substratum. Slope ranges from 0 to 45 percent.

The Niagara series consists of very deep, somewhat poorly drained soils formed in silty glacio-lacustrine deposits. These soils are in level to slightly concave areas on lake plains and in valleys. Slope ranges from 0 to 15 percent.

The Ovid series consists of very deep, somewhat poorly drained soils formed in moderately fine textured, reddish colored till. Saturated hydraulic conductivity is moderately high to high in the mineral surface and subsurface layers, moderately high in the subsoil, and moderately low to moderately high in the substratum. Slope ranges from 0 to 15 percent.

The Wassaic series consists of moderately deep, well drained soils formed in loamy till. They are on bedrock controlled till plains. Bedrock is at depths of 20 to 40 inches. Permeability is moderate or moderately slow in the subsoil and substratum. Slope ranges from 0 to 50 percent.

## 2.5 AGENCY RESOURCE CONCLUSIONS

The mapping of federal wetlands and poorly drained soils indicated the necessity to perform a field investigation at the site to ascertain the extent of any federally protected wetlands that may exist on the parcel. The wetlands delineation was performed in accordance with the 1987 Corps of Engineers Wetland Delineation Manual and the Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region, dated January 2012. Procedures, results and conclusions of the wetland delineation field study are presented in the remainder of this report.

## 3.0 SITE DESCRIPTION

The subject site consists of 81.10± acres of land situated south of and adjacent to Greiner Road and east of and adjacent to Strickler Road in the Town of Clarence, New York (Figure 1). The site is bordered to the south by The Congregation of the Sisters of Saint Joseph and a single family home, to the east by single family homes, to the west by Strickler Road, and to the north by Greiner Road. Successional woodlands exist throughout the site. Two tributaries to Ransom Creek exist on the parcel, with the main channel flowing south to north, and a smaller channel flowing west to east.

The topography of the site rises significantly in the southern region of the site, and slopes gradually to the north. The highest elevation within the site is approximately 793 feet AMSL (Above Mean Sea Level) near the southern boundary, sloping down to 674 feet AMSL near the stream channel in the north, according to the USGS the Clarence, NY Quadrangle (Figure 1).

#### 3.1 SITE ECOLOGY

The northern area of the site is a successional forested area which gives way to a dense shrubby vegetation community as you progress south. Successional communities occur on sites that have been cleared (for farming, logging, development, etc.) or otherwise disturbed, and then abandoned and left to repopulate with highly competitive native and invasive species.

Upland areas of the site are dominated by *Acer saccharum* (Sugar maple, FACU), *Fraxinus americana* (White ash, FACU), *Fagus grandifolia* (American beech, FACU) in the tree stratum; with *Lonicera tatarica* (Twinsisters, FACU), *Rubus idaeus* (Common red raspberry, FACU), and *Rosa multiflora* (Rambler rose, FACU) in the shrub stratum. Dominant species identified in the herbaceous stratum include *Fragaria virginiana* (Virginia strawberry, FACU), *Agrimonia parviflora* (Harvestslice, FAC), and *Solidago canadensis* (Canada goldenrod, FACU).

Wetland A is classified as a palustrine, forested, broad leaved deciduous wetland with seasonally saturated soils (PFO1B). Dominant species identified in Wetland A includes *Acer saccharinum* (Silver maple, FACW), *Ulmus americana* (American elm, FACW), and *Fraxinus pennsylvanica* (Green ash, FACW) in the tree stratum, with *Fraxinus pennsylvanica* (Green ash, FACW), and *Ulmus americana* (American elm, FACW) dominant in the shrub stratum. Dominant species identified in the herbaceous stratum include *Scirpus cyperinus* (Cottongrass bulrush, OBL), *Carex lurida* (Shallow sedge, OBL), and *Agrimonia parviflora* (Harvestlice, FAC).

Wetland B is classified as a palustrine, scrub shrub, broad leaved deciduous wetland with seasonally saturated soils (PSS1B). Dominant species identified in Wetland B includes *Fraxinus pennsylvanica* (Green ash, FACW) in the tree stratum, with *Cornus racemosa* (Gray dogwood, FAC) dominant in the shrub stratum. Dominant species identified in the herbaceous stratum include *Glyceria melicaria* (Melic mannagrass, OBL), *Euthamia graminifolia* (Flat top goldentop, FAC), and *Juncus torreyi* (Torrey's rush, FACW).

A complete list of vegetation identified on both parcels is presented in *Table 1* of this report.

#### 4.0 METHODS

The Corps of Engineers Wetlands Delineation Manual (Environmental Laboratory 1987) and Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region (U.S. Army Corps of Engineers 2012) were used in delineating wetlands within the study area. The water resources were delineated and surveyed in August and September 2023. The water resources delineation fieldwork, boundary mapping, and data analysis were performed by Ryan Feickert and Daniel Wilson.

Streams are identified as linear, flowing water features with a defined bed and bank. Streams are classified as ephemeral, intermittent, or perennial based upon flow regime. Ephemeral streams have flowing water only during, and for a short duration after, precipitation events. Intermittent streams have flowing water during certain times of the year, when groundwater and rainfall provide water for stream flow. During dry periods, intermittent streams may not have flowing water. Perennial streams have flowing water year-round, receiving water from groundwater and rainfall runoff.

Wetlands are identified based on three criteria: vegetation, soils, and hydrology. An area must meet all three criteria to be considered a jurisdictional wetland. Three sampling points were established in the field to determine wetlands boundaries. Data sheets reporting the results of vegetation, soils, and hydrology analyses were completed for each sample point and are located in Appendix B.

Soil samples were obtained to determine the extent of hydric soils on the site. A standard Munsell soil color chart was used to determine the chroma, hue, and value of each soil sample. Soil samples were taken to a depth to adequately make a hydric soil determination. Criteria established by the National Technical Committee for Hydric Soils (1991) were used to determine hydric soils.

Wetland hydrology was characterized during this water resources delineation. Inundation and/or soil saturation were noted for each sample point. Other primary or secondary hydrological indicators, including watermarks, drift lines, sediment deposits, wetlands drainage patterns, blackened leaves, morphological indicators, iron/manganese concretions, and oxidized root zones within the upper soil layers, were documented, if observed.

Quantitative vegetation data were collected at each sampling point. Dominance was estimated by percent areal cover. Four strata were considered for each sample point—trees, saplings/shrubs, herbs, and woody vines. Trees were defined as any woody plant having a diameter at breast height (DBH) greater than 3.0 inches. Saplings and shrubs were those woody plants with a DBH of less than 3.0 inches and greater than 3.2 feet in height. For each stratum, plant species within a plot were identified and percent areal cover was estimated for each species. Thirty-foot-radius plots were used for trees and vines; 15-foot-radius plots were used for herbs.

Any species within a stratum comprising 20% or more of the total plot areal cover was considered to be dominant. Dominant species within all strata were then added to determine the percentage of wetlands vegetation for each sample point. The wetlands vegetation criterion was met if greater than 50% of the dominant vegetation was indicative of wetlands conditions.

Species identifications were based on Braun (1989) and Gleason and Cronquist (1991). Lichvar et al. (2016) was used to assign indicator statuses to each identified species. Plants with an indicator status of obligate (OBL), facultative wetland (FACW), or facultative (FAC) were considered to be indicative of wetlands conditions. Plants with an indicator status of facultative upland (FACU) or upland (UPL) were considered to be indicative of upland conditions. Plants that could only be identified to genus were sometimes assigned an indicator status based on the professional judgment of Davey Resource Group. These plants were classified as wetlands indicator species (WIS) or upland indicator species (UIS). See Appendix H for a more detailed explanation of wetlands vegetation indicator statuses.

Marking flags were placed at necessary points around each wetland to accurately depict the wetland/upland boundary. The location of each flag was mapped using a Trimble<sup>®</sup> R1 Global Navigation Satellite System or GNSS (GPS, GLONASS, SBAS [WAAS]) receiver. It has 220 channels and runs professional TerraSync<sup>™</sup> software capable of submeter accuracy after differential correction. Accuracy and reliability may be subject to anomalies due to multipath, obstructions, satellite geometry, and atmospheric conditions and as such a specific accuracy cannot be guaranteed in those situations.

The sample points, which support the location of the wetland/upland perimeter, were labeled with the first letter representing the wetland being sampled; the following number corresponds to the boundary flag in between the sample pair; the second letter signifies whether it is an upland (U) or wetland (W) sample; and the final number represents the order in which the samples were taken. Information on vegetation, soils, and hydrology was collected at each sample point and recorded on field data forms which are included as Appendix B of this report.

#### 5.0 RESULTS & CONCLUSIONS

#### 5.1 RESULTS

Fieldwork for the federal delineation was conducted during the weeks of August 29<sup>th</sup> and September 13<sup>th</sup>. A total of eighteen (18) field points were sampled and recorded which support the location of the wetland/upland boundary (Appendix B). Based on the results of the sampling, two (2) wetlands were identified on the subject parcel.

Wetland A is located in the north-central region of the site. Wetland A is classified as a palustrine, forested, broad leaved deciduous wetland with seasonally saturated soils (PFO1B). Dominant species identified in Wetland A includes Acer saccharinum (Silver maple, FACW), Ulmus americana (American elm, FACW), and Fraxinus pennsylvanica (Green ash, FACW) in the tree stratum, with Fraxinus pennsylvanica (Green ash, FACW), and Ulmus americana (American elm, FACW) dominant in the shrub stratum. Dominant species identified in the herbaceous stratum include Scirpus cyperinus (Cottongrass bulrush, OBL), Carex lurida (Shallow sedge, OBL), and Agrimonia parviflora (Harvestlice, FAC). Hydrology in Wetland A derives from precipitation, poor drainage, topography, and run off from surrounding uplands. Positive hydrology indicators identified in Wetland A include sparsely vegetated concave surfaces, water-stained leaves, oxidized rhizospheres on living roots, surface water up to a depth of 2 inches, a high water table, saturated soil conditions water marks on vegetation, water stained leaves, and testing positive for the FAC neutral test. The area of Wetland A totals 5.19+ acres.

**Wetland B** is located in the northwestern region of the parcel. Wetland B is classified as a palustrine, scrub shrub, broad leaved deciduous wetland with seasonally saturated soils (PSS1B). Dominant species identified in Wetland B includes *Fraxinus pennsylvanica* (Green ash, FACW) in the tree stratum, with *Cornus racemosa* (Gray dogwood, FAC) dominant in the shrub stratum. Dominant species identified in the herbaceous stratum include *Glyceria melicaria* (Melic mannagrass, OBL), *Euthamia graminifolia* (Flat top goldentop, FAC), and *Juncus torreyi* (Torrey's rush, FACW). Hydrology in Wetland B appears to be derived from precipitation, micro-topographical relief, and hydric soil inclusions. Positive hydrology indicators identified in Wetland B include a high water table, saturated soil conditions, oxidized rhizospheres on living roots, and testing positive for the FAC neutral test. The area of Wetland B totals 1.21± acres.

Soils sampled in wetland areas of the site corresponded well with the Ovid series. The Ovid series consists of very deep, somewhat poorly drained soils formed in moderately fine textured, reddish colored till. Saturated hydraulic conductivity is moderately high to high in the mineral surface and subsurface layers, moderately high in the subsoil, and moderately low to moderately high in the substratum. Slope ranges from 0 to 15 percent.

Soils sampled in upland areas of the site corresponded well with the Cazenovia series. Cazenovia soils are very deep and deep, moderately well drained soils formed in loamy till. They are nearly level to very steep soils on till plains. Saturated hydraulic conductivity is moderately high to high in the surface layer and subsoil and moderately low to moderately high in the substratum. Slope ranges from 0 to 45 percent.

#### 5.2 CONCLUSIONS

Based on the results of the field investigation, two (2) wetlands have been identified on the parcel. The wetland areas are best defined as:

Wetlands	Cover Type	Connectivity to Waters of the U.S.	Area (Acres)	Latitude/ Longitude
A	Forested	Yes	5.19	42.98761/ -78.60491
В	Forested	No	1.21	42.98714/ -78.60671

Wetland A is located in the north-central region of the site and exists entirely within the subject parcel. Wetland A adjoins the tributary to Ransom Creek and therefore connects to a regulated Water of the United States.

Wetland B is located in the northwestern region of the site and exists entirely within the subject parcel. Wetland B appears to be isolated and was not observed connecting to regulated waters of the United States or other on-site wetlands.

Stream	Flow Regime	Length (Linear Feet)	Latitude/Longitude
1	Intermittent	2,217	42.98552, - 78.60611
2	Intermittent	321	42.98806, - 78.60677

Stream 1 consists of 2,217-linear feet of Intermittent stream, which begins at the southern border of the parcel and flows north along the western parcel boundary. Stream 1 is a tributary to Ransom Creak and flows north offsite via a culvert under Greiner Road.

Stream 2 consists of 321-linear feet of Intermittent stream, which begins at the northwestern region of the parcel and flows east along the northern parcel boundary. Stream 1 is a tributary to Ransom Creak and flows east until merging with Stream 1 and flowing north offsite.

The New York State Department of Environmental Conservation requires a wetland be 12.4 acres in order to regulate under Article 24 of the Freshwater Wetlands Act. Therefore, the on-site wetlands are not regulated by the NYSDEC.

Davey Resource Group is confident that all jurisdictional wetlands and drainageways were identified on this site. No unusual or problem areas were found. All water resource studies conducted by Davey Resource Group are objective and based strictly on professional judgment. Davey Resource Group and its employees have no vested interest in this property or the proposed project.

All wetland delineations must be verified by the U.S. Army Corps of Engineers and New York State Department of Environmental Conservation to be considered official. This wetlands delineation is reflective of environmental conditions at the time the fieldwork was performed. Wetlands are dynamic natural systems; therefore, boundaries may change slightly over time.

As a result of our investigation, it is our professional opinion that Stream 1 and 2 are jurisdictional waters of the United States Army Corp of Engineers as they are semi-permanent waters of the United States. Wetland A is also a jurisdictional water of the United States as it was observed adjoining Stream 1. Wetland B is not jurisdictional due to being isolated within the area and not connecting to other jurisdictional waters of the United States. It is the responsibility of the U.S. Army Corps of Engineers to verify the wetland boundary and make a jurisdictional determination.

#### INFORMATIONAL REFERENCES

- Andrus, R.E. 1980. <u>Sphagnaceae (Peat Moss Family) of New York State</u>. Contributions to a flora of New York State III, R.S. Mitchel (Ed.), Bull. 442, New York State Museum, Albany, N.Y. 89 pp.
- Britton, N.L. and H.A. Brown. 1970. An Illustrated Flora of the Northern United States and Canada, Volumes 1, 2 and 3. Dover Publications, Inc., New York. 2062 pp.
- Brown, Lauren. 1979. Grasses-An identification guide. Peterson Nature Library. Houghton Mifflin Co., Boston.240 pp.
- Cobb, Boughton. 1963. A Field Guide to the Ferns and Their Related Families. Houghton Mifflin Co., Boston. 281 pp.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. Laroe. 1979. <u>Classification of Wetlands and Deepwater Habitats of the United States</u>. U.S. Fish and Wildlife Service, Washington, D.C. FWS/OBS-79-31. 103 pp.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual, Technical Report Y-87-1, US Army Engineers Waterways Experiment Station, Vicksburg, Miss.
- Federal Interagency Committee for Wetland Delineation. 1989. Federal Manual for Identifying and Delineating <u>Jurisdictional Wetlands</u>. U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service, and U. S. D. A. Soil Conservation Service, Washington, D.C. Cooperative technical publication. 76 pp. Plus appendices.
- Hotchkiss, Neil. 1970. <u>Common Marsh Plants of the United States and Canada</u>. U.S. Department of the Interior, Fish and Wildlife Service, Bureau of Sport Fisheries and Wildlife, Washington, D.C., Resource Publication 93. 99 pp.
- Little, E.L. 1980. <u>The Audubon Society Field Guide to North American Trees (Eastern Region)</u>. Alfred A. Knopf, New York. 714 pp.
- Munsell Color Chart. (Munsell Color, 2018).
- National Wetland Inventory maps. U.S. Department of the Interior, Fish and Wildlife Service, National Wetland Inventory, St. Petersburg, Florida.
- New York State Code of Rules and Regulations (NYCRR). 1989. <u>Protected Native Plants</u>. NYCRR Part 193.3, June, 1989. New York State Department of Environmental Conservation.
- New York Natural Heritage Program. 1989. New York Rare Plant Status List, February, 1989. Steven E. Clements, (Ed.), New York State Department of Environmental Conservation and The Nature Conservancy publication. 26 pp. Newcomb, L. 1977. Newcomb's Wildflower Guide. Little, Brown and Co., Boston. 490 pp.
- Ogden, E.C. 1981. Field Guide to Northeastern Ferns. Contributions to a flora of New York State III, R.S. Mitchell (Ed.), Bull. 444, New York State Museum, Albany, NY 122 pp.
- Peterson, Roger T. and Margaret McKenny. 1968. <u>A Field Guide to Wildflowers of Northeastern and North-central North America</u>. Houghton Mifflin Co., Boston. 420 pp.
- Petrides, George A. 1968. A Field Guide to Trees and Shrubs. Houghton Mifflin Co., Boston MA 428 pp.
- Prescott, G.W. 1969. How to Know the Aquatic Plants, Second Edition. William C. Brown Co., Dubuque, Iowa. 171 pp.
- Reed, Porter B. Jr. 1988. National List of Plant Species That Occur in Wetlands: Northeast (Region 1). U.S. Fish and Wildlife Service, Washington, D.C. Biol. Rept. 88 (26.1). 112 pp.

- Soil Conservation Service. 1988. New York Hydric Soils and Soils with Hydric Inclusions, revised July, 1988, Soil Conservation Service, Syracuse, New York, Technical Guide, Section II. 23 pp.
- Soil Conservation Service. 1973. Soil Survey of Monroe County, New York. U. S. D. A., Soil Conservation Service. 172 pp.
- Simonds, R.L. and H.H. Tweedie. 1978. Wildflowers of the Great Lakes Region. Chicago Review Press, Chicago. 96 pp.
- Symonds, G. W. D. 1968. The Tree Identification Book. Quill, New York. 272 pp.
- Symonds, G. W. D. 1963. The Shrub Identification Book. William Morrow & Company, New York. 379 pp.
- United States Geological Survey maps, Denver, Colorado

## Table 1

Vegetation Table



#### TABLE 1

## Vegetation Identified During Wetland Delineation

# Scientific Name Common Name Federal Status Herbaceous

Herbaceous		
Agrimonia gryposepala	Tall Hairy Grooveburr	FACU
Agrimonia parviflora	Harvestlice	FAC
Agrimonia striata	Woodland Grooveburr	FACU
Andropogon gerardii	Big Bluestem	FACU
Carex intumescens	Greater Bladder Sedge	FACW
Carex laxiflora	Broad Loose-Flower Sedge	UPL
Carex lurida	Shallow Sedge	OBL
Carex scoparia	Pointed Broom Sedge	FACW
Cinna arundinacea	Sweet Wood-Reed	FACW
Crataegus monogyna	English Hawthorn	FACU
Euthamia graminifolia	Flat-Top Goldentop	FAC
Fragaria virginiana	Virginia Strawberry	FACU
Geum canadense	White Avens	FAC
Glyceria melicaria	Melic Manna Grass	OBL
Holcus lanatus	Common Velvet Grass	FACU
Juncus torreyi	Torrey's Rush	FACW
Lysimachia nummularia	Creeping-Jenny	FACW
Onoclea sensibilis	Sensitive Fern	FACW
Parthenocissus quinquefolia	Virginia-Creeper	FACU
Persicaria virginiana	Jumpseed	FAC
Phleum pratense	Common Timothy	FACU
Phragmites australis	Common Reed	FACW
Ranunculus acris	Tall Buttercup	FAC
Rhamnus cathartica	European Buckthorn	FAC
Rubus idaeus	Common Red Raspberry	FACU
Scirpus cyperinus	Cottongrass Bulrush	OBL
Solidago altissima	Tall Goldenrod	FACU
Solidago canadensis	Canadian Goldenrod	FACU
Solidago rugosa	Wrinkle-Leaf Goldenrod	FAC
Symphyotrichum lanceolatum	White Panicled American-Aster	FACW
Symphyotrichum lateriflorum	Farewell-Summer	FAC
Symphyotrichum pilosum	White Oldfield American-Aster	FACU
Toxicodendron radicans	Eastern Poison Ivy	FAC
Ulmus americana	American Elm	FACW

## **Shrub**

Cornus racemosa	Gray Dogwood	FAC
Frangula alnus	Glossy False Buckthorn	FAC
Lonicera canadensis	American Fly-Honeysuckle	FACU

## Shrub (Cont.)

Lonicera tatarica	Twinsisters	FACU
Rosa multiflora	Rambler Rose	FACU

## Tree

Acer rubrum	Red Maple	FAC
Acer saccharinum	Silver Maple	FACW
Acer saccharum	Sugar Maple	FACU
Carya cordiformis	Bitter-Nut Hickory	FAC
Carya ovata	Shag-Bark Hickory	FACU
Fagus grandifolia	American Beech	FACU
Fraxinus americana	White Ash	FACU
Fraxinus pennsylvanica	Green Ash	FACW
Ostrya virginiana	Eastern Hop-Hornbeam	FACU
Pinus strobus	Eastern White Pine	FACU
Quercus macrocarpa	Burr Oak	FACU
Quercus rubra	Northern Red Oak	FACU


## Vine

Vitis aestivalis Summer Grape FACU

## Appendix A

Maps & Figures








**Figure 1: Clarence, NY Quadrangle** 





## Erie County On-Line Mapping Application



Toronto
Lake Ontario
Hamilton
Rochester
Buffalo

#### Legend

Parcels

National Wetlands Inventory

Flowline - Large Scale

Perennial

.. Intermittent

.. Ephemeral

Artificial Path

Canal Ditch

Coastline

Connector

Pipeline

Underground Conduit

Area - Large Scale

Area of Complex Channels

Area to be Submerged

BayInlet

Bridge

Bridge

CanalDitch

DamWeir

Flume

Foreshore

Hazard Zone

Inundation Area

Lock Chamber



WGS\_1984\_Web\_Mercator\_Auxiliary\_Sphere

THIS MAP IS NOT TO BE USED FOR NAVIGATION

ERIE COUNTY
DEPARTMENT OF ENVIRONMENT & PLANNING
OFFICE OF GIS

This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

1: 9,028





## Erie County On-Line Mapping Application





#### Legend

Parcels

**DEC Wetlands** 

Flowline - Large Scale

Perennial

Intermittent

Ephemeral

Artificial Path

Canal Ditch

Coastline

Connector

Pipeline

**Underground Conduit** 

#### Area - Large Scale

Area of Complex Channels

Area to be Submerged

BayInlet

Bridge

CanalDitch

DamWeir

Flume

Foreshore

Hazard Zone

Inundation Area

Lock Chamber



0.14

WGS\_1984\_Web\_Mercator\_Auxiliary\_Sphere THIS MAP IS NOT TO BE USED FOR NAVIGATION

**ERIE COUNTY DEPARTMENT OF ENVIRONMENT & PLANNING** OFFICE OF GIS

This map is a user generated static output from an Internet mapping site and is for reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

1: 9,028





#### MAP LEGEND

#### Area of Interest (AOI) Transportation Area of Interest (AOI) Rails Soils Interstate Highways **Soil Rating Polygons** US Routes Hydric (100%) Major Roads Hydric (66 to 99%) Local Roads $\sim$ Hydric (33 to 65%) **Background** Hydric (1 to 32%) Aerial Photography Not Hydric (0%) Not rated or not available Soil Rating Lines Hydric (100%) Hydric (66 to 99%) Hydric (33 to 65%) Hydric (1 to 32%) Not Hydric (0%) Not rated or not available **Soil Rating Points** Hydric (100%) Hydric (66 to 99%) Hydric (33 to 65%) Hydric (1 to 32%) Not Hydric (0%) Not rated or not available **Water Features** Streams and Canals

#### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15.800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Erie County, New York Survey Area Data: Version 22, Sep 10, 2022

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Jul 4, 2020—Jul 10, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## **Hydric Rating by Map Unit**

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI				
BfB	Benson very channery loam, 3 to 8 percent slopes	0	1.4	1.8%				
CgB	Cazenovia silt loam, 3 to 8 percent slopes	0	18.7	22.8%				
NfA	Niagara silt loam, 0 to 3 percent slopes	5	13.8	16.8%				
OvA	Ovid silt loam, 0 to 3 percent slopes	5	15.8	19.2%				
OvB	Ovid silt loam, 3 to 8 percent slopes	5	20.9	25.4%				
WaB	Wassaic silt loam, 3 to 8 percent slopes	0	8.5	10.4%				
WcE	Wassaic-Rock outcrop complex, 25 to 40 percent slopes	0	3.1	3.7%				
Totals for Area of Inter	est		82.2	100.0%				

#### **Description**

This rating indicates the percentage of map units that meets the criteria for hydric soils. Map units are composed of one or more map unit components or soil types, each of which is rated as hydric soil or not hydric. Map units that are made up dominantly of hydric soils may have small areas of minor nonhydric components in the higher positions on the landform, and map units that are made up dominantly of nonhydric soils may have small areas of minor hydric components in the lower positions on the landform. Each map unit is rated based on its respective components and the percentage of each component within the map unit.

The thematic map is color coded based on the composition of hydric components. The five color classes are separated as 100 percent hydric components, 66 to 99 percent hydric components, 33 to 65 percent hydric components, 1 to 32 percent hydric components, and less than one percent hydric components.

In Web Soil Survey, the Summary by Map Unit table that is displayed below the map pane contains a column named 'Rating'. In this column the percentage of each map unit that is classified as hydric is displayed.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). Under natural conditions, these soils are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.


The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 2002). These criteria are used to identify map unit components that normally are associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (Soil Survey Staff, 1999) and "Keys to Soil Taxonomy" (Soil Survey Staff, 2006) and in the "Soil Survey Manual" (Soil Survey Division Staff, 1993).

If soils are wet enough for a long enough period of time to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and Vasilas, 2006).

#### References:

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.



Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18.

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service. U.S. Department of Agriculture Handbook 436.

Soil Survey Staff. 2006. Keys to soil taxonomy. 10th edition. U.S. Department of Agriculture, Natural Resources Conservation Service.

## **Rating Options**

Aggregation Method: Percent Present

Component Percent Cutoff: None Specified

Tie-break Rule: Lower

## Appendix B

Field Data Forms



## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Greiner and Stricler Parcels Ci	ty/County: Clarence, Erie Sampling Date: 2023-08-29
•	State: New York Sampling Point: UPL1
Investigator(s): R. Feickert and D. Wilson S	
Landform (hillslope, terrace, etc.): Loca	
	Long: -78.60543016 Datum: WGS 84
Soil Map Unit Name: Ovid silt loam, 3 to 8 percent slopes (OVB)	
Are climatic / hydrologic conditions on the site typical for this time of year	
	sturbed? Are "Normal Circumstances" present? Yes Vo No Vo
Are Vegetation, Soil, or Hydrology naturally probl	ematic? (If needed, explain any answers in Remarks.)
SUMMARY OF FINDINGS – Attach site map showing s	ampling point locations, transects, important features, etc.
Hydrophytic Vegetation Present? Yes No	Is the Sampled Area
Hydric Soil Present? Yes No	within a Wetland? Yes No
Wetland Hydrology Present? Yes No	If yes, optional Wetland Site ID:
Remarks: (Explain alternative procedures here or in a separate report.)	
HYDROLOGY	
Wetland Hydrology Indicators:	Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)	Surface Soil Cracks (B6)
Surface Water (A1) Water-Stained Le	
High Water Table (A2) Aquatic Fauna (B	
Saturation (A3) Marl Deposits (B <sup>2</sup> Water Marks (B1) Hydrogen Sulfide	
	heres on Living Roots (C3) Saturation Vis ble on Aerial Imagery (C9)
Drift Deposits (B3) Presence of Redu	
	ction in Tilled Soils (C6) Geomorphic Position (D2)
Iron Deposits (B5) Thin Muck Surface	e (C7) Shallow Aquitard (D3)
Inundation Visible on Aerial Imagery (B7) Other (Explain in	
Sparsely Vegetated Concave Surface (B8)	FAC-Neutral Test (D5)
Field Observations:	
Surface Water Present? Yes No Depth (inches):	
Water Table Present?  Yes No Depth (inches): _ Saturation Present?  Yes No Depth (inches): _	
(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos,	previous inspections), if available:
Remarks:	

	<b>VEGETATION -</b>	Use scientific r	names of	plants.
--	---------------------	------------------	----------	---------

				Sampling Point: UPL1
Tree Stratum (Plot size: 30 ft r	Absolute	Dominant Species?		Dominance Test worksheet:
1. Fraxinus pennsylvanica	10	<u>opecies:</u> ✓	FACW	Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)
2.				
3.				Total Number of Dominant Species Across All Strata: 6 (B)
4				Percent of Dominant Species
5				That Are OBL, FACW, or FAC: 50 (A/B)
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	10%	= Total Co	ver	OBL species $0   x 1 = 0$
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{45}{25}$ $\times 2 = \frac{90}{75}$
1. Lonicera tatarica	20		FACU	FAC species $\frac{25}{60}$ $x_3 = \frac{75}{240}$
2. Rhamnus cathartica	20		FAC	1700 species x4
3. Rubus idaeus	10		FACU	UPL species $0$ $x = 0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$
4				
5	_			Prevalence Index = B/A = 3.1
6				Hydrophytic Vegetation Indicators:
7				1 - Rapid Test for Hydrophytic Vegetation
	50%	= Total Co	ver	2 - Dominance Test is >50%
Herb Stratum (Plot size: 5 ft r )				3 - Prevalence Index is ≤3.0 <sup>1</sup>
1. Onoclea sensibilis	25		FACW	<ul> <li>4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)</li> </ul>
<sub>2.</sub> Solidago altissima	20		FACU	Problematic Hydrophytic Vegetation¹ (Explain)
3. Lysimachia nummularia	10		FACW	4
4. Parthenocissus quinquefolia	10		FACU	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
<sub>5.</sub> Toxicodendron radicans	5		FAC	Definitions of Vegetation Strata:
6		'		
7				Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
8.				
9.		'		Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10		'		Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines – All woody vines greater than 3.28 ft in
	700/	= Total Cov	ver	height.
		. 0.0 00		
Woody Vine Stratum (Plot size: 30 ft r				
· · · · · · · · · · · · · · · · · · ·				
1				
1				Hydrophysic
1	 			Hydrophytic Vegetation
1 2				

SOIL Sampling Point: UPL1

Depth	ription: (Describe Matrix	e to the de	pth needed to docur	ment the ox Featur		r or confirr	n the absence	of indicators.)
(inches)	Color (moist)	%	Color (moist)	<u>%</u>	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 16	10YR 4/2	100					Silt Loam	
16 - 20	10YR 4/3	90	7.5YR 5/6	10	С	М	Silt Loam	
							·	
				_			·	
-								
				-				
						<del></del>	2	
Type: C=Co		pletion, RN	M=Reduced Matrix, M	S=Maske	ed Sand G	rains.		n: PL=Pore Lining, M=Matrix. s for Problematic Hydric Soils <sup>3</sup> :
Histosol			Polyvalue Belo	w Surfac	e (S8) ( <b>LF</b>	RR R,		Muck (A10) ( <b>LRR K, L, MLRA 149B</b> )
Histic Ep	pipedon (A2)		MLRA 149B	)			Coast	Prairie Redox (A16) (LRR K, L, R)
Black His			Thin Dark Surfa					Mucky Peat or Peat (S3) (LRR K, L, R)
	n Sulfide (A4) d Layers (A5)		Loamy Mucky Muc			N, L)		Surface (S7) (LRR K, L) alue Below Surface (S8) (LRR K, L)
	d Below Dark Surfa	ce (A11)	Depleted Matrix		_,			Dark Surface (S9) (LRR K, L)
	ark Surface (A12)		Redox Dark Su					flanganese Masses (F12) (LRR K, L, R)
	lucky Mineral (S1) sleyed Matrix (S4)		Depleted Dark Redox Depress					ont Floodplain Soils (F19) (MLRA 149B) Spodic (TA6) (MLRA 144A, 145, 149B)
	edox (S5)		Redox Depress	310113 (1 O	,			Parent Material (F21)
Stripped	Matrix (S6)						Very S	Shallow Dark Surface (TF12)
Dark Sur	rface (S7) (LRR R,	MLRA 149	IB)				Other	(Explain in Remarks)
<sup>3</sup> Indicators of	f hydrophytic veget	ation and w	vetland hydrology mus	st be pre	sent, unle	ss disturbed	d or problemation	c.
Restrictive L	_ayer (if observed	):						_
Type:								_
Depth (inc	ches):						Hydric Soil	Present? Yes No
Remarks:							<b></b>	

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Greiner and St	ricler Parcels	City/0	County: Claren	ice, Erie	Sampling Date: 2023-09-11		
Applicant/Owner: Designer H	lomes, LLC	State: New	v York Sampling Point: UPL2				
Investigator(s): R. Feickert and D. Wilson Section, Township, Range:							
Landform (hillslope, terrace, etc.): Local relief (concave, convex, none):							
					Datum: WGS 84		
					ssification:		
Are climatic / hydrologic conditi	ions on the site typ	ical for this time of year?	Yes No	(If no, explain	in Remarks.)		
Are Vegetation, Soil	, or Hydrology	/ significantly distu	rbed? Are	e "Normal Circumstanc	es" present? Yes No		
Are Vegetation, Soil	, or Hydrology	/ naturally problem	atic? (If	needed, explain any ar	nswers in Remarks.)		
SUMMARY OF FINDING	S – Attach si	te map showing san	npling point	locations, transe	ects, important features, etc.		
			Is the Sample		-		
Hydric Soil Present?	ent? Yes _	No No	within a Wetl		No <u>′</u>		
Hydric Soil Present? Wetland Hydrology Present?	Yes	No	If you options				
Remarks: (Explain alternative			ii yes, optiona	Il Wetland Site ID:			
HYDROLOGY							
Wetland Hydrology Indicato	ors:			Secondary Ir	ndicators (minimum of two required)		
Primary Indicators (minimum	of one is required;	check all that apply)		Surface	Soil Cracks (B6)		
Surface Water (A1)		Water-Stained Leave		Drainage	e Patterns (B10)		
High Water Table (A2)		Aquatic Fauna (B13)			im Lines (B16)		
Saturation (A3)		Marl Deposits (B15)			son Water Table (C2)		
Water Marks (B1)		Hydrogen Sulfide Oc		-	Burrows (C8)		
Sediment Deposits (B2)		Oxidized Rhizospher	_		on Vis ble on Aerial Imagery (C9)		
Drift Deposits (B3) Algal Mat or Crust (B4)		Presence of Reduce Recent Iron Reduction			or Stressed Plants (D1) phic Position (D2)		
Iron Deposits (B5)		Thin Muck Surface (		· · · —	Aquitard (D3)		
Inundation Visible on Aei	rial Imagery (B7)	Other (Explain in Re			pographic Relief (D4)		
Sparsely Vegetated Cond	• • • •	Outer (Explain in 10)	mano,	<del></del> .	utral Test (D5)		
Field Observations:	2010 0011000 (20)				and. 1001 (20)		
Surface Water Present?	Yes No	Depth (inches):					
Water Table Present?		Depth (inches):					
Saturation Present? (includes capillary fringe)		Depth (inches):		Vetland Hydrology Pro	esent? Yes No		
Describe Recorded Data (stre	eam gauge, monito	oring well, aerial photos, pre	evious inspection	ns), if available:			
Remarks:							
Remarks:							

				Sampling Point: UPL2
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
1. Crataegus monogyna	5	<u>opcoics:</u> ✓	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)
2.				, , ,
3.				Total Number of Dominant Species Across All Strata: 7 (B)
4.				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 71 (A/B)
6.				Boundary to the control of
7				Prevalence Index worksheet:
	<b>-</b> 0/	= Total Cov	er	
Sapling/Shrub Stratum (Plot size: 15 ft r )		_ 10tai 00t	0.	FACW species $\frac{5}{x^2} = \frac{10}{x^2}$
1. Frangula alnus	10	~	FAC	FAC species 95 x 3 = 285
2. Rosa multiflora	10		FACU	FACU species <u>15</u> x 4 = <u>60</u>
			FACW	UPL species $0 \times 5 = 0$
***			171011	Column Totals: <u>120</u> (A) <u>360</u> (B)
4				Prevalence Index = B/A = 3.0
5				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7	050/			✓ 2 - Dominance Test is >50%
F 44	25%	= Total Cov	er	3 - Prevalence Index is ≤3.0¹
Herb Stratum (Plot size: 5 ft r )	40			4 - Morphological Adaptations <sup>1</sup> (Provide supporting
1. Agrimonia parviflora	40		FAC	data in Remarks or on a separate sheet)
2. Solidago rugosa	20		FAC	Problematic Hydrophytic Vegetation¹ (Explain)
3. Symphyotrichum lateriflorum	20		FAC	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4. Scirpus cyperinus	5		OBL	be present, unless disturbed or problematic.
5. Toxicodendron radicans	5		FAC	Definitions of Vegetation Strata:
6				Tree – Woody plants 3 in. (7.6 cm) or more in diameter
7				at breast height (DBH), regardless of height.
8				Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines - All woody vines greater than 3.28 ft in
	000/	= Total Cov	er er	height.
Woody Vine Stratum (Plot size: 30 ft r				
1.				
1				
2				Hydrophytic
2.       3.				Hydrophytic Vegetation
2			uor.	

SOIL Sampling Point: UPL2

0 - 14 2.5	Color (moist) 5Y 4/3 YR 5/4	95 95 95	7.5YR 5/4 7.5YR 5/6	5 5 	C C	M M	Sandy Loam Sandy Loam	Rema	aiks	
			•							
	YR 5/4	95	7.5YR 5/6	5		M	Sandy Loam			
- - - - - - - -										
- - - - - -										
- - - - -										
- - - - -										
- - -										
- -										
<u>-</u>										
<u>-</u>										
			- <u></u>							
-										
/pe: C=Concer	ntration, D=De	epletion, RN	/I=Reduced Matrix,	MS=Mask	ed Sand (	Grains.	<sup>2</sup> Location: PL	_=Pore Lining, M	1=Matrix.	
dric Soil Indic	cators:						Indicators for	Problematic Hy (A10) (LRR K,		
Thick Dark Su Sandy Mucky Sandy Gleyed Sandy Redox Stripped Matr Dark Surface	don (A2) (A3) Ilfide (A4) Vers (A5) Iow Dark Surfa urface (A12) Vers (A12) Vers (A5) Vers (A5) Vers (A12) Vers	MLRA 149	Polyvalue Be MLRA 149  Thin Dark Su Loamy Muck; Loamy Gleye Depleted Mai Redox Dark S Depleted Dar Redox Depre	PB)  rface (S9)  y Mineral ( d Matrix (F3)  Surface (F6)  k Surface  essions (F8)	(LRR R, (F1) (LRR F2) 6) (F7) 3)	MLRA 149B) K, L)	Coast Prair 5 cm Muck Dark Surfa Polyvalue I Thin Dark S Iron-Manga Piedmont F Mesic Spor Red Paren Very Shalla	rie Redox (A16) y Peat or Peat ( ce (S7) (LRR K. Below Surface (S9) (LF anese Masses (IF loodplain Soils dic (TA6) (MLRA t Material (F21) bw Dark Surface lain in Remarks	(LRR K, L, R) S3) (LRR K, L , L) S8) (LRR K, L RR K, L) F12) (LRR K, I (F19) (MLRA A 144A, 145, 1 e (TF12)	) _, R) _, R) L, R 149 149E

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Greiner and Str	icler Parcels	City/0	County: Clarence, Erie		Sampling Date: 2023-09-11
Applicant/Owner: Designer Ho	omes, LLC				Sampling Point: UPL3
Investigator(s): R. Feickert ar	nd D. Wilson	Secti	on, Township, Range:		
Landform (hillslope, terrace, etc.	.):	Local rel	ief (concave, convex, nor	ne):	Slope (%):
Subregion (LRR or MLRA): L 10	01	Lat: 42.98334938	Long: <u>-</u> -78	.60407173	Datum: WGS 84
Soil Map Unit Name: Wassaic					
Are climatic / hydrologic condition	ons on the site typic	cal for this time of year?	∕es No (	(If no, explain in Rer	marks.)
Are Vegetation, Soil	, or Hydrology	significantly distu	rbed? Are "Normal	Circumstances" pre	esent? Yes No
Are Vegetation, Soil	, or Hydrology	naturally problem	atic? (If needed, e	explain any answers	in Remarks.)
SUMMARY OF FINDING	S - Attach site	e map showing san	npling point locatio	ons, transects,	important features, etc.
Hydrophytic Vegetation Preser	nt? Ves	No	Is the Sampled Area		
Hydric Soil Present?	Yes	No V	within a Wetland?	Yes	No
Wetland Hydrology Present?	Yes	No 🗸	If yes, optional Wetland	I Site ID:	
Remarks: (Explain alternative			, , , , , , , , , , , , , , , , , , , ,		
	•				
HYDROLOGY					
Wetland Hydrology Indicator	rs:			Secondary Indicate	ors (minimum of two required)
Primary Indicators (minimum o	of one is required; c	heck all that apply)		Surface Soil C	racks (B6)
Surface Water (A1)		Water-Stained Leave	es (B9)	Drainage Patte	erns (B10)
High Water Table (A2)		Aquatic Fauna (B13)		Moss Trim Line	es (B16)
Saturation (A3)		Marl Deposits (B15)		Dry-Season W	ater Table (C2)
Water Marks (B1)		Hydrogen Sulfide Od	lor (C1)	Crayfish Burro	ws (C8)
Sediment Deposits (B2)		Oxidized Rhizospher	es on Living Roots (C3)	Saturation Vis	ble on Aerial Imagery (C9)
Drift Deposits (B3)		Presence of Reduce	d Iron (C4)	Stunted or Stre	essed Plants (D1)
Algal Mat or Crust (B4)		Recent Iron Reduction	on in Tilled Soils (C6)	Geomorphic P	osition (D2)
Iron Deposits (B5)		Thin Muck Surface (0	C7)	Shallow Aquita	ard (D3)
Inundation Visible on Aeria	al Imagery (B7)	Other (Explain in Rei	marks)	Microtopograp	hic Relief (D4)
Sparsely Vegetated Conca	ave Surface (B8)			FAC-Neutral T	est (D5)
Field Observations:					
Surface Water Present?		Depth (inches):			
Water Table Present?		Depth (inches):			
Saturation Present?	Yes No	Depth (inches):	Wetland H	lydrology Present?	? Yes No
(includes capillary fringe)  Describe Recorded Data (streat	am gauge monitori	ing well, aerial photos, pre	evious inspections) if ava	ilable.	
Describe Resoluca Data (Street	am gaage, monton	ing won, acriai priotos, pro	viodo iriopeodorio), ir ava	masic.	
Remarks:					

<b>/EGETATION</b> – Use scientific names of plants	<b>5.</b>			Sampling Point: UPL3
Tree Stratum (Plot size: 30 ft r )	Absolute		Indicator	Dominance Test worksheet:
1	· · · · · · · · · · · · · · · · · · ·	Species?	Status	Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)
2				Total Number of Dominant Species Across All Strata: 5 (B)
4				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 40 (A/B)
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
		= Total Co	ver	OBL species $\frac{0}{0}$ $x = \frac{0}{0}$
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{0}{45}$ $x_2 = \frac{0}{135}$
<sub>1.</sub> Rosa multiflora			FACU	1 AO species
2				FACU species $80$ $x = 320$ UPL species $0$ $x = 0$
3				Column Totals: 125 (A) 455 (B)
4				(3)
5				Prevalence Index = B/A = 3.6
6				Hydrophytic Vegetation Indicators:
7				1 - Rapid Test for Hydrophytic Vegetation
	000/	= Total Co	ver	2 - Dominance Test is >50%
Herb Stratum (Plot size: 5 ft r )				3 - Prevalence Index is ≤3.0¹
1. Agrimonia parviflora	20	~	FAC	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
	20	~	FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Solidago rugosa	20	~	FAC	
4. Symphyotrichum pilosum	20	~	FACU	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5. Solidago canadensis	 15		FACU	
6. Holcus lanatus	5		FACU	Definitions of Vegetation Strata:
7. Ranunculus acris			FAC	<b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
B			. ———	Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
9			· <del></del>	
10 11				<b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
12				Woody vines – All woody vines greater than 3.28 ft in
	105%	= Total Co	ver	height.
Woody Vine Stratum (Plot size: 30 ft r )				
1				
2				
3				Hydrophytic
				Vegetation
4.				Present? Yes No
4		= Total Co	vei	

SOIL Sampling Point: UPL3

0 - 16 10YR 4/3 95 10YR 5/4 5 C M Sandy Loam  16 - 20 7.5YR 5/4 95 5YR 4/4 5 C M Sandy Loam  17 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  18 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  19 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  10 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  10 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  10 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  11 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  12 ype: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  13 ype: C=Concentration, D=Depleted in, Ms=Masked Sand Grains.  14 ype: C=Concentration, D=Depleted in, Ms=Masked Sand Grains.  15 ype: C=Concentration, D=Depleted Matrix, MS=Masked Sand Grains.  16 ype: C=Concentration, D=Depleted In, Ms=Masked Sand Grains.  17 ype: C=Concentration, D=Depleted Matrix, MS=Masked Sand Grains.  18 ype: C=Concentration, D=Depleted In, Ms=Masked Sand Grains.  19 ype: C=Concentration, D=Depleted Matrix, MS=Masked Sand Grains.  20 ype: C=Concentration, D=Depleted Liph Ms=Masked Sand Grains.  20 ype: C=Concentration, D=Depleted Liph Ms=Masked Sand Grains.  21 ype: Depleted Matrix (Se) Sandy Red (Se) (JRR K, L) Thin Dark Surface (Se) (LRR K, L) Thin Dark Sur	(inches)	Matrix		Redo	x Feature	S					
Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.							Loc <sup>2</sup>	Texture		Remarks	
Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  Indicators for Problematic Hydric Soils*:  Histosoil (A1)	0 - 16	10YR 4/3	95	10YR 5/4	5	С	_ <u>M</u>	Sandy Loam			
Hydric Soil Indicators:    Histosol (A1)	16 - 20	7.5YR 5/4	95	5YR 4/4	5	С	<u>M</u>	Sandy Loam			
Hydric Soil Indicators:    Histosol (A1)	-										
Hydric Soil Indicators:    Histosol (A1)											
Hydric Soil Indicators:    Histosol (A1)											
Hydric Soil Indicators:    Histosol (A1)					-						
Hydric Soil Indicators:    Histosol (A1)											
Hydric Soil Indicators:    Histosol (A1)											
Hydric Soil Indicators:    Histosol (A1)											
Hydric Soil Indicators:    Histosol (A1)	-										
Hydric Soil Indicators:    Histosol (A1)			_								
Hydric Soil Indicators:    Histosol (A1)					-						
Hydric Soil Indicators:    Histosol (A1)											
Hydric Soil Indicators:    Histosol (A1)			_	<u>.</u>							
Histosol (A1)			oletion, RI	M=Reduced Matrix, MS	S=Masked	d Sand G	Grains.				
Histic Epipedon (A2)  MLRA 149B)  — Coast Prairie Redox (A16) (LRR K, L, R)  — Black Histic (A3)  — Thin Dark Surface (S9) (LRR R, MLRA 149B)  — Stratified Layers (A5)  — Loamy Mucky Mineral (F1) (LRR K, L)  — Stratified Layers (A5)  — Depleted Below Dark Surface (A11)  — Depleted Matrix (F2)  — Depleted Below Dark Surface (A11)  — Thick Dark Surface (A12)  — Redox Dark Surface (F6)  — Sandy Mucky Mineral (S1)  — Sandy Gleyed Matrix (S4)  — Redox Depressions (F8)  — Redox Depressions (F8)  — Redox Depressions (F8)  — Red Parent Material (F21)  — Very Shallow Dark Surface (TF12)  — Other (Explain in Remarks)  ¬ Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):  — Type:  — Depth (inches):  — Hydric Soil Present? Yes No _ ✓	-			Polyvaluo Roloy	w Surface	(99) (1	D D			•	
Black Histic (A3)						(30) (LI	XX X,		, ,		,
Stratified Layers (A5)	Black His	stic (A3)						) 5 cm M	lucky Peat	or Peat (S3) ( <b>LI</b>	
Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Redox Dark Surface (F6) Iron-Manganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) Piedmont Floodplain Soils (F19) (MLRA 149B) Sandy Gleyed Matrix (S4) Redox Depressions (F8) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed): Type: Depth (inches): Hydric Soil Present? Yes No							<b>K</b> , <b>L</b> )				DD K I \
Thick Dark Surface (A12)			ce (A11)			<del>-)</del>		-			
Sandy Gleyed Matrix (S4) Redox Depressions (F8) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (Explain in Remarks)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):			,	Redox Dark Su	rface (F6)						
Sandy Redox (S5) Red Parent Material (F21) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (Explain in Remarks)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):						<del>-</del> 7)					
Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Other (Explain in Remarks)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):  Type: Depth (inches): Hydric Soil Present? Yes No				Redox Depress	sions (F8)						, 145, 149B)
³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):  Type:  Depth (inches): Hydric Soil Present? Yes No✓											<u>'</u> )
Restrictive Layer (if observed):   Type:   Depth (inches):   Hydric Soil Present? Yes No	Suipped	rfood (C7) /LDD D	MLRA 149	B)				Other (	Explain in I	Remarks)	
Restrictive Layer (if observed):   Type:   Depth (inches):   Hydric Soil Present? Yes No		nace (57) (LKK K,			et he pres	ant unla	ee dieturhad	l or problematic			
Type:  Depth (inches):	Dark Sur		tion and v		or ne bresi	erit, urile	33 disturbed	Tor problematic	•		
Depth (inches): No	Dark Sur	f hydrophytic vegeta		vetiand hydrology mus							
	Dark Sur  Jindicators of  Restrictive L	f hydrophytic vegeta		vetiand nydrology mus							
Notificity.	Dark Sur  3Indicators of  Restrictive L  Type:	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No <u>′</u>
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No <u> </u>
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No <u>v</u>
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No V
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No <u>v</u>
	Dark Sur  Indicators of  Restrictive L  Type:	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No V
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No V
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No V
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No V
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No V
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No V
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No
	Dark Sur  Indicators of  Restrictive L  Type:  Depth (inc	f hydrophytic vegeta _ayer (if observed)		vetiand hydrology mus				Hydric Soil	Present?	Yes	No 🗸

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Greiner and Stricler Parcels   City/County: Clarence, Erie   Sampling Date: 2023-09-11
Section, Township, Range:   Section, Township, Range:   Slope (%):   Local relief (concave, convex, none):   Slope (%):   Lotrogram (hillslope, terrace, etc.):   Local relief (concave, convex, none):   Slope (%):   Lotrogram (hillslope, terrace, etc.):   Lotrogram (LRR or MLRA): L 101   Lat: 42.98389642   Long: -78.60254203   Datum: WGS 84 oil Map Unit Name:   Wassaic still loam, 3 to 8 percent slopes (WaB)   NWI classification:   reclimatic / hydrologic conditions on the site typical for this time of year? Yes
Local relief (concave, convex, none):   Slope (%6):
Long: 78.60254203   Datum: WGS 84
re climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.) re Vegetation Soil or Hydrology significantly disturbed?
re climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  re Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No  No  (If no, explain any answers in Remarks.)  SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc. Hydrophytic Vegetation Present? Yes  No  Within a Wetland? Yes  No  Within a Wetland? Yes  No  Wetland Hydrology Present? Yes  No  Wetland Hydrology Present? Yes  No  Water Table (Explain alternative procedures here or in a separate report.)  NORONGY  Wetland Hydrology Indicators: Secondary Indicators (minimum of two required)  North Yes  No  No  Nos Trim Lines (B16)
re Vegetation
Soil
Hydrophytic Vegetation Present? Yes No Is the Sampled Area within a Wetland? Yes No If yes, optional Wetland Site ID:    Wetland Hydrology Present? Yes No If yes, optional Wetland Site ID:
Hydrophytic Vegetation Present? Yes No Vistant Award Stellow No Vistand Hydrology Present? Yes No Vistand Hydrology Indicators:    Secondary Indicators (minimum of two required)   Surface Soil Cracks (B6)
Wetland Hydrology Present? Yes No V If yes, optional Wetland? Yes No V If yes, optional Wetland Site ID:    Wetland Hydrology Present? Yes No V If yes, optional Wetland Site ID:
Wetland Hydrology Present? Yes No V If yes, optional Wetland? Yes No V If yes, optional Wetland Site ID:    Wetland Hydrology Present? Yes No V If yes, optional Wetland Site ID:
If yes, optional Wetland Site ID:
Secondary Indicators (minimum of two required)
Secondary Indicators (minimum of two required)
Wetland Hydrology Indicators:       Secondary Indicators (minimum of two required)         Primary Indicators (minimum of one is required; check all that apply)       Surface Soil Cracks (B6)         Surface Water (A1)       Water-Stained Leaves (B9)       Drainage Patterns (B10)         High Water Table (A2)       Aquatic Fauna (B13)       Moss Trim Lines (B16)         Saturation (A3)       Marl Deposits (B15)       Dry-Season Water Table (C2)         Water Marks (B1)       Hydrogen Sulfide Odor (C1)       Crayfish Burrows (C8)         Sediment Deposits (B2)       Oxidized Rhizospheres on Living Roots (C3)       Saturation Vis ble on Aerial Imagery (C9)         Drift Deposits (B3)       Presence of Reduced Iron (C4)       Stunted or Stressed Plants (D1)         Algal Mat or Crust (B4)       Recent Iron Reduction in Tilled Soils (C6)       Geomorphic Position (D2)         Iron Deposits (B5)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Inundation Visible on Aerial Imagery (B7)       Other (Explain in Remarks)       Microtopographic Relief (D4)         Sparsely Vegetated Concave Surface (B8)       FAC-Neutral Test (D5)         Field Observations:         Surface Water Present?       Yes       No       Depth (inches):       Wetland Hydrology Present? Yes       No
Primary Indicators (minimum of one is required; check all that apply)  Surface Soil Cracks (B6)  Surface Water (A1)  High Water Table (A2)  Aquatic Fauna (B13)  Saturation (A3)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Sparsely Vegetated Concave Surface (B8)  Presence on Living Roots (C7)  Thin Muck Surface (C7)  Other (Explain in Remarks)  Surface Soil Cracks (B6)  Drainage Patterns (B10)  Moss Trim Lines (B16)  Dry-Season Water Table (C2)  Crayfish Burrows (C8)  Saturation Vis ble on Aerial Imagery (C9)  Saturation Present?  Yes  No  Depth (inches):  Wetland Hydrology Present? Yes  No  Wetland Hydrology Present
Surface Water (A1) Water-Stained Leaves (B9) Drainage Patterns (B10) High Water Table (A2) Aquatic Fauna (B13) Moss Trim Lines (B16) Saturation (A3) Marl Deposits (B15) Dry-Season Water Table (C2) Crayfish Burrows (C8) Saturation Vis ble on Aerial Imagery (C9) Sediment Deposits (B2) Oxidized Rhizospheres on Living Roots (C3) Saturation Vis ble on Aerial Imagery (C9) Stunted or Stressed Plants (D1) Algal Mat or Crust (B4) Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4) FAC-Neutral Test (D5) Water Table Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Depth (inches):
Sediment Deposits (B2) Oxidized Rhizospheres on Living Roots (C3) Saturation Vis ble on Aerial Imagery (C9) Drift Deposits (B3) Presence of Reduced Iron (C4) Stunted or Stressed Plants (D1) Algal Mat or Crust (B4) Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2) Iron Deposits (B5) Thin Muck Surface (C7) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4) Sparsely Vegetated Concave Surface (B8) FAC-Neutral Test (D5) FAC-Neutral Test (D5) Surface Water Present? Yes No Depth (inches): Water Table Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No No Depth (inches): Wetland Hydrology Present? Yes No Volume
Drift Deposits (B3)
Algal Mat or Crust (B4)
Iron Deposits (B5)
Sparsely Vegetated Concave Surface (B8) FAC-Neutral Test (D5)  Field Observations:  Surface Water Present? Yes No Depth (inches):  Water Table Present? Yes No Depth (inches):  Saturation Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Vo
Field Observations:  Surface Water Present? Yes No Depth (inches):  Water Table Present? Yes No Depth (inches):  Saturation Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No V
Surface Water Present?         Yes No
Water Table Present? Yes No Depth (inches): Saturation Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No
Saturation Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No V
(includes capillary fringe)
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
Remarks:

## **VEGETATION** – Use scientific names of plants.

VEGETATION - Use scientific names of plants				Sampling Point: <u>UPL4</u>
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
1. Crataegus monogyna	78 COVE	Species: ✓	FACU	Number of Dominant Species
2. Fraxinus americana	10		FACU	That Are OBL, FACW, or FAC: 0 (A)
3. Pinus strobus	10		FACU	Total Number of Dominant Species Across All Strata: 6 (B)
4				Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)
5				
6		· <del></del>		Prevalence Index worksheet:
7		·		Total % Cover of: Multiply by:
a= 4:	30%	= Total Cov	/er	OBL species $0$ $x = 0$ FACW species $0$ $x = 0$
Sapling/Shrub Stratum (Plot size: 15 ft r )				17.617 species X2 =
1. Lonicera tatarica	40		FACU	170 species x s =
2				
3				UPL species $0$ $x = 0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$
4				Column rotals. (A)
5				Prevalence Index = $B/A = 3.9$
6.				Hydrophytic Vegetation Indicators:
				1 - Rapid Test for Hydrophytic Vegetation
7	40%	Total Car		2 - Dominance Test is >50%
the total control of the second secon	4070	= Total Cov	/er	3 - Prevalence Index is ≤3.0 <sup>1</sup>
Herb Stratum (Plot size: 5 ft r )	20		E 4 O L L	4 - Morphological Adaptations <sup>1</sup> (Provide supporting
1. Fraxinus americana	30		FACU	data in Remarks or on a separate sheet)
2. Fragaria virginiana	20		FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Agrimonia gryposepala	15		FACU	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4. Geum canadense	10		FAC	be present, unless disturbed or problematic.
5. Solidago rugosa	10		FAC	Definitions of Vegetation Strata:
6		· - <u></u> -		
7				<b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
8				
9.				Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
				of size, and woody plants less than 3.28 ft tall.
11				Woody vines – All woody vines greater than 3.28 ft in
12	0.50/			height.
20.5	85%	= Total Cov	/er	
Woody Vine Stratum (Plot size: 30 ft r )				
1				
2				
3				Hydrophytic
4		· - <u></u> -		Vegetation Present? Yes No
		= Total Cov	/er	Tresent: TesNo
Remarks: (Include photo numbers here or on a separate	sheet.)			
, · · ·	,			

SOIL Sampling Point: UPL4

Color (moist)   %   Color (moist)   %   Type   Loc   Texture   Remarks	Depth	Matrix	to the de	pth needed to docun Redox	x Feature		r or commi	n the absence	or indicators.)
16 - 20 10YR 5/4 95 7.5YR 5/8 5 C M Silt Loam			%				Loc <sup>2</sup>	Texture	Remarks
Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.  Thypric Soil Indicators:  Indicators for Problematic Hydric Soils*:  Indicators for Problematic Hydric Soil Present? Yes No/	0 - 16	10YR 4/3	95	10YR 5/6	5	С	M	Silt Loam	
Hydric Soil Indicators:    Histosol (A1)	16 - 20	10YR 5/4	95	7.5YR 5/8	5	С	М	Silt Loam	
Hydric Soil Indicators:    Histosol (A1)	-								
Hydric Soil Indicators:    Histosol (A1)			_						
Hydric Soil Indicators:    Histosol (A1)					-				
Hydric Soil Indicators:    Histosol (A1)			-						
Hydric Soil Indicators:    Histosol (A1)				· <del></del>	-				
Hydric Soil Indicators:    Histosol (A1)			_	· -					
Hydric Soil Indicators:    Histosol (A1)	-								
Hydric Soil Indicators:    Histosol (A1)									
Hydric Soil Indicators:    Histosol (A1)							_		
Hydric Soil Indicators:    Histosol (A1)			-						
Hydric Soil Indicators:    Histosol (A1)									
Hydric Soil Indicators:    Histosol (A1)			_						
Histosol (A1)			oletion, RM	1=Reduced Matrix, MS	S=Masked	Sand G	Grains.		
Histic Epipedon (A2)  MLRA 149B)  Coast Prairie Redox (A16) (LRR K, L, R)  Hydrogen Sulfide (A4)  Loamy Mucky Mineral (F1) (LRR K, L)  Stratified Layers (A5)  Depleted Below Dark Surface (A11)  Redox Dark Surface (F6)  Sandy Mucky Mineral (S1)  Sandy Gleyed Matrix (S4)  Sandy Gleyed Matrix (S4)  Sandy Redox (S5)  Thire Dark Surface (S7) (LRR K, L)  Redox Depressions (F8)  Redox Depressions (F8)  Mesic Spodic (TA6) (MLRA 144A, 145, 149B)  Sandy Redox (S5)  Stripped Matrix (S6)  Dark Surface (S7) (LRR R, MLRA 149B)  Pledmont Floodplain Soils (F12) (MLRA 144A, 145, 149B)  Redox Depressions (F8)  Hydric Soil Present? Yes No ✓  No ✓	•								•
Black Histic (A3)						(S8) ( <b>LF</b>	RR R,		, , , , , , , , , , , , , , , , , , , ,
Hydrogen Sulfide (A4) Loamy Mucky Mineral (F1) (LRR K, L) Dark Surface (S7) (LRR K, L)  Stratified Layers (A5) Loamy Gleyed Matrix (F2) Polyvalue Below Surface (S8) (LRR K, L)  Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thin Dark Surface (S9) (LRR K, L)  Thick Dark Surface (A12) Redox Dark Surface (F6) Iron-Manganese Masses (F12) (LRR K, L, R)  Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) Piedmont Floodplain Soils (F19) (MLRA 149B)  Sandy Gleyed Matrix (S4) Redox Depressions (F8) Mesic Spodic (TA6) (MLRA 144A, 145, 149B)  Sandy Redox (S5) Red Parent Material (F21)  Very Shallow Dark Surface (TF12)  Dark Surface (S7) (LRR R, MLRA 149B)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):  Type:  Depth (inches): Hydric Soil Present? Yes No				,		_RR R. I	/ILRA 149B		
Depleted Below Dark Surface (A11) Depleted Matrix (F3) Thin Dark Surface (S9) (LRR K, L) Thick Dark Surface (A12) Redox Dark Surface (F6) Iron-Manganese Masses (F12) (LRR K, L, R) Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) Piedmont Floodplain Soils (F19) (MLRA 149B) Sandy Gleyed Matrix (S4) Redox Depressions (F8) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed): Type: Depth (inches): Hydric Soil Present? Yes No									
Thick Dark Surface (A12)			(0.4.4)			2)		-	
Sandy Mucky Mineral (S1) Depleted Dark Surface (F7) Piedmont Floodplain Soils (F19) (MLRA 149B) Sandy Gleyed Matrix (S4) Redox Depressions (F8) Mesic Spodic (TA6) (MLRA 144A, 145, 149B) Sandy Redox (S5) Red Parent Material (F21) Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (Explain in Remarks)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):			e (A11)						
Sandy Redox (S5) Stripped Matrix (S6) Dark Surface (S7) (LRR R, MLRA 149B)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed): Type: Depth (inches): Hydric Soil Present? Yes No									
Stripped Matrix (S6) Very Shallow Dark Surface (TF12) Dark Surface (S7) (LRR R, MLRA 149B) Other (Explain in Remarks)  3Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):				Redox Depress	ions (F8)				
Dark Surface (S7) (LRR R, MLRA 149B) Other (Explain in Remarks)  3 Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):  Type: Depth (inches): Hydric Soil Present? Yes No ✓									
³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.  Restrictive Layer (if observed):  Type:  Depth (inches): Hydric Soil Present? Yes No _ ✓			MI RA 149	JB)					
Restrictive Layer (if observed):    Type:   Depth (inches):   Hydric Soil Present? Yes No	Baik Ga			,_,				001 (	zapiam in romano)
Type:  Depth (inches):				etland hydrology mus	t be prese	ent, unle	ss disturbed	d or problematic	4
Depth (inches): No		Layer (if observed)	:						
	• • •								D 10 V
Remarks:		ches):						Hydric Soil	Present? Yes No
	Remarks:								

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Greiner and Str	icler Parcels	City/0	County: Clarence, Erie	S	ampling Date: 2023-09-11
Applicant/Owner: Designer H					Sampling Point: UPL5
Investigator(s): R. Feickert a					
Landform (hillslope, terrace, etc					
Subregion (LRR or MLRA): <u>L 1</u>					
Soil Map Unit Name: Ovid silt					on:
Are climatic / hydrologic condition					
Are Vegetation, Soil					
Are Vegetation, Soil	, or Hydrology	naturally problem	atic? (If needed, e	explain any answers i	n Remarks.)
SUMMARY OF FINDING	S – Attach site	map showing san	npling point location	ons, transects, i	mportant features, etc.
Hydrophytic Vegetation Prese	nt? Vec	No	Is the Sampled Area		
Hydric Soil Present?		No V	within a Wetland?	Yes	No
Wetland Hydrology Present?	Yes	No 🔽	If yes, optional Wetland	I Site ID:	
Remarks: (Explain alternative			, , ,		
HYDROLOGY					
Wetland Hydrology Indicato				Secondary Indicator	rs (minimum of two required)
Primary Indicators (minimum o	·			Surface Soil Cra	` '
Surface Water (A1)		_ Water-Stained Leave		Drainage Patter	
High Water Table (A2)		_ Aquatic Fauna (B13)		Moss Trim Lines	
Saturation (A3) Water Marks (B1)		<ul><li>Marl Deposits (B15)</li><li>Hydrogen Sulfide Od</li></ul>	or (C1)	Dry-Season Wa Crayfish Burrow	
Sediment Deposits (B2)				· ·	ble on Aerial Imagery (C9)
Drift Deposits (B3)		Presence of Reduce	= : :		ssed Plants (D1)
Algal Mat or Crust (B4)		Recent Iron Reduction		Geomorphic Po	
Iron Deposits (B5)		_ Thin Muck Surface (0		Shallow Aquitar	
Inundation Visible on Aeri	al Imagery (B7)	_ Other (Explain in Rer	marks)	Microtopograph	ic Relief (D4)
Sparsely Vegetated Conc	ave Surface (B8)			FAC-Neutral Te	est (D5)
Field Observations:	.,				
Surface Water Present?		Depth (inches):			
Water Table Present?	<u> </u>	Depth (inches):			
Saturation Present? (includes capillary fringe)	Yes No	Depth (inches):	Wetland F	lydrology Present?	Yes No
Describe Recorded Data (stre	am gauge, monitoring	well, aerial photos, pre	vious inspections), if ava	ilable:	
Remarks:					

VEGETATION – Use scientific names of plants				Sampling Point: UPL5
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
1. Fraxinus americana	20	Species:	FACU	Number of Dominant Species
2. Crataegus monogyna	10		FACU	That Are OBL, FACW, or FAC: 0 (A)
				Total Number of Dominant Species Across All Strata:  6 (B)
3				Openies / Notess / III etitata.
4				Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)
5				
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
a= 4:	30%	= Total Cov	/er	OBL species $0$ $x = 0$ FACW species $0$ $x = 0$
Sapling/Shrub Stratum (Plot size: 15 ft r )				17.6V species x2 =
1. Lonicera tatarica	60		FACU	FAC species $40$ $x = 120$ $x = 140$
2. Frangula alnus	10		FAC	UPL species $0$ $x = 0$
3				Column Totals: 200 (A) 760 (B)
4				(2)
5				Prevalence Index = B/A = 3.8
6				Hydrophytic Vegetation Indicators:
7.				1 - Rapid Test for Hydrophytic Vegetation
	700/	= Total Cov	/or	2 - Dominance Test is >50%
Herb Stratum (Plot size: 5 ft r		= 10(a) 00	701	3 - Prevalence Index is ≤3.0 <sup>1</sup>
1. Fragaria virginiana	30	~	FACU	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
2. Lonicera tatarica	30		FACU	Problematic Hydrophytic Vegetation¹ (Explain)
			FAC	robicinate riyaropriyite vegetation (Explain)
3. Symphyotrichum lateriflorum		-		<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4. Toxicodendron radicans	15		FAC	be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6				Tree – Woody plants 3 in. (7.6 cm) or more in diameter
7				at breast height (DBH), regardless of height.
8				Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines - All woody vines greater than 3.28 ft in
	90%	= Total Cov	/er	height.
Woody Vine Stratum (Plot size: 30 ft r )				
1 Vitis aestivalis	10	~	FACU	
2.	_			
3				Hydrophytic Vegetation
4				Present? Yes No
4	10%	= Total Cov		1000

SOIL Sampling Point: UPL5

Depth	Matrix			lox Featur		. 2	·	
(inches)	Color (moist)	<u>%</u>	Color (moist)		Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 20	2.5Y 4/3	90	10YR 5/6	10	<u>C</u>	<u> M</u>	Silt Loam	
-								
							<u> </u>	
							<u> </u>	
					_			
_								
			-		_			
			-				<u> </u>	
-								
			-		_		<u> </u>	
							· <u></u>	
	oncentration, D=Dep	oletion, RM	1=Reduced Matrix, I	MS=Maske	d Sand G	rains.		: PL=Pore Lining, M=Matrix.
Hydric Soil			Daharahia Dal	Cf	- (CO) (LE	ND D		for Problematic Hydric Soils <sup>3</sup> :
Histosol	oipedon (A2)		Polyvalue Bel		e (58) ( <b>Lr</b>	KK K,		Muck (A10) ( <b>LRR K, L, MLRA 149B</b> ) Prairie Redox (A16) ( <b>LRR K, L, R</b> )
Black Hi			Thin Dark Sur	,	(LRR R, N	/ILRA 149E		flucky Peat or Peat (S3) (LRR K, L, R)
Hydroge	en Sulfide (A4)		Loamy Mucky	Mineral (F	1) ( <b>LRR</b>		Dark S	urface (S7) (LRR K, L)
	d Layers (A5)		Loamy Gleye		2)			lue Below Surface (S8) (LRR K, L)
	d Below Dark Surfac	e (A11)	Depleted Mat					ark Surface (S9) (LRR K, L)
	ark Surface (A12)  Mucky Mineral (S1)		Redox Dark S Depleted Dark					anganese Masses (F12) (LRR K, L, R) ont Floodplain Soils (F19) (MLRA 149B)
	Gleyed Matrix (S4)		Redox Depres					Spodic (TA6) (MLRA 144A, 145, 149B)
	Redox (S5)							arent Material (F21)
	l Matrix (S6)							hallow Dark Surface (TF12)
Dark Su	rface (S7) (LRR R,	MLRA 149	<b>B</b> )				Other (	(Explain in Remarks)
3Indicators of	f hydrophytic vegeta	ation and w	vetland hydrology m	uet ha nras	ent unle	se disturba	d or problematic	
	Layer (if observed)		etiana nyarology m	ust be pres	serit, urile	ss disturbe	T Problematic	<u>·</u>
Type:		-						
Depth (inc	chas).						Hydric Soil	Present? Yes No
Remarks:			<del></del>				,	
Remarks.								

## WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Greiner and Stricler Parcels   City/County: Clarence, Erie   Sampling Date: 2023-09-11		
Section   Sect		
andform (hillslope, terrace, etc.): Local relief (concave, convex, none): Slope (%6):  ubregion (LRR or MLRA): L101 Lat: 42.98677661 Long: -78.60265620 Datum: WGS 84  toll Map Unit Name: Niagara silt loam, 0 to 3 percent slopes (NfA) NVI classification:  re climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.) re Vegetation, Soil, or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)  RUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.  Hydrophytic Vegetation Present? Yes No Is the Sampled Area within a Wetland? Yes No If yes, optional Wetland Site ID:   Wetland Hydrology Present? Yes No If yes, optional Wetland Site ID:   Primary Indicators (minimum of one is required: check all that apply) Surface Soil Cracks (B6) Surface Water (A1) Water-Stained Leaves (B9) Drainage Patterns (B10) High Water Table (A2) Aquatic Fauna (B13) More Time (B16)		
Long: -78.60265620   Datum: WGS 84		
No   Cassification   No   Ca		
re climatic / hydrologic conditions on the site typical for this time of year? Yes No		
Are "Normal Circumstances" present? Yes No Normal Circumstances" present? Yes Normal Circumstances" present? Yes Normal Circumstances" present? Yes Normal Circumstances" present? Yes Normal Circumstances presen		
Attach site map showing sampling point locations, transects, important features, etc.  BUMMARY OF FINDINGS — Attach site map showing sampling point locations, transects, important features, etc.  Hydrophytic Vegetation Present? Yes No Is the Sampled Area within a Wetland? Yes No If yes, optional Wetland? Yes No If yes, optional Wetland Site ID:		
SUMMARY OF FINDINGS — Attach site map showing sampling point locations, transects, important features, etc.  Hydrophytic Vegetation Present? Yes No Is the Sampled Area within a Wetland? Yes No If yes, optional Wetland Site ID:		
Hydrophytic Vegetation Present? Yes No Is the Sampled Area within a Wetland? Yes No Wetland Hydrology Present? Yes No If yes, optional Wetland Site ID:    Remarks: (Explain alternative procedures here or in a separate report.)    Remarks: (Explain alternative procedures here or in a separate report.)    Secondary Indicators (minimum of two required)		
Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Indicators:  Remarks: (Explain alternative procedures here or in a separate report.)  Wetland Hydrology Indicators:  Wetland Hydrology Indicators:  Wetland Hydrology Indicators:  Secondary Indicators (minimum of two required)  Surface Soil Cracks (B6)  Surface Water (A1)  Water-Stained Leaves (B9)  Surface Soil Cracks (B6)  Surface Water (A1)  Moss Trim Lines (B16)  Saturation (A3)  Marl Deposits (B15)  Saturation (A3)  Marl Deposits (B15)  Sediment Deposits (B2)  Oxidized Rhizospheres on Living Roots (C3)  Saturation Vis ble on Aerial Imagery (C9)  Drift Deposits (B3)  Presence of Reduced Iron (C4)  Algal Mat or Crust (B4)  Recent Iron Reduction in Tilled Soils (C6)  Iron Deposits (B5)  Thin Muck Surface (C7)  Shallow Aquitard (D3)  Inundation Visible on Aerial Imagery (B7)  Other (Explain in Remarks)  Microtopographic Relief (D4)  Sparsely Vegetated Concave Surface (B8)  Feld Observations:  Surface Water Present?  Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):		
Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Indicators:  Remarks: (Explain alternative procedures here or in a separate report.)  Wetland Hydrology Indicators:  Wetland Hydrology Indicators:  Wetland Hydrology Indicators:  Secondary Indicators (minimum of two required)  Surface Soil Cracks (B6)  Surface Water (A1)  Water-Stained Leaves (B9)  Surface Soil Cracks (B6)  Surface Water (A1)  Moss Trim Lines (B16)  Saturation (A3)  Marl Deposits (B15)  Saturation (A3)  Marl Deposits (B15)  Sediment Deposits (B2)  Oxidized Rhizospheres on Living Roots (C3)  Saturation Vis ble on Aerial Imagery (C9)  Drift Deposits (B3)  Presence of Reduced Iron (C4)  Algal Mat or Crust (B4)  Recent Iron Reduction in Tilled Soils (C6)  Iron Deposits (B5)  Thin Muck Surface (C7)  Shallow Aquitard (D3)  Inundation Visible on Aerial Imagery (B7)  Other (Explain in Remarks)  Microtopographic Relief (D4)  Sparsely Vegetated Concave Surface (B8)  Feld Observations:  Surface Water Present?  Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):  Wetland Hydrology Present? Yes No Depth (inches):		
Metland Hydrology Present?   Yes No / If yes, optional Wetland Site ID:		
Apart   Apar		
Wetland Hydrology Indicators:    Primary Indicators (minimum of one is required; check all that apply)		
Wetland Hydrology Indicators:       Secondary Indicators (minimum of two required)         Primary Indicators (minimum of one is required; check all that apply)       Surface Soil Cracks (B6)         Surface Water (A1)       Water-Stained Leaves (B9)       Drainage Patterns (B10)         High Water Table (A2)       Aquatic Fauna (B13)       Moss Trim Lines (B16)         Saturation (A3)       Marl Deposits (B15)       Dry-Season Water Table (C2)         Water Marks (B1)       Hydrogen Sulfide Odor (C1)       Crayfish Burrows (C8)         Sediment Deposits (B2)       Oxidized Rhizospheres on Living Roots (C3)       Saturation Vis ble on Aerial Imagery (C9)         Drift Deposits (B3)       Presence of Reduced Iron (C4)       Stunted or Stressed Plants (D1)         Algal Mat or Crust (B4)       Recent Iron Reduction in Tilled Soils (C6)       Geomorphic Position (D2)         Iron Deposits (B5)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Inundation Visible on Aerial Imagery (B7)       Other (Explain in Remarks)       Microtopographic Relief (D4)         Sparsely Vegetated Concave Surface (B8)       FAC-Neutral Test (D5)         Field Observations:         Surface Water Present?       Yes       No       V       Depth (inches):       Wetland Hydrology Present?       Yes       No       V <td <="" colspan="2" th=""></td>		
Primary Indicators (minimum of one is required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Aquatic Fauna (B13)  Moss Trim Lines (B16)  Drainage Patterns (B10)  Moss Trim Lines (B16)  Dry-Season Water Table (C2)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Presence of Reduced Iron (C4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Sparsely Vegetated Concave Surface (B8)  Field Observations:  Surface Soil Cracks (B6)  Drainage Patterns (B10)  Moss Trim Lines (B16)  Dry-Season Water Table (C2)  Crayfish Burrows (C8)  Saturation Vis ble on Aerial Imagery (C9)  Stunted or Stressed Plants (D1)  Geomorphic Position (D2)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Other (Explain in Remarks)  Microtopographic Relief (D4)  FAC-Neutral Test (D5)  Field Observations:  Surface Water Present?  Yes  No  Depth (inches):  Water Table Present?  Yes  No  Depth (inches):  Wetland Hydrology Present? Yes  No  (includes capillary fringe)		
Surface Water (A1)		
High Water Table (A2)		
Saturation (A3) Marl Deposits (B15) Dry-Season Water Table (C2) Water Marks (B1) Hydrogen Sulfide Odor (C1) Crayfish Burrows (C8) Sediment Deposits (B2) Oxidized Rhizospheres on Living Roots (C3) Saturation Vis ble on Aerial Imagery (C9) Drift Deposits (B3) Presence of Reduced Iron (C4) Stunted or Stressed Plants (D1) Algal Mat or Crust (B4) Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2) Iron Deposits (B5) Thin Muck Surface (C7) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4) Sparsely Vegetated Concave Surface (B8) FAC-Neutral Test (D5) FAC-Neutral Test (D5) Water Table Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No No Cincludes capillary fringe)		
Sediment Deposits (B2)		
Drift Deposits (B3)		
Algal Mat or Crust (B4) Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2) Iron Deposits (B5) Thin Muck Surface (C7) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4) Sparsely Vegetated Concave Surface (B8) FAC-Neutral Test (D5) FAC-Neutral Test (D5) Surface Water Present? Yes No Depth (inches):		
Iron Deposits (B5)		
Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4) Sparsely Vegetated Concave Surface (B8) FAC-Neutral Test (D5) FAC-Neutral Test (D5) Surface Water Present? Yes No Depth (inches): Water Table Present? Yes No Depth (inches): Saturation Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Voictional Concave Surface (B8) FAC-Neutral Test (D5)		
Field Observations:  Surface Water Present? Yes No Depth (inches):  Water Table Present? Yes No Depth (inches):  Saturation Present? Yes No Depth (inches):  (includes capillary fringe)  Wetland Hydrology Present? Yes No V		
Surface Water Present? Yes No Depth (inches): Water Table Present? Yes No Depth (inches): Saturation Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No Outline Concludes capillary fringe)		
Water Table Present? Yes No Depth (inches): Saturation Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No _		
Saturation Present? Yes No Depth (inches): Wetland Hydrology Present? Yes No V		
(includes capillary fringe)		
Remarks:		

•				Sampling Point: UPL6
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
1. Crataegus monogyna	30	<u>opecies:</u> ✓	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)
<sub>2.</sub> Fraxinus americana	10	~	FACU	
3.				Total Number of Dominant Species Across All Strata: 5 (B)
4				Percent of Dominant Species
5				That Are OBL, FACW, or FAC: 20 (A/B)
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	40%	= Total Cov	/er	OBL species $0   x 1 = 0$
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{5}{200}$ $\times 2 = \frac{10}{200}$
<sub>1.</sub> Lonicera tatarica	20		FACU	FAC species $\frac{30}{120}$ $\times 3 = \frac{90}{400}$
2				FACU species $\frac{120}{0}$ $x = 480$ UPL species $x = 5$
3				UPL species $0$ $x = 0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$
4				Column rotals (A) (B)
5				Prevalence Index = B/A = 3.7
6				Hydrophytic Vegetation Indicators:
7				1 - Rapid Test for Hydrophytic Vegetation
	000/	= Total Cov	/er	2 - Dominance Test is >50%
Herb Stratum (Plot size: 5 ft r )				3 - Prevalence Index is ≤3.0¹
Lonicera canadensis	40		FACU	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
2. Agrimonia parviflora	20	V	FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Fragaria virginiana	10		FACU	1
4. Geum canadense	10		FAC	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
<sub>5.</sub> Rosa multiflora	10		FACU	Definitions of Vegetation Strata:
6. Onoclea sensibilis	5		FACW	
7				Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
8.				Sapling/shrub – Woody plants less than 3 in. DBH
9.				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines – All woody vines greater than 3.28 ft in
	0.50/	= Total Cov	/er	height.
Woody Vine Stratum (Plot size: 30 ft r )				
1				
2				
				Hydrophytic
3.				Vegetation
3 4		= Total Cov		Present? Yes No

SOIL Sampling Point: UPL6

Depth	Matrix			lox Featur		. 2	·	
(inches)	Color (moist)	<u>%</u>	Color (moist)		Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 20	2.5Y 4/3	90	10YR 5/6	10	<u>C</u>	<u> M</u>	Silt Loam	
-								
							<u> </u>	
							<u> </u>	
					_			
_								
			-		_			
			-				<u> </u>	
							<u> </u>	
-								
			-		_		<u> </u>	
							· <u></u>	
	oncentration, D=Dep	oletion, RM	1=Reduced Matrix, I	MS=Maske	d Sand G	rains.		: PL=Pore Lining, M=Matrix.
Hydric Soil			Daharahia Dal	Cf	- (CO) (LF	ND D		for Problematic Hydric Soils <sup>3</sup> :
Histosol	oipedon (A2)		Polyvalue Bel		e (58) ( <b>Lr</b>	KK K,		Muck (A10) ( <b>LRR K, L, MLRA 149B</b> ) Prairie Redox (A16) ( <b>LRR K, L, R</b> )
Black Hi			Thin Dark Sur	,	(LRR R, N	/ILRA 149E		flucky Peat or Peat (S3) (LRR K, L, R)
Hydroge	en Sulfide (A4)		Loamy Mucky	Mineral (F	1) ( <b>LRR</b>		Dark S	urface (S7) (LRR K, L)
	d Layers (A5)		Loamy Gleye		2)			lue Below Surface (S8) (LRR K, L)
	d Below Dark Surfac	e (A11)	Depleted Mat					ark Surface (S9) (LRR K, L)
	ark Surface (A12)  Mucky Mineral (S1)		Redox Dark S Depleted Dark					anganese Masses (F12) (LRR K, L, R) ont Floodplain Soils (F19) (MLRA 149B)
	Gleyed Matrix (S4)		Redox Depres					Spodic (TA6) (MLRA 144A, 145, 149B)
	Redox (S5)							arent Material (F21)
	l Matrix (S6)							hallow Dark Surface (TF12)
Dark Su	rface (S7) (LRR R,	MLRA 149	<b>B</b> )				Other (	(Explain in Remarks)
3Indicators of	f hydrophytic vegeta	ation and w	vetland hydrology m	uet ha nras	ent unle	se disturba	d or problematic	
	Layer (if observed)		etiana nyarology m	ust be pres	serit, urile	ss disturbe	T Problematic	<u>·</u>
Type:		-						
Depth (inc	chas).						Hydric Soil	Present? Yes No
Remarks:			<del></del>				,	
Remarks.								

Project/Site: Greiner and Stricter Parcels   City/County: Clarence, Erle   Sampling Date: 2023-09-13
Residential   Resident   Reside
ubregion (LRR or MLRA); L 101 Lat: 42.98741980 Long:78.60344672
Long   Company   Long
oil Map Unit Name: Niagara silt loam, 0 to 3 percent slopes (NfA)  re climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)  re Vegetation Soil, or Hydrology significantly disturbed?
re climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)  re Vegetation, Soil, or Hydrology significantly disturbed?
re Vegetation Soil or Hydrology significantly disturbed?
IS the Sampled Area within a Wetland? Yes No   Is the Sampled Area within a Wetland? Yes No   If yes, optional Wetland Site ID:    Summarks: (Explain alternative procedures here or in a separate report.)    Wetland Hydrology Indicators:
Hydrophytic Vegetation Present? Yes No Vistand Hydrology Indicators:    Secondary Indicators (minimum of two required)   Surface Soil Cracks (B6)   Surface Soil Cracks (B6)   Drainage Patterns (B10)   High Water Table (A2)   Aquatic Fauna (B13)   Moss Trim Lines (B16)   Sustration (A3)   Marl Deposits (B15)   Dry-Season Water Table (C2)   Crayfish Burrows (C8)   Sediment Deposits (B2)   Oxidized Rhizospheres on Living Roots (C3)   Saturation Vis ble on Aerial Imagery (C9)   Drift Deposits (B3)   Presence of Reduced Irron (C4)   Stunted or Stressed Plants (D1)   Algal Mat or Crust (B4)   Recent Iron Reduction in Tilled Soils (C6)   Geomorphic Position (D2)   Iron Deposits (B5)   Thin Muck Surface (C7)   Shallow Aquitard (D3)   Inundation Visible on Aerial Imagery (B7)   Other (Explain in Remarks)   Microtopographic Relief (D4)   FAC-Neutral Test (D5)   Feld Observations:  Surface Water Present? Yes No Violet (Explain in Remarks)   Depth (inches):
Hydrophytic Vegetation Present? Yes No V Is the Sampled Area within a Wetland? Yes No V If yes, optional Wetland? Yes No V If yes, optional Wetland? Yes No V If yes, optional Wetland Site ID:    No V   If yes, optional Wetland Site ID:
Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Indicators:  Remarks: (Explain alternative procedures here or in a separate report.)  Wetland Hydrology Indicators:  Wetland Hydrology Indicators:  Secondary Indicators (minimum of two required)  Primary Indicators (minimum of one is required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Aquatic Fauna (B13)  Saturation (A3)  Marl Deposits (B15)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Presence of Reduced Iron (C4)  Algal Mat or Crust (B4)  Recent Iron Reduction in Tilled Soils (C6)  Sparsely Vegetated Concave Surface (B8)  Field Observations:  Surface Water Present?  Yes  No  Depth (inches):  Within a Wetland?  Yes  No  Ves  No  Within a Wetland?  Yes  No  Ves  No  Within a Wetland?  If yes, optional Yes, optional Yes, optiona
Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Present?  Wetland Hydrology Indicators:  Remarks: (Explain alternative procedures here or in a separate report.)  Wetland Hydrology Indicators:  Wetland Hydrology Indicators:  Secondary Indicators (minimum of two required)  Primary Indicators (minimum of one is required; check all that apply)  Surface Water (A1)  High Water Table (A2)  Aquatic Fauna (B13)  Saturation (A3)  Marl Deposits (B15)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Presence of Reduced Iron (C4)  Algal Mat or Crust (B4)  Recent Iron Reduction in Tilled Soils (C6)  Sparsely Vegetated Concave Surface (B8)  Field Observations:  Surface Water Present?  Yes  No  Depth (inches):  Within a Wetland?  Yes  No  Ves  No  Within a Wetland?  Yes  No  Ves  No  Within a Wetland?  If yes, optional Yes, optional Yes, optiona
Metland Hydrology Present?   Yes
IVDROLOGY   Wetland Hydrology Indicators:   Secondary Indicators (minimum of two required)   Surface Soil Cracks (B6)   Surface Water (A1)   Water-Stained Leaves (B9)   Drainage Patterns (B10)   Moss Trim Lines (B16)   Dry-Season Water Table (A2)   Aquatic Fauna (B13)   Moss Trim Lines (B16)   Dry-Season Water Table (C2)   Water Marks (B1)   Hydrogen Sulfide Odor (C1)   Crayfish Burrows (C8)   Sediment Deposits (B2)   Oxidized Rhizospheres on Living Roots (C3)   Saturation Visible on Aerial Imagery (C9)   Iron Deposits (B3)   Presence of Reduced Iron (C4)   Stunted or Stressed Plants (D1)   Algal Mat or Crust (B4)   Recent Iron Reduction in Tilled Soils (C6)   Shallow Aquitard (D3)   Inundation Visible on Aerial Imagery (B7)   Other (Explain in Remarks)   Microtopographic Relief (D4)   FAC-Neutral Test (D5)   Feld Observations:   Surface Water Present?   Yes   No
Wetland Hydrology Indicators:   Secondary Indicators (minimum of two required)
Wetland Hydrology Indicators:       Secondary Indicators (minimum of two required)         Primary Indicators (minimum of one is required; check all that apply)       Surface Soil Cracks (B6)         Surface Water (A1)       Water-Stained Leaves (B9)       Drainage Patterns (B10)         High Water Table (A2)       Aquatic Fauna (B13)       Moss Trim Lines (B16)         Saturation (A3)       Marl Deposits (B15)       Dry-Season Water Table (C2)         Water Marks (B1)       Hydrogen Sulfide Odor (C1)       Crayfish Burrows (C8)         Sediment Deposits (B2)       Oxidized Rhizospheres on Living Roots (C3)       Saturation Vis ble on Aerial Imagery (C9)         Presence of Reduced Iron (C4)       Stunted or Stressed Plants (D1)         Algal Mat or Crust (B4)       Recent Iron Reduction in Tilled Soils (C6)       Geomorphic Position (D2)         Iron Deposits (B5)       Thin Muck Surface (C7)       Shallow Aquitard (D3)         Inundation Visible on Aerial Imagery (B7)       Other (Explain in Remarks)       Microtopographic Relief (D4)         Sparsely Vegetated Concave Surface (B8)       Pack-Neutral Test (D5)
Primary Indicators (minimum of one is required; check all that apply)  Surface Soil Cracks (B6)  Surface Water (A1)  High Water Table (A2)  Marl Deposits (B15)  Water Marks (B1)  Sediment Deposits (B2)  Drift Deposits (B3)  Algal Mat or Crust (B4)  Iron Deposits (B5)  Inundation Visible on Aerial Imagery (B7)  Sparsely Vegetated Concave Surface (B8)  Surface Soil Cracks (B6)  Drainage Patterns (B10)  Moss Trim Lines (B16)  Dry-Season Water Table (C2)  Crayfish Burrows (C8)  Saturation Vis ble on Aerial Imagery (C9)  Stunted or Stressed Plants (D1)  Geomorphic Position (D2)  Shallow Aquitard (D3)  Inundation Visible on Aerial Imagery (B7)  Other (Explain in Remarks)  Microtopographic Relief (D4)  FAC-Neutral Test (D5)  Field Observations:  Surface Water Present?  Yes No Depth (inches):
Surface Water (A1)
High Water Table (A2)
Water Marks (B1)
Sediment Deposits (B2) Oxidized Rhizospheres on Living Roots (C3) Saturation Vis ble on Aerial Imagery (C9) Drift Deposits (B3) Presence of Reduced Iron (C4) Stunted or Stressed Plants (D1) Algal Mat or Crust (B4) Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2) Iron Deposits (B5) Thin Muck Surface (C7) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4) FAC-Neutral Test (D5) Field Observations: No Depth (inches):
Drift Deposits (B3)
Algal Mat or Crust (B4) Recent Iron Reduction in Tilled Soils (C6) Geomorphic Position (D2) Iron Deposits (B5) Thin Muck Surface (C7) Shallow Aquitard (D3) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Microtopographic Relief (D4) Sparsely Vegetated Concave Surface (B8) FAC-Neutral Test (D5) Field Observations:
Iron Deposits (B5)
Sparsely Vegetated Concave Surface (B8) FAC-Neutral Test (D5)  Field Observations:  Surface Water Present? Yes No Depth (inches):
Field Observations: Surface Water Present? Yes No Depth (inches):
Surface Water Present? Yes No Depth (inches):
Water Table Present? Yes No _ Depth (inches):
Saturation Present? Yes No <u>v</u> Depth (inches): Wetland Hydrology Present? Yes No _v (includes capillary fringe)
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
Remarks:

Dominance Test worksheet:         Number of Dominant Species       2       (A)         Total Number of Dominant       7       (B)         Percent of Dominant Species       7       (B)         Percent of Dominant Species       29       (A/B)         Prevalence Index worksheet:         Total % Cover of:       Multiply by:         OBL species       0       x 1 = 0         FACW species       10       x 2 = 20         FAC species       60       x 3 = 180         FACU species       85       x 4 = 340         UPL species       0       x 5 = 0         Column Totals:       155       (A)       540       (B)         Prevalence Index = B/A = 3.5         Hydrophytic Vegetation Indicators:         1 - Rapid Test for Hydrophytic Vegetation		
That Are OBL, FACW, or FAC: $2$ (A)  Total Number of Dominant Species Across All Strata: $7$ (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: $29$ (A/B)  Prevalence Index worksheet:  Total % Cover of: Multiply by:  OBL species $0$ $x1 = 0$ FACW species $10$ $x2 = 20$ FAC species $60$ $x3 = 180$ FACU species $85$ $x4 = 340$ UPL species $0$ $x5 = 0$ Column Totals: $155$ (A)  Prevalence Index $x = 10$ Prevalence Index $x = 10$ Prevalence Index $x = 10$ That Are OBL, FACW, or FAC: $x = 10$ That Are OBL, FACW, or FACW,		
Total Number of Dominant Species Across All Strata: 7 (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: 29 (A/B)  Prevalence Index worksheet:  Total % Cover of: Multiply by:  OBL species 0 x1 = 0  FACW species 10 x2 = 20  FAC species 60 x3 = 180  FACU species 85 x4 = 340  UPL species 0 x5 = 0  Column Totals: 155 (A) 540 (B)  Prevalence Index = B/A = 3.5  Hydrophytic Vegetation Indicators:		
Species Across All Strata: $\frac{7}{}$ (B)  Percent of Dominant Species That Are OBL, FACW, or FAC: $\frac{29}{}$ (A/B)  Prevalence Index worksheet: $\frac{\text{Total \% Cover of:}}{\text{OBL species}} \frac{\text{Multiply by:}}{\text{OBL species}} \frac{0}{10} \times 1 = \frac{0}{20}$ FACW species $\frac{60}{}$ $\times 3 = \frac{180}{}$ FACU species $\frac{60}{}$ $\times 3 = \frac{180}{}$ FACU species $\frac{85}{}$ $\times 4 = \frac{340}{}$ UPL species $\frac{0}{}$ Column Totals: $\frac{155}{}$ (A) $\frac{540}{}$ (B)  Prevalence Index = B/A = $\frac{3.5}{}$		
Percent of Dominant Species That Are OBL, FACW, or FAC: $29$ (A/B)  Prevalence Index worksheet:  Total % Cover of: Multiply by: OBL species $0$ $x1 = 0$ FACW species $10$ $x2 = 20$ FAC species $60$ $x3 = 180$ FACU species $85$ $x4 = 340$ UPL species $0$ $x5 = 0$ Column Totals: $155$ (A) $540$ (B)  Prevalence Index = B/A = $3.5$		
That Are OBL, FACW, or FAC: $\underline{29}$ (A/B)  Prevalence Index worksheet: $\underline{ \text{Total \% Cover of:}}  \underline{ \text{Multiply by:}}  \underline{ \text{OBL species}}  \underline{ 0   \text{x 1 = 0}}  \underline{ \text{FACW species}}  \underline{ 10   \text{x 2 = 20}}  \underline{ \text{FAC species}}  \underline{ 60   \text{x 3 = 180}}  \underline{ \text{FACU species}}  \underline{ 85   \text{x 4 = 340}}  \underline{ \text{UPL species}}  \underline{ 0   \text{x 5 = 0}}  \underline{ \text{Column Totals:}}  \underline{ 155   \text{(A)}  \underline{ 540   \text{(B)}}}  \underline{ \text{Prevalence Index = B/A = }}  \underline{ 3.5}  \underline{ \text{Hydrophytic Vegetation Indicators:}}   \text{All properties of the properties of th$		
Prevalence Index worksheet:  Total % Cover of: Multiply by:  OBL species $0$		
OBL species $0$ $x 1 = 0$ FACW species $10$ $x 2 = 20$ FAC species $60$ $x 3 = 180$ FACU species $85$ $x 4 = 340$ UPL species $0$ $x 5 = 0$ Column Totals: $155$ (A) $540$ (B)  Prevalence Index = B/A = $3.5$		
FACW species $\frac{10}{60}$ $x = \frac{20}{180}$ FAC species $\frac{85}{40}$ $x = \frac{340}{180}$ FACU species $\frac{0}{180}$ $x = \frac{340}{180}$ UPL species $\frac{0}{180}$ $x = \frac{0}{180}$ Column Totals: $\frac{1}{180}$ $\frac{1}{180}$ $\frac{1}{180}$ (B)  Prevalence Index = B/A = $\frac{3.5}{180}$		
FAC species $60$ $x = 180$ FACU species $85$ $x = 4 = 340$ UPL species $0$ $x = 5 = 0$ Column Totals: $155$ $(A)$ $540$ $(B)$ Prevalence Index = B/A = $3.5$ Hydrophytic Vegetation Indicators:		
FACU species $\frac{85}{0}$ $x = \frac{340}{0}$ UPL species $\frac{0}{155}$ $x = \frac{0}{150}$ (B)  Prevalence Index = B/A = $\frac{3.5}{0}$		
UPL species $\frac{0}{155}$ $x = \frac{0}{540}$ (B)  Prevalence Index = B/A = $\frac{3.5}{150}$		
Column Totals: $\underline{155}$ (A) $\underline{540}$ (B)  Prevalence Index = B/A = $\underline{3.5}$ Hydrophytic Vegetation Indicators:		
Prevalence Index = B/A = 3.5  Hydrophytic Vegetation Indicators:		
Hydrophytic Vegetation Indicators:		
1 - Rapid Test for Hydrophytic Vegetation		
1		
2 - Dominance Test is >50%		
3 - Prevalence Index is ≤3.0¹		
<ul> <li>4 - Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)</li> </ul>		
Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)		
<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.		
Definitions of Vegetation Strata:		
<b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.		
Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.		
Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.		
Woody vines – All woody vines greater than 3.28 ft in		
height.		
Hydrophytic		
Vegetation Present?  Yes No		

SOIL Sampling Point: A6U7

Depth	Matrix			lox Featur	res		_	
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 20	10YR 3/2	95	10YR 3/4	_ 5	_ <u>C</u>	M	Silt Loam	
-								
		_						
							<del>-</del>	
							<u> </u>	
_								
			-			-		
							<del></del>	
-								
		_						
			-					
<sup>1</sup> Type: C=Co	oncentration, D=Dep	oletion, RN	M=Reduced Matrix, M	//S=Mask	ed Sand G	rains.	<sup>2</sup> Location:	: PL=Pore Lining, M=Matrix.
Hydric Soil	Indicators:						Indicators	for Problematic Hydric Soils <sup>3</sup> :
Histosol			Polyvalue Bel		ce (S8) ( <b>LF</b>	RR R,		fluck (A10) ( <b>LRR K, L, MLRA 149B</b> )
	oipedon (A2)		MLRA 149	,				Prairie Redox (A16) (LRR K, L, R)
Black Hi	stic (A3) en Sulfide (A4)		Thin Dark Sur Loamy Mucky					flucky Peat or Peat (S3) (LRR K, L, R) urface (S7) (LRR K, L)
	d Layers (A5)		Loamy Gleye			· · · · · · · · · · · · · · · · · · ·		lue Below Surface (S8) (LRR K, L)
	d Below Dark Surfac	e (A11)	Depleted Mat		,			ark Surface (S9) (LRR K, L)
	ark Surface (A12)		Redox Dark S					anganese Masses (F12) (LRR K, L, R)
	Mucky Mineral (S1)		Depleted Dark					ont Floodplain Soils (F19) (MLRA 149B)
	Gleyed Matrix (S4)		Redox Depres	ssions (F8	3)			Spodic (TA6) (MLRA 144A, 145, 149B)
	Redox (S5) I Matrix (S6)							arent Material (F21) hallow Dark Surface (TF12)
	rface (S7) ( <b>LRR R, I</b>	MLRA 149	<b>)B</b> )					Explain in Remarks)
	, , ,		,					,
			etland hydrology m	ust be pre	sent, unle	ss disturbe	d or problematic	•
	Layer (if observed)	:						
Type:								
Depth (inc	ches):						Hydric Soil	Present? Yes No
Remarks:							•	

Project/Site: Greiner and Stricler Parcels	City/County: Clarence, Erie Sampling Date: 2023-09-13
Applicant/Owner: Designer Homes, LLC	State: New York Sampling Point: A6W8
Investigator(s): R. Feickert and D. Wilson	Section, Township, Range:
	cal relief (concave, convex, none): Slope (%):
	0 Long: -78.60375393 Datum: WGS 84
Soil Map Unit Name: Niagara silt loam, 0 to 3 percent slopes (	
Are climatic / hydrologic conditions on the site typical for this time of year	ar? Yes No (If no, explain in Remarks.)
Are Vegetation, Soil, or Hydrology significantly	disturbed? Are "Normal Circumstances" present? Yes No
Are Vegetation, Soil, or Hydrology naturally pro	blematic? (If needed, explain any answers in Remarks.)
SUMMARY OF FINDINGS - Attach site map showing	sampling point locations, transects, important features, etc.
,	Is the Sampled Area
Hydrophytic Vegetation Present? Yes No No Yes No	within a Wetland? Yes No
Wetland Hydrology Present? Yes No	If yes, optional Wetland Site ID: Wetland A
Remarks: (Explain alternative procedures here or in a separate repor	
	,
HYDROLOGY	
Wetland Hydrology Indicators:	Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)	Surface Soil Cracks (B6)
Surface Water (A1) Water-Stained I	_eaves (B9) Drainage Patterns (B10)
High Water Table (A2) Aquatic Fauna	
Saturation (A3) Marl Deposits (I	
Water Marks (B1) Hydrogen Sulfic	
	spheres on Living Roots (C3) Saturation Vis ble on Aerial Imagery (C9)
Oxidized Milzon Drift Deposits (B3) Presence of Re	
	· , , — , , , ,
<u> </u>	duction in Tilled Soils (C6) Geomorphic Position (D2)
Iron Deposits (B5) Thin Muck Surfa	
Inundation Visible on Aerial Imagery (B7) Other (Explain i	
✓ Sparsely Vegetated Concave Surface (B8)	FAC-Neutral Test (D5)
Field Observations:	
Surface Water Present? Yes No Depth (inches)	
Water Table Present? Yes No Depth (inches)	
Saturation Present? Yes No Depth (inches) (includes capillary fringe)	: Wetland Hydrology Present? Yes No
Describe Recorded Data (stream gauge, monitoring well, aerial photo	s, previous inspections), if available:
Remarks:	

<b>/EGETATION</b> – Use scientific names of plants	<b>)</b> .			Sampling Point: A6W8
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
1. Acer saccharinum	76 COVE	Species: ✓	FACW	Number of Dominant Species
 2. Acer rubrum	10		FAC	That Are OBL, FACW, or FAC: 7 (A)
Carya cordiformis	10		FAC	Total Number of Dominant Species Across All Strata: 7 (B)
4				Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)
5				That Are OBL, FACW, or FAC: 100 (A/B)
5				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
15 ft r	35%	= Total Co	/er	OBL species $\frac{40}{40}$ $x = \frac{40}{80}$ FACW species $\frac{40}{x^2}$
Sapling/Shrub Stratum (Plot size: 15 ft r )	10		FAC	FACW species $\frac{40}{75}$ $x = \frac{80}{225}$
. Acer rubrum				FACU species $0 \times 4 = 0$
Fraxinus pennsylvanica			FACW	UPL species $0 \times 5 = 0$
3				Column Totals: 155 (A) 345 (B)
1. -		·		Prevalence Index = B/A = $\frac{2.2}{}$
5				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7	000/			✓ 2 - Dominance Test is >50%
Uset Overtone (Placeine 5 ft r	2070	= Total Co	/er	✓ 3 - Prevalence Index is ≤3.0¹
Herb Stratum (Plot size: 5 ft r )  1. Agrimonia parviflora	30	~	FAC	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
Scirpus cyperinus	30	~	OBL	Problematic Hydrophytic Vegetation¹ (Explain)
3. Solidago rugosa	15	'	FAC	
4. Carex Iurida	10		OBL	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
<sub>5.</sub> Cinna arundinacea	10		FACW	Definitions of Vegetation Strata:
6. Symphyotrichum lanceolatum	5		FACW	
7				<b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
8				Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb - All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				<b>Woody vines</b> – All woody vines greater than 3.28 ft in height.
	100%	= Total Co	/er	l loight.
Woody Vine Stratum (Plot size: 30 ft r )				
1				
2				
3				Hydrophytic
4				Vegetation Present? Yes No
		= Total Co	/er	

SOIL Sampling Point: A6W8

Profile Desc	ription: (Describe	to the de	pth needed to docu	ment the	indicator	or confirn	n the absence	of indicators.)				
Depth	Matrix			x Feature	es							
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	<u>Texture</u>	Remarks				
0 - 16	10YR 4/2	90	10YR 5/6	10	<u>C</u>	PL / M	Clay Loam					
16 - 20	10YR 5/1	90	2.5Y 5/4	10	<u>C</u>	<u>M</u>	Sandy Loam					
		_										
		_										
		_		_		· -						
		oletion, RN	M=Reduced Matrix, M	S=Maske	d Sand G	ains.		PL=Pore Lining, M=Matrix.				
Hydric Soil I								for Problematic Hydric Soils <sup>3</sup> :				
Histosol	(A1) pipedon (A2)		Polyvalue Belo MLRA 149B		e (S8) ( <b>LR</b>	R R,		uck (A10) ( <b>LRR K, L, MLRA 149B</b> ) Prairie Redox (A16) ( <b>LRR K, L, R</b> )				
Black His			Thin Dark Surfa		LRR R, M	LRA 149B		ucky Peat or Peat (S3) (LRR K, L, R)				
	n Sulfide (A4)		Loamy Mucky I			(, L)	Dark St	urface (S7) (LRR K, L)				
	d Layers (A5)	(*)	Loamy Gleyed		2)			ue Below Surface (S8) (LRR K, L)				
	d Below Dark Surfac ark Surface (A12)	e (A11)	✓ Depleted Matrix Redox Dark Su		1			ark Surface (S9) (LRR K, L) anganese Masses (F12) (LRR K, L, R)				
	fucky Mineral (S1)		Depleted Dark	•	,			ont Floodplain Soils (F19) (MLRA 149B)				
	Gleyed Matrix (S4)		Redox Depress					Spodic (TA6) (MLRA 144A, 145, 149B)				
	Redox (S5)			( . ,				Red Parent Material (F21)				
	Matrix (S6)						Very Shallow Dark Surface (TF12)					
Dark Sui	rface (S7) (LRR R, I	MLRA 149	<b>DB</b> )				Other (Explain in Remarks)					
			etland hydrology mus	st be pres	ent, unles	s disturbed	d or problematic					
	_ayer (if observed)	:										
Type: Depth (inc	choc):						Hydric Soil	Present? Yes No				
Remarks:							1.,,					

Project/Site: Greiner and Stri	icler Parcels	City/C	county: Clarence, Erie	S	sampling Date: 2023-09-13			
Applicant/Owner: Designer Ho					Sampling Point: A13U9			
Investigator(s): R. Feickert ar					-			
Landform (hillslope, terrace, etc.								
Subregion (LRR or MLRA): L 10								
Soil Map Unit Name: Niagara								
Are climatic / hydrologic conditio								
Are Vegetation, Soil								
Are Vegetation, Soil	, or Hydrology	naturally problema	atic? (If needed, e	explain any answers	in Remarks.)			
SUMMARY OF FINDING	S – Attach site r	map showing san	npling point locatio	ns, transects, i	mportant features, etc.			
Lludraphytic Variation Dragge	2 Vac	No. V	Is the Sampled Area					
Hydrophytic Vegetation Preser Hydric Soil Present?		No	within a Wetland?	Yes	No			
Wetland Hydrology Present?	Yes		If yes, optional Wetland	Site ID:				
Remarks: (Explain alternative			n you, optional vvoland	<u> </u>				
HYDROLOGY								
Wetland Hydrology Indicator	's:			Secondary Indicator	rs (minimum of two required)			
Primary Indicators (minimum o	f one is required; chec	ck all that apply)		Surface Soil Cr	` '			
Surface Water (A1)		_ Water-Stained Leave		Drainage Patter				
High Water Table (A2)		_ Aquatic Fauna (B13)		Moss Trim Lines (B16)				
Saturation (A3)		Marl Deposits (B15)	or (C1)	Dry-Season Wa				
Water Marks (B1) Sediment Deposits (B2)		_ Hydrogen Sulfide Od		<ul><li>Crayfish Burrow</li><li>Saturation Vis b</li></ul>	ole on Aerial Imagery (C9)			
Drift Deposits (B3)		Presence of Reduced	= : :		ssed Plants (D1)			
Algal Mat or Crust (B4)		Recent Iron Reduction		Geomorphic Po				
Iron Deposits (B5)		Thin Muck Surface (0		Shallow Aquitar				
Inundation Visible on Aeria	al Imagery (B7)	Other (Explain in Rer	narks)	Microtopograph	nic Relief (D4)			
Sparsely Vegetated Conca	ave Surface (B8)			FAC-Neutral Te	est (D5)			
Field Observations:								
Surface Water Present?		_ Depth (inches):						
Water Table Present?		_ Depth (inches):						
Saturation Present? (includes capillary fringe)	Yes No	_ Depth (inches):	Wetland H	lydrology Present?	Yes No			
Describe Recorded Data (stream	am gauge, monitoring	well, aerial photos, pre	vious inspections), if avai	ilable:				
Remarks:								
1								

				Sampling Point: A13U9
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant		Dominance Test worksheet:
1. Acer saccharum	20	Species? ✓	FACU	Number of Dominant Species
2. Fagus grandifolia	20		FACU	That Are OBL, FACW, or FAC: 1 (A)
				Total Number of Dominant Species Across All Strata: 9 (B)
3				Openies / Notess / III etitata.
4				Percent of Dominant Species That Are OBL, FACW, or FAC: 11 (A/B)
5				That Are OBE, FACW, OF AC.
6		-		Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	40%	= Total Cov	/er	OBL species $\frac{0}{30}$ $\times 1 = \frac{0}{40}$
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{20}{10}$ $\times 2 = \frac{40}{30}$
1. Fagus grandifolia	10		FACU	FAC species $\frac{10}{120}$ $x = 30$
2. Fraxinus americana	10		FACU	FACU species $\frac{120}{0}$ $x = 480$ UPL species $\frac{120}{0}$ $x = 0$
3. Rosa multiflora	5		FACU	UPL species $0 \times 5 = 0$ Column Totals: $150 \times (A) \times 550$ (B)
4				Column Totals. (A) (B)
5.				Prevalence Index = $B/A = \underline{3.7}$
6.				Hydrophytic Vegetation Indicators:
				1 - Rapid Test for Hydrophytic Vegetation
7	0.50/	= Total Cov		2 - Dominance Test is >50%
5 ft r	2070	= Total Cov	/er	3 - Prevalence Index is ≤3.0 <sup>1</sup>
Herb Stratum (Plot size: 5 ft r )	25		FACIL	4 - Morphological Adaptations <sup>1</sup> (Provide supporting
1. Solidago canadensis	_ 25		FACU	data in Remarks or on a separate sheet)
2. Onoclea sensibilis	_ <u>15</u>		FACW	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Rosa multiflora	15		FACU	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4. Geum canadense	10		FAC	be present, unless disturbed or problematic.
5. Symphyotrichum pilosum	10		FACU	Definitions of Vegetation Strata:
6. Symphyotrichum lanceolatum	5		FACW	Tree – Woody plants 3 in. (7.6 cm) or more in diameter
7				at breast height (DBH), regardless of height.
8				Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11.				of size, and woody plants less than 3.28 ft tall.
12.	_			Woody vines – All woody vines greater than 3.28 ft in
12.	80%	= Total Cov		height.
Woody Vine Stratum (Plot size: 30 ft r		= Total Cov	/EI	
1 Parthenocissus quinquefolia	5		FACU	
			TACO	
2				
				Hydrophytic Vegetation
3				
3	- <del> </del>			Present? Yes No

SOIL Sampling Point: A13U9

Depth	Matrix		th needed to docume Redox	Features		n the absence	or indicator	-	
(inches)	Color (moist)	%	Color (moist)	% Type <sup>1</sup>	Loc <sup>2</sup>	<u>Texture</u>		Remarks	
0 - 2	10YR 4/2	100				Silt Loam			
2 - 20	10YR 4/4	100				Silt Loam			
_									
	-		·						
						-			
-									
	-								
	-	_							
-									
1			De desert Maries MO	Maraland Consider		21	DI David	Inter- NA NA-1	
Hydric Soil		pletion, Rivi	=Reduced Matrix, MS=	=Masked Sand G	rains.			ining, M=Mati natic Hydric \$	
Histosol			Polyvalue Below	Surface (S8) (LI	RR R.			LRR K, L, ML	
	oipedon (A2)		MLRA 149B)	- Caacc (Cc) (	,			x (A16) ( <b>LRR</b>	
Black Hi			Thin Dark Surface				-	or Peat (S3) ( <b>L</b>	.RR K, L, R)
	en Sulfide (A4)		Loamy Mucky Min		<b>K</b> , <b>L</b> )		urface (S7)		DD K I \
	d Layers (A5) d Below Dark Surfa	ce (A11)	Loamy Gleyed Matrix (					urface (S8) ( <b>L</b> (S9) ( <b>LRR K,</b>	
-	ark Surface (A12)	00 (/ 11 1)	Redox Dark Surfa					asses (F12) (I	
	Mucky Mineral (S1)		Depleted Dark Su			Piedmo	ont Floodpla	in Soils (F19)	(MLRA 149B)
	Sleyed Matrix (S4)		Redox Depressio	ons (F8)					A, 145, 149B)
	Redox (S5) I Matrix (S6)						arent Materia	al (F21) Surface (TF1:	2)
	rface (S7) ( <b>LRR R,</b>	MLRA 149E	3)				Explain in R		2)
	(2.) (2,		-,			(			
			etland hydrology must	be present, unle	ss disturbed	d or problematic			
Restrictive I	Layer (if observed	):							
Type:									
Depth (inc	ches):					Hydric Soil	Present?	Yes	No
Remarks:						•			

Project/Site: Greiner and St	ricler Parce	ls	City/0	County: Clare	nce, Erie		Sampling Date: 2023-09-13
Applicant/Owner: Designer H	lomes, LLC			-		State: New Yorl	k Sampling Point: A13W10
Investigator(s): R. Feickert a	nd D. Wilso	n					
							Slope (%):
Subregion (LRR or MLRA): L1	01	Lat	42.98761241	ı	Long: -78.6	0491159	Datum: WGS 84
Soil Map Unit Name: Niagara							
Are climatic / hydrologic conditi	ons on the sit	e typical f	or this time of year?	Yes No	o (If	no, explain in Re	emarks.)
Are Vegetation, Soil	, or Hydr	ology	significantly distu	rbed? A	re "Normal C	ircumstances" p	resent? Yes No
Are Vegetation, Soil	, or Hydr	ology	naturally problem	atic? (If	f needed, exp	olain any answer	rs in Remarks.)
SUMMARY OF FINDING	S – Attac	h site n	nap showing san	npling poin	t location	s, transects,	, important features, etc.
Lludraphytic Vegetation Press		'aa V	No	Is the Samp	led Area		
Hydrophytic Vegetation Prese Hydric Soil Present?			No	within a We		Yes	No
Wetland Hydrology Present?			No	If yes ontion	al Wetland S	ite ID: Wetland	
Remarks: (Explain alternative				ii yes, option	iai vvetianu S	ille ib.	<u> </u>
HYDROLOGY							
Wetland Hydrology Indicato	nrs:				S	econdary Indicat	tors (minimum of two required)
Primary Indicators (minimum		ired: chec	rk all that annly)			_ Surface Soil (	
✓ Surface Water (A1)	one is requ		Water-Stained Leave	es (R9)		Drainage Pat	` '
High Water Table (A2)			Aquatic Fauna (B13)		_	Moss Trim Lir	
Saturation (A3)			Marl Deposits (B15)				Water Table (C2)
Water Marks (B1)			Hydrogen Sulfide Od			_ Crayfish Burr	
Sediment Deposits (B2)			Oxidized Rhizospher		oots (C3)	-	s ble on Aerial Imagery (C9)
Drift Deposits (B3)			Presence of Reduce	_	· · ·		tressed Plants (D1)
Algal Mat or Crust (B4)			Recent Iron Reduction	on in Tilled Soil	ls (C6)	_ Geomorphic I	Position (D2)
Iron Deposits (B5)			Thin Muck Surface (	C7)	_	_ Shallow Aquit	tard (D3)
Inundation Visible on Aer			Other (Explain in Rei	marks)			phic Relief (D4)
Sparsely Vegetated Cond	ave Surface	(B8)				FAC-Neutral	Test (D5)
Field Observations:			5 46 1 2				
Surface Water Present?			Depth (inches): 2				
Water Table Present? Saturation Present?			Depth (inches): 0 Depth (inches): 0		Matlemal I live	dualani. Duaaan	t? Yes / No
(includes capillary fringe)	res	NO	_ Depth (inches): <u>o</u>		wettand nyt	arology Present	t? Yes No No
Describe Recorded Data (stre	am gauge, m	onitoring	well, aerial photos, pre	evious inspection	ons), if availa	ble:	
Remarks:							

•	its.			Sampling Point: A13W10
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
Tree Stratum (Plot size: 30 ft r )  1. Acer saccharinum	40	Species :	FACW	Number of Dominant Species
- Illmus amariaana	10		FACW	That Are OBL, FACW, or FAC: 5 (A)
2. Offices afficialia 3				Total Number of Dominant Species Across All Strata: 5 (B)
4				Percent of Dominant Species
5		. <del></del>		That Are OBL, FACW, or FAC: 100 (A/B)
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	50%	= Total Co	ver	OBL species 10 x 1 = 10
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species <u>55</u> x 2 = <u>110</u>
1				FAC species <u>5</u> x 3 = <u>15</u>
2.				FACU species $0   x4 = 0$
				UPL species $\frac{0}{70}$ $x = \frac{0}{105}$
3				Column Totals: <u>70</u> (A) <u>135</u> (B)
4 -				Prevalence Index = B/A = 1.9
5				
5				Hydrophytic Vegetation Indicators:  1 - Rapid Test for Hydrophytic Vegetation
7		· <del></del>		✓ 2 - Dominance Test is >50%
_		= Total Co	ver	✓ 3 - Prevalence Index is ≤3.0 <sup>1</sup>
Herb Stratum (Plot size: 5 ft r )				4 - Morphological Adaptations <sup>1</sup> (Provide supporting
1. Carex Iurida	10		OBL	data in Remarks or on a separate sheet)
2. Agrimonia parviflora	5		FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Phragmites australis	5		FACW	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4		. <u></u>		be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6		. <u></u>		
7				Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
B				
9.				Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
		· <del></del>		Woody vines – All woody vines greater than 3.28 ft in
12	000/	Tatal Car		height.
20 ft r	2070	= Total Co	ver	
Woody Vine Stratum (Plot size: 30 ft r )				
1				
2.				
				Hydrophytic
2				Hydrophytic Vegetation Present?  Yes _ V No

SOIL Sampling Point: A13W10

Profile Desc	cription: (Describe t	o the dept	h needed to docun	nent the i	ndicator	or confirm	the absence of indicators.)	
Depth	Matrix			x Feature:		. 2	T	
(inches)	Color (moist)	%	Color (moist)	%	Type'	Loc <sup>2</sup>	Texture Ren	narks
-								
_								
-								
-								
_								
<sup>1</sup> Type: C=C	oncentration, D=Depl	etion, RM=	Reduced Matrix, MS	S=Masked	Sand Gra	ains.	<sup>2</sup> Location: PL=Pore Lining,	M=Matrix.
Hydric Soil	Indicators:						Indicators for Problematic H	
Histosol			Polyvalue Belov		(S8) ( <b>LRF</b>	RR,	2 cm Muck (A10) (LRR K	
	oipedon (A2)		MLRA 149B)			D 4 4 40 D)	Coast Prairie Redox (A16	
	istic (A3) en Sulfide (A4)		Thin Dark Surfa Loamy Mucky M				<ul><li>5 cm Mucky Peat or Peat</li><li>Dark Surface (S7) (LRR I</li></ul>	
	d Layers (A5)		Loamy Gleyed I			, <b>L</b> )	Polyvalue Below Surface	
	d Below Dark Surface	(A11)	✓ Depleted Matrix		,		Thin Dark Surface (S9) (L	
	ark Surface (A12)		Redox Dark Sui				Iron-Manganese Masses	
-	Mucky Mineral (S1)		Depleted Dark S		7)		Piedmont Floodplain Soils	
-	Gleyed Matrix (S4)		Redox Depress	ions (F8)			Mesic Spodic (TA6) (MLF	
-	Redox (S5) I Matrix (S6)						<ul><li>Red Parent Material (F21</li><li>Very Shallow Dark Surface</li></ul>	
	rface (S7) ( <b>LRR R, M</b>	LRA 149B	)				Other (Explain in Remark	
	,		,					-,
	f hydrophytic vegetati	on and we	tland hydrology mus	t be prese	ent, unless	disturbed	or problematic.	
Restrictive	Layer (if observed):							
Type:								
Depth (in	ches):						Hydric Soil Present? Yes _	No
Remarks:								
No soil s	sample taken	in etan	ding water					
110 0011 0	ampie taken	iii otaii	unig water.					

Project/Site: Greiner and St	ricler Parcels	s City/County: Clarence, Erie Sampling Date: 2023-09-1					
Applicant/Owner: Designer F	lomes, LLC	•		State: New Yor	k Sampling Point: A30U11		
Investigator(s): R. Feickert a							
					Slope (%):		
Subregion (LRR or MLRA): L							
Soil Map Unit Name: Ovid sil							
Are climatic / hydrologic condit	ions on the site typ	ical for this time of year? `	Yes No	(If no, explain in R	emarks.)		
Are Vegetation, Soil	, or Hydrology	/ significantly distu	rbed? Are "Norr	mal Circumstances" p	oresent? Yes No		
Are Vegetation, Soil				d, explain any answe			
SUMMARY OF FINDING	S – Attach si	ite map showing sar	npling point loca	tions, transects	, important features, etc.		
			Is the Sampled Are				
Hydrophytic Vegetation Prese	ent? Yes _	No	within a Wetland?		No <u>′</u>		
Hydric Soil Present? Wetland Hydrology Present?	Yes	No <u>*</u>	If you optional Woth	and Site ID:			
Remarks: (Explain alternative			ii yes, optional wetta	and Site ID.			
HADBOI OCA							
HYDROLOGY Watland Hydrology Indiant				Sacandary Indian	toro (minimum of two required)		
Wetland Hydrology Indicator		about all that apply)		-	tors (minimum of two required)		
Primary Indicators (minimum	or one is required,			Surface Soil	` '		
<ul><li>Surface Water (A1)</li><li>High Water Table (A2)</li></ul>		Water-Stained Leave Aquatic Fauna (B13)		Drainage Pat Moss Trim Li			
Saturation (A3)		Marl Deposits (B15)			Water Table (C2)		
Water Marks (B1)		Hydrogen Sulfide Oc		Crayfish Buri			
Sediment Deposits (B2)		Oxidized Rhizospher		-	s ble on Aerial Imagery (C9)		
Drift Deposits (B3)		Presence of Reduce	-		tressed Plants (D1)		
Algal Mat or Crust (B4)		Recent Iron Reduction		Geomorphic	, ,		
Iron Deposits (B5)		Thin Muck Surface (	C7)	Shallow Aquitard (D3)			
Inundation Visible on Ae	rial Imagery (B7)	Other (Explain in Re	marks)	Microtopogra	phic Relief (D4)		
Sparsely Vegetated Con-	cave Surface (B8)			FAC-Neutral	Test (D5)		
Field Observations:		•					
Surface Water Present?		Depth (inches):					
Water Table Present?		Depth (inches):					
Saturation Present? (includes capillary fringe)		Depth (inches):		d Hydrology Presen	t? Yes No		
Describe Recorded Data (stre	eam gauge, monito	oring well, aerial photos, pro	evious inspections), if a	available:			
Remarks:							

VEGETATION - Use scientific names of plants				Sampling Point: A30U11
Tree Stratum (Plot size: 30 ft r	Absolute	Dominant Species?		Dominance Test worksheet:
1. Fagus grandifolia	30	Species:	FACU	Number of Dominant Species
2. Fraxinus pennsylvanica	10		FACW	That Are OBL, FACW, or FAC: 3 (A)
		·		Total Number of Dominant Species Across All Strata: 7 (B)
3				(b)
4				Percent of Dominant Species That Are OBL, FACW, or FAC: 43 (A/B)
5				That Ale OBE, I AGW, OI I AG.
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
	40%	= Total Cov	/er	OBL species $\frac{0}{30}$ $\times 1 = \frac{0}{40}$
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{20}{40}$ $x = \frac{40}{120}$
1. Rosa multiflora	15		FACU	1 AC species
2. Fraxinus pennsylvanica	10		FACW	17100 species x =
3				UPL species $\frac{0}{165}$ $x = \frac{0}{580}$ (B)
4				(b)
5				Prevalence Index = B/A = 3.5
6				Hydrophytic Vegetation Indicators:
7				1 - Rapid Test for Hydrophytic Vegetation
· ·	25%	= Total Cov	/or	2 - Dominance Test is >50%
Herb Stratum (Plot size: 5 ft r	-	_ Total 001	, CI	3 - Prevalence Index is ≤3.0¹
1. Solidago canadensis	40	V	FACU	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
2. Agrimonia parviflora	30	·	FAC	Problematic Hydrophytic Vegetation¹ (Explain)
·	_	· <del></del>		robernatic riyarophytic vegetation (Explain)
3. Rosa multiflora	20		FACU	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4. Geum canadense	10		FAC	be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6				Tree – Woody plants 3 in. (7.6 cm) or more in diameter
7				at breast height (DBH), regardless of height.
8				Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines - All woody vines greater than 3.28 ft in
	100%	= Total Cov	er/	height.
Woody Vine Stratum (Plot size: 30 ft r )		•		
1				
2				
3				Hydrophytic Vegetation
4				Present? Yes No
Demontor (Include photo numbers have as an accounted		= Total Cov	/er	
Remarks: (Include photo numbers here or on a separate	sneet.)			

SOIL Sampling Point: A30U11

Depth	Matrix	to the de	pth needed to docur Redo	x Feature		i or commi	ii tile absence (	or indicators.)
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 16	10YR 3/2	95	10YR 3/4	5	<u>C</u>	M	Silt Loam	
16 - 20	10YR 4/4	90	7.5YR 5/6	10	С	М	Sandy Loam	
-								
		-						
				-				
	-	_	· -			_		
-								
		_				<del>-</del>		
	-							
		oletion, RN	M=Reduced Matrix, MS	S=Maske	d Sand C	Grains.		PL=Pore Lining, M=Matrix.
Hydric Soil I			5 5.		(00) (1.1			for Problematic Hydric Soils <sup>3</sup> :
Histosol	(A1) Dipedon (A2)		Polyvalue Below MLRA 149B)		(S8) ( <b>Li</b>	RR R,		luck (A10) ( <b>LRR K, L, MLRA 149B</b> ) Prairie Redox (A16) ( <b>LRR K, L, R</b> )
Black Hi			Thin Dark Surfa		LRR R, I	VILRA 149B		lucky Peat or Peat (S3) (LRR K, L, R)
Hydroge	n Sulfide (A4)		Loamy Mucky N	/lineral (F	1) ( <b>LRR</b>		Dark Su	urface (S7) (LRR K, L)
	d Layers (A5) d Below Dark Surfac	o (A11)	Loamy Gleyed		2)		-	ue Below Surface (S8) (LRR K, L)
	аrk Surface (A12)	e (ATT)	Depleted Matrix Redox Dark Su		)			ark Surface (S9) ( <b>LRR K, L</b> ) anganese Masses (F12) ( <b>LRR K, L, R</b> )
	lucky Mineral (S1)		Depleted Dark					ont Floodplain Soils (F19) (MLRA 149B)
	Bleyed Matrix (S4)		Redox Depress	ions (F8)				Spodic (TA6) ( <b>MLRA 144A, 145, 149B</b> )
	ledox (S5) Matrix (S6)							arent Material (F21) nallow Dark Surface (TF12)
	rface (S7) ( <b>LRR R, I</b>	MLRA 149	<b>)B</b> )					Explain in Remarks)
			etland hydrology mus	t be pres	ent, unle	ss disturbed	d or problematic.	
	_ayer (if observed)	:						
Type:							Hudria Sail I	Present? Yes No
Depth (inc	ches):						nyuric Soil i	Present? Yes No
Remarks:								

Project/Site: Greiner and St	ricler Parcels	City/0	County: Clarence, Erie		Sampling Date: 2023-09-13	
Applicant/Owner: Designer H	łomes, LLC				Sampling Point: A30W12	
Investigator(s): R. Feickert a	and D. Wilson					
					Slope (%):	
Subregion (LRR or MLRA): L	101	Lat: 42.98682740	Long: -78.	60536133	Datum: WGS 84	
Soil Map Unit Name: Niagara						
Are climatic / hydrologic conditi	ions on the site typ	ical for this time of year?	∕es No (l	If no, explain in Rei	marks.)	
Are Vegetation, Soil					esent? Yes No	
Are Vegetation, Soil	, or Hydrology	/ naturally problem	atic? (If needed, ex	xplain any answers	in Remarks.)	
SUMMARY OF FINDING	S – Attach si	te map showing san	npling point location	ns, transects,	important features, etc.	
			Is the Sampled Area			
Hydrophytic Vegetation Present?		No No	within a Wetland?	Yes	No	
Wetland Hydrology Present?		✓ No	If yes, optional Wetland	Site ID: Wetland		
Remarks: (Explain alternative			ii yes, optional wetiand	Site ID. Treatment		
HYDROLOGY						
Wetland Hydrology Indicate	ors:			Secondary Indicate	ors (minimum of two required)	
Primary Indicators (minimum		check all that apply)		Surface Soil C		
Surface Water (A1)	or one is required,	Water-Stained Leave		Drainage Patte	` '	
High Water Table (A2)		Aquatic Fauna (B13)		Moss Trim Line		
Saturation (A3)		Marl Deposits (B15)		Noss Till Ellies (BTo) Dry-Season Water Table (C2)		
Water Marks (B1)		Hydrogen Sulfide Od	lor (C1)	Crayfish Burro		
Sediment Deposits (B2)		Oxidized Rhizospher		-	ble on Aerial Imagery (C9)	
Drift Deposits (B3)		Presence of Reduce	d Iron (C4)	Stunted or Stre	essed Plants (D1)	
Algal Mat or Crust (B4)		Recent Iron Reduction	on in Tilled Soils (C6)	Geomorphic P	osition (D2)	
Iron Deposits (B5)		Thin Muck Surface (0		Shallow Aquita		
Inundation Visible on Aer		Other (Explain in Re	marks)	Microtopograp		
Sparsely Vegetated Cond	cave Surface (B8)			FAC-Neutral T	est (D5)	
Field Observations:		<b>4</b>				
Surface Water Present?		Depth (inches):				
Water Table Present?		Depth (inches):				
Saturation Present? (includes capillary fringe)	Yes No _	Depth (inches):	Wetland H	ydrology Present	? Yes	
Describe Recorded Data (stre	am gauge, monito	ring well, aerial photos, pre	evious inspections), if avai	lable:		
Remarks:						
rtomanto.						

	S.			Sampling Point: A30W12
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
1. Fraxinus pennsylvanica	30	Species:	FACW	Number of Dominant Species
Acer rubrum	10		FAC	That Are OBL, FACW, or FAC: 6 (A)
3				Total Number of Dominant Species Across All Strata:  6 (B)
4				Percent of Dominant Species
5				That Are OBL, FACW, or FAC: 100 (A/B)
6				Prevalence Index worksheet:
7				
	400/	= Total Cov	/er	OBL species $0 \times 1 = 0$
Sapling/Shrub Stratum (Plot size: 15 ft r				FACW species $70$ $x 2 = 140$
1. Ulmus americana	30	V	FACW	FAC species 100 x 3 = 300
			FACW	FACU species $0   x 4 = 0$
				UPL species $0   x 5 = 0$
3				Column Totals: <u>170</u> (A) <u>440</u> (B)
4				Prevalence Index = B/A = 2.6
5				
6. <u> </u>		-		Hydrophytic Vegetation Indicators:  1 - Rapid Test for Hydrophytic Vegetation
7				✓ 2 - Dominance Test is >50%
_	40%	= Total Cov	/er	✓ 3 - Prevalence Index is ≤3.0¹
Herb Stratum (Plot size: 5 ft r )				4 - Morphological Adaptations <sup>1</sup> (Provide supporting
1. Agrimonia parviflora	40		FAC	data in Remarks or on a separate sheet)
2. Solidago rugosa	40		FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Geum canadense	10		FAC	The disease of hydric call and wather discount of
4				<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6				
7				Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
8				
9.				Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
10				
11				<b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
				Woody vines – All woody vines greater than 3.28 ft in
12	000/			height.
30 ft r	3070	= Total Cov	/er	
Woody Vine Stratum (Plot size: 30 ft r )				
1				
2				
3				Hydrophytic
3				Vegetation Present? Yes No
4				Fresent? res NO

SOIL Sampling Point: A30W12

CHICCHEST	Matrix Color (moist)	%		ox Feature	S Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Pamarka
(inches)			Color (moist)					Remarks
0 - 20	10YR 4/1	90	5YR 4/4	10	С	PL / M	Silt Loam	
-								
-								
		-						
-		_						
-								
			-	_				
		-						
-								
-								
_		<u> </u>						
			-					
<del>-</del>								
		letion, RM	1=Reduced Matrix, M	1S=Maske	d Sand G	rains.		: PL=Pore Lining, M=Matrix.
Hydric Soil I			Daharahaa Dah	0 (	(OO) (LE	. D. D		for Problematic Hydric Soils <sup>3</sup> :
Histosol	(A1) ipedon (A2)		Polyvalue Belo		(58) (LF	KK K,		Muck (A10) ( <b>LRR K, L, MLRA 149B</b> ) Prairie Redox (A16) ( <b>LRR K, L, R</b> )
Black His			Thin Dark Surf	,	LRR R. N	ILRA 149B		flucky Peat or Peat (S3) (LRR K, L, R)
	n Sulfide (A4)		Loamy Mucky					urface (S7) (LRR K, L)
	Layers (A5)		Loamy Gleyed		2)		-	lue Below Surface (S8) (LRR K, L)
	Below Dark Surfac	e (A11)	<u>✓</u> Depleted Matri					ark Surface (S9) (LRR K, L)
	rk Surface (A12) ucky Mineral (S1)		Redox Dark S Depleted Dark					anganese Masses (F12) ( <b>LRR K, L, R</b> ) ont Floodplain Soils (F19) ( <b>MLRA 149B</b> )
	leyed Matrix (S4)		Redox Depres		1)			Spodic (TA6) ( <b>MLRA 144A, 145, 149B</b> )
	,			0.01.0 (1.0)				arent Material (F21)
	edox (S5)							, ,
Sandy R	edox (S5) Matrix (S6)						Very S	hallow Dark Surface (TF12)
Sandy Ro		MLRA 149	<b>9B</b> )					hallow Dark Surface (TF12) Explain in Remarks)
Sandy Roservers Stripped Dark Sur	Matrix (S6) face (S7) (LRR R, I					P-1 who a	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur	Matrix (S6) face (S7) (LRR R, I	tion and w	<b>/B</b> ) retland hydrology mu	ıst be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur Mark Sur	Matrix (S6) face (S7) (LRR R, I	tion and w		ıst be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur Dark Sur Strictive Large Type:	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ıst be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  Judgment Sur  Judgment Stripped Str	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  Judgment Sur  Judgment Stripped Str	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  Judgment Sur  Judgment Stripped Str	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur Stripped Dark Sur Strictive L Type: Depth (inc.	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur Stripped Dark Sur Strictive L Type: Depth (inc.	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  British Dark Sur  British Dark Sur  British Depth (inc.)	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  British Dark Sur  British Dark Sur  British Depth (inc.)	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  British Dark Sur  British Dark Sur  British Depth (inc.)	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  British Dark Sur  British Dark Sur  British Depth (inc.)	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  Judgment Sur  Judgment Stripped Str	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  Judgment Sur  Judgment Stripped Str	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  Judgment Sur  Judgment Stripped Str	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  Judgment Sur  Judgment Stripped Str	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur  British Dark Sur  British Dark Sur  British Depth (inc.)	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur Stripped Dark Sur Strictive L Type: Depth (inc.	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)
Sandy Roman Stripped Dark Sur Stripped Dark Sur Strictive L Type: Depth (inc.	Matrix (S6) face (S7) (LRR R, I hydrophytic vegeta ayer (if observed)	tion and w		ist be pres	ent, unles	ss disturbed	Other (	Explain in Remarks)

Project/Site: Griener and St	rickler Parcel	el City/County: Clarence / Erie Sampling Date: 2023-09-1					
Applicant/Owner: Designer F				State:			
Investigator(s): R. Feickert 8	k D. Wilson	Section, Township, Range:					
Landform (hillslope, terrace, etc							o): 2
	Subregion (LRR or MLRA): L 101 Lat: 42						
Soil Map Unit Name: Ovid							
Are climatic / hydrologic conditi							
Are Vegetation, Soil				Are "Normal Circums		_	No
Are Vegetation, Soil				If needed, explain a			
SUMMARY OF FINDING			,		-		res, etc.
Lludrophytic Vocatation Press	+2 Vac	No	Is the Samp	oled Area			
Hydrophytic Vegetation Prese Hydric Soil Present?	Yes	No V	within a We		es	No	
Wetland Hydrology Present?	Yes	No	If yes, option	nal Wetland Site ID:			
Remarks: (Explain alternative					<u></u>		
HYDROLOGY							
Wetland Hydrology Indicato	ors:			Second	ary Indicators	(minimum of two r	equired)
Primary Indicators (minimum	of one is required; of	check all that apply)		Sur	face Soil Cra	cks (B6)	
Surface Water (A1)		Water-Stained Leave	es (B9)	Dra	ainage Patterr	ns (B10)	
High Water Table (A2)		Aquatic Fauna (B13)	)	Moss Trim Lines (B16)			
Saturation (A3)		Marl Deposits (B15)		Dry-Season Water Table (C2)			
Water Marks (B1)		· -	Hydrogen Sulfide Odor (C1) Crayfish Burrows (C8)				(00)
Sediment Deposits (B2)		<ul><li>Oxidized Rhizospher</li><li>Presence of Reduce</li></ul>	_				
Drift Deposits (B3) Algal Mat or Crust (B4)		Recent Iron Reduction	, ,	Stunted or Stressed Plants (D1) oils (C6) Geomorphic Position (D2)			
Iron Deposits (B5)		Thin Muck Surface (		Shallow Aquitard (D3)			
Inundation Visible on Aer	rial Imagery (B7)	Other (Explain in Re		Microtopographic Relief (D4)			
Sparsely Vegetated Cond			•		C-Neutral Tes		
Field Observations:							
Surface Water Present?		Depth (inches):					
Water Table Present?		Depth (inches):					٠.
Saturation Present? (includes capillary fringe)	Yes No _	✓ Depth (inches):		Wetland Hydrolog	y Present?	Yes No	
Describe Recorded Data (stre	am gauge, monitor	ing well, aerial photos, pre	evious inspecti	ions), if available:			
Remarks:							

Tree Stratum (Plot size: 30 ft r )	Absolute % Cover	Dominant Species?	Indicator	Dominance Test worksheet:
1 Fraxinus americana	15	<u>opedies:</u>	FACU	Number of Dominant Species
··		-	· <del></del>	That Are OBL, FACW, or FAC: 4 (A)
2				Total Number of Dominant Species Across All Strata: 9 (B)
3				Species Across All Strata: 9 (B)
4				Percent of Dominant Species That Are OBL, FACW, or FAC: 44 (A/B)
5				That Are OBL, FACW, OF FAC.
6				Prevalence Index worksheet:
7		-		Total % Cover of: Multiply by:
	15%	= Total Co	ver	OBL species $\frac{20}{100}$ x 1 = $\frac{20}{100}$
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{25}{55}$ $\times 2 = \frac{50}{105}$
1. Cornus racemosa	20	~	FAC	FAC species 55 x 3 = 165
2. Rosa multiflora	20		FACU	FACU species $\frac{115}{0}$ $x 4 = \frac{460}{0}$
3. Lonicera tatarica	15	~	FACU	UPL species $0$ $x = 0$ $(A)$ $695$ $(B)$
4				Column Totals: 215 (A) 695 (B)
5			· <del></del>	Prevalence Index = B/A = $3.2$
6				Hydrophytic Vegetation Indicators:
7				1 - Rapid Test for Hydrophytic Vegetation
	<b></b> 0/	= Total Co	· · · · · ·	2 - Dominance Test is >50%
Herb Stratum (Plot size: 5 ft r )		= Total Co	vei	3 - Prevalence Index is ≤3.0¹
Herb Stratum (Plot size: 5 Tt r )  1. Solidago canadensis	30	V	FACU	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)
2. Symphyotrichum lanceolatum	25	~	FACW	Problematic Hydrophytic Vegetation¹ (Explain)
3. Glyceria melicaria	20	~	OBL	
4. Persicaria virginiana	15		FAC	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
5. Agrimonia striata	10	-	FACU	be present, unless disturbed or problematic.
-	10			Definitions of Vegetation Strata:
6. Phleum pratense			FACU	Tree – Woody plants 3 in. (7.6 cm) or more in diameter
7				at breast height (DBH), regardless of height.
8	- <del></del>	1		Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines – All woody vines greater than 3.28 ft in
	110%	= Total Co	ver	height.
Woody Vine Stratum (Plot size: 30 ft r				
1. Toxicodendron radicans	20	~	FAC	
2. Vitis aestivalis	15	~	FACU	
3.				Hydrophytic
4.		'		Vegetation
	35%	= Total Co	ver	Present? Yes No
Remarks: (Include photo numbers here or on a separate	sheet.)			
·	,			

Sampling Point: B17U13

SOIL Sampling Point: B17U13

	•	to the de	pth needed to docun			or confirm	n the absence	of indicators.)
Depth (inches)	Matrix Color (moist)	%	Color (moist)	x Feature %	es Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 6	10YR 3/2	100					Silty Clay Loam	
6 - 14	10YR 3/2	95	7.5YR 4/6	5	С	PL	Silty Clay Loam	
14 - 20	10YR 4/3	100					Clay Loam	
<sup>1</sup> Type: C=Co		oletion, RM	1=Reduced Matrix, MS	3=Maske	d Sand G	rains.		: PL=Pore Lining, M=Matrix.  for Problematic Hydric Soils <sup>3</sup> :
Histosol			Polyvalue Belov	v Surfac	e (S8) ( <b>LR</b>	R R,		fuck (A10) (LRR K, L, MLRA 149B)
Histic Ep	pipedon (A2)		MLRA 149B)				Coast F	Prairie Redox (A16) ( <b>LRR K, L, R</b> )
Black His	stic (A3) n Sulfide (A4)		Thin Dark Surfa Loamy Mucky M					flucky Peat or Peat (S3) (LRR K, L, R) urface (S7) (LRR K, L)
	Layers (A5)		Loamy Gleyed N			-, -,		lue Below Surface (S8) (LRR K, L)
-	Below Dark Surfac	e (A11)	Depleted Matrix		.,			ark Surface (S9) (LRR K, L)
	rk Surface (A12) lucky Mineral (S1)		Redox Dark Sur Depleted Dark S					anganese Masses (F12) (LRR K, L, R) ont Floodplain Soils (F19) (MLRA 149B)
	leyed Matrix (S4)		Redox Depressi					Spodic (TA6) (MLRA 144A, 145, 149B)
Sandy R	edox (S5)			, ,			Red Pa	arent Material (F21)
	Matrix (S6)		·D)					hallow Dark Surface (TF12)
Dark Sur	face (S7) (LRR R,	WLKA 149	В)				Other (	Explain in Remarks)
			etland hydrology mus	t be pres	sent, unles	s disturbed	d or problematic	4.
	ayer (if observed)	:						
Type: Depth (inc	hes).						Hydric Soil	Present? Yes No
Remarks:							,	

Project/Site: Griener and Strickler Parcel	rcel City/County: Clarence / Erie Sampling Date: 2023-09-13					
Applicant/Owner: Designer Homes, LLC		State: New Yor	k Sampling Point: B17W14			
Investigator(s): R. Feickert & D. Wilson		on, Township, Range:				
Landform (hillslope, terrace, etc.):	Local reli	ef (concave, convex, none): Linear	Slope (%): 2			
Subregion (LRR or MLRA): L 101	Lat: 42.98632964	Long: -78.60690258	Datum: WGS 84			
Soil Map Unit Name: Ovid		NWI classific				
Are climatic / hydrologic conditions on the site to						
Are Vegetation, Soil, or Hydrold						
Are Vegetation, Soil, or Hydrold			rs in Remarks.)			
SUMMARY OF FINDINGS – Attach	site man showing sam	upling point locations, transects	. important features, etc.			
			, <b>p</b> or tarre router co, e.e.			
	No	Is the Sampled Area within a Wetland? Yes	No			
	No No	If yes, optional Wetland Site ID: Wetlan	<u> </u>			
Remarks: (Explain alternative procedures he		ir yes, optional wetland Site ID: Wetland	<u> </u>			
Tremane. (Explain alternative procedures no	o or in a coparato report.					
HYDROLOGY						
Wetland Hydrology Indicators:		·	ators (minimum of two required)			
Primary Indicators (minimum of one is require	••••	Surface Soil	` '			
Surface Water (A1)	Water-Stained Leaves	- · · · ·				
High Water Table (A2)	Aquatic Fauna (B13)		Moss Trim Lines (B16)			
Saturation (A3)	Marl Deposits (B15)	-	Water Table (C2)			
Water Marks (B1)	Hydrogen Sulfide Odd					
Sediment Deposits (B2)	Oxidized Rhizosphere		is ble on Aerial Imagery (C9)			
Drift Deposits (B3)	Presence of Reduced	• •	tressed Plants (D1)			
Algal Mat or Crust (B4)	Recent Iron Reduction		Position (D2)			
Iron Deposits (B5)	Thin Muck Surface (C					
Inundation Visible on Aerial Imagery (B7)	Other (Explain in Rem					
Sparsely Vegetated Concave Surface (B	3)	FAC-Neutral	Test (D5)			
Field Observations:						
	Depth (inches):					
	Depth (inches):		V N-			
(includes capillary fringe)	Depth (inches):		t? Yes No			
Describe Recorded Data (stream gauge, mor	itoring well, aerial photos, prev	vious inspections), if available:				
Remarks:						
Nomano.						

	S.			Sampling Point: B17W14
Tree Stratum (Plot size: 30 ft r )	Absolute	Dominant Species?		Dominance Test worksheet:
1 Fraxinus americana	<u> </u>	Species : ✓	FACU	Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)
2				
3.				Total Number of Dominant Species Across All Strata: 5 (B)
4.				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 60 (A/B)
6.				Drevelence Index weeksheets
7				Prevalence Index worksheet:
	E0/	= Total Cov	ver	OBL species 65 x 1 = 65
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $35$ $x 2 = 70$
1. Cornus racemosa	70	~	FAC	FAC species $90   x3 = 270$
2. Rosa multiflora	10		FACU	FACU species $\frac{25}{2}$ $x 4 = \frac{100}{2}$
3.	_			UPL species $0 \times 5 = 0$
4				Column Totals: 215 (A) 505 (B)
5				Prevalence Index = B/A = 2.3
6				Hydrophytic Vegetation Indicators:
				1 - Rapid Test for Hydrophytic Vegetation
7	000/	Tetal Car		✓ 2 - Dominance Test is >50%
Herb Stratum (Plot size: 5 ft r	0070	= Total Co	ver	3 - Prevalence Index is ≤3.0¹
1. Glyceria melicaria	65	~	OBL	4 - Morphological Adaptations (Provide supporting
2. Onoclea sensibilis	<u>05</u> 		FACW	data in Remarks or on a separate sheet)  Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
	10			1 Toblematic Hydrophytic Vegetation (Explain)
3. Lysimachia nummularia	10 10		FACW	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4. Symphyotrichum lanceolatum			FACW	be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6				Tree – Woody plants 3 in. (7.6 cm) or more in diameter
7				at breast height (DBH), regardless of height.
8	_			Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				<b>Woody vines</b> – All woody vines greater than 3.28 ft in height.
	100%	= Total Co	ver	Thought.
Woody Vine Stratum (Plot size: 30 ft r )				
1. Toxicodendron radicans	20		FAC	
1	10		FACU	
	_ 10			
Vitis aestivalis 3.				Hydrophytic
Vitis aestivalis				Hydrophytic Vegetation Present?  Yes  ✓ No

SOIL Sampling Point: B17W14

Depth	Matrix			lox Featu	res						
(inches)	Color (moist)	<u>%</u>	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	<u>Texture</u>	Remarks			
0 - 12	10YR 4/2	95	10YR 4/4	_ 5	_ <u>C</u>	PL	Clay Loam				
12 - 20	10YR 4/3	100					Clay Loam				
		_,									
-											
		<u> </u>			-						
		_									
		_				_					
-											
			-			<del>-</del>					
			· -				2				
'Type: C=Co		oletion, RN	/I=Reduced Matrix, N	/IS=Mask	ed Sand G	Grains.		PL=Pore Lining, M=Matrix. for Problematic Hydric Soi			
Histosol			Polyvalue Bel	ow Surfac	ce (S8) ( <b>LF</b>	RR R.		uck (A10) (LRR K, L, MLRA			
	oipedon (A2)		MLRA 149I		() (	<b>,</b>		Prairie Redox (A16) ( <b>LRR K</b> ,			
Black Hi			Thin Dark Sur					ucky Peat or Peat (S3) (LRF	R K, L, R)		
	en Sulfide (A4) d Layers (A5)		Loamy Mucky Loamy Gleyed			K, L)		urface (S7) ( <b>LRR K, L</b> ) ue Below Surface (S8) ( <b>LRF</b>	5 K I )		
	d Below Dark Surfac	e (A11)	<u>✓</u> Depleted Mati		2)			ark Surface (S9) (LRR K, L)			
	ark Surface (A12)		Redox Dark S					anganese Masses (F12) (LR			
	Mucky Mineral (S1)		Depleted Dark					ont Floodplain Soils (F19) (M			
	Gleyed Matrix (S4) Redox (S5)		Redox Depres	SIONS (F	3)			Spodic (TA6) ( <b>MLRA 144A,</b> 1 1 rent Material (F21)	145, 149B)		
-	Matrix (S6)						Very Shallow Dark Surface (TF12)				
	rface (S7) (LRR R, I	MLRA 149	<b>9B</b> )					Explain in Remarks)			
3Indicators of	f bydrophytic yogota	tion and w	vetland hydrology mi	ust bo pro	scont unlo	ce dieturbo	d or problematic				
	Layer (if observed)		retiand hydrology init	ist be bie	sent, une	ss disturbed					
Type:	.,										
Depth (inc	ches):						Hydric Soil I	Present? Yes N	No		
Remarks:			<del></del>								

Project/Site: Griener and Str	ickler Parcel	City/County: Clarence / Erie Sampling Date: 2023-09						
Applicant/Owner: Designer H	omes, LLC			State: New Yor				
Investigator(s): R. Feickert &	D. Wilson	Secti	ion, Township,	Range:				
Landform (hillslope, terrace, etc				=				
Subregion (LRR or MLRA): L 1	01	Lat: 42.98738575		Long: -78.60661790	Datum: WGS 84			
Soil Map Unit Name: Ovid					cation:			
Are climatic / hydrologic condition								
Are Vegetation, Soil				re "Normal Circumstances" p				
Are Vegetation, Soil	, or Hydrology	naturally problem	atic? (I	f needed, explain any answe	rs in Remarks.)			
SUMMARY OF FINDING	S - Attach sit	e map showing san	npling poin	t locations, transects	, important features, etc.			
			Is the Samp					
Hydrophytic Vegetation Preser Hydric Soil Present?	nt? Yes	No	within a We		No			
Wetland Hydrology Present?	Yes	No	If ves. option	nal Wetland Site ID:				
Remarks: (Explain alternative			ii yoo, opao.	iai Weliana Oile ib.				
( )	<b>P</b>	, , . , , , , , , , , , , , , , , ,						
					ļ			
HYDROLOGY								
Wetland Hydrology Indicator	 rs:			Secondary Indica	ators (minimum of two required)			
Primary Indicators (minimum o		check all that apply)		Surface Soil				
Surface Water (A1)	<u>// 01.0 10 10 10 10 10 10 10 10 10 10 10 10 10</u>	Water-Stained Leave	es (R9)	Drainage Pat	` '			
High Water Table (A2)		Aquatic Fauna (B13)		Moss Trim Li				
Saturation (A3)		Marl Deposits (B15)		Noss Till Ellies (BT0) Dry-Season Water Table (C2)				
		Hydrogen Sulfide Od		· ·				
Water Marks (B1)				Crayfish Buri				
Sediment Deposits (B2)		Oxidized Rhizospher			is ble on Aerial Imagery (C9)			
Drift Deposits (B3)		Presence of Reduce	` '	·	tressed Plants (D1)			
Algal Mat or Crust (B4)		Recent Iron Reduction						
Iron Deposits (B5)	(57)	Thin Muck Surface (0	*	Shallow Aquitard (D3)				
Inundation Visible on Aeri	• • • •	Other (Explain in Rei	marks)		aphic Relief (D4)			
Sparsely Vegetated Conc	ave Surface (B8)			FAC-Neutral	Test (D5)			
Field Observations: Surface Water Present?	Voc. No.	✓ Depth (inches):						
Water Table Present?		Depth (inches):						
Saturation Present?		Depth (inches):		Wetland Hydrology Presen	nt? Yes No ✓			
(includes capillary fringe)					t: resNo			
Describe Recorded Data (stream	am gauge, monitor	ing well, aerial photos, pre	evious inspecti	ons), if available:				
Remarks:								
Remarks.								
					ļ			

	•			Sampling Point: B5U15
Tree Stratum (Plot size: 30 ft r )	Absolute % Cover	Dominant Species?		Dominance Test worksheet:
1. Fraxinus pennsylvanica	30	<u> </u>	FACW	Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)
2.				
3.				Total Number of Dominant Species Across All Strata:  4 (B)
4.				Percent of Dominant Species
5.				That Are OBL, FACW, or FAC: 50 (A/B)
6.				
7				Prevalence Index worksheet:
		= Total Co		
Sapling/Shrub Stratum (Plot size: 15 ft r		- rotal 00	VOI	FACW species $\frac{40}{x^2}$ $x^2 = \frac{80}{x^2}$
1. Rosa multiflora	30	~	FACU	FAC species 20 x 3 = 60
2.				FACU species 120 x 4 = 480
				UPL species 0 x 5 = 0
3				Column Totals: 180 (A) 620 (B)
4				Prevalence Index = B/A = 3.4
5				Hydrophytic Vegetation Indicators:
6				1 - Rapid Test for Hydrophytic Vegetation
7	000/			2 - Dominance Test is >50%
F. 4	30%	= Total Co	ver	3 - Prevalence Index is ≤3.0¹
Herb Stratum (Plot size: 5 ft r )				4 - Morphological Adaptations <sup>1</sup> (Provide supporting
1. Agrimonia striata	80		FACU	data in Remarks or on a separate sheet)
2. Parthenocissus quinquefolia	10		FACU	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Lysimachia nummularia	5		FACW	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4. Symphyotrichum lanceolatum	5		FACW	be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6				Tree – Woody plants 3 in. (7.6 cm) or more in diameter
7				at breast height (DBH), regardless of height.
8				Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines – All woody vines greater than 3.28 ft in
	100%	= Total Co	ver	height.
Woody Vine Stratum (Plot size: 30 ft r )				
	20	V	FAC	
1. Toxicodendron radicans				
2.				Hydrophytic
				Hydrophytic Vegetation
2.	20%	= Total Co		

SOIL Sampling Point: B5U15

Depth	Matrix		pth needed to docum Redox	x Feature				
(inches)	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 13	10YR 3/2	100	<u></u>	·			Clay Loam	
13 - 20	10YR 4/3	90	10YR 4/6	10	С	М	Clay	
	-	_						
			·		· <del></del>	<del></del>		
-								
			· -			<del></del>		
			<u></u> -					
-								
		_						
<del>-</del>		_	<u> </u>					
		oletion, RN	M=Reduced Matrix, MS	=Masked	d Sand G	rains.		: PL=Pore Lining, M=Matrix.
Hydric Soil			Dalumalus Dalam	0	(CO) (LE	.D.D		for Problematic Hydric Soils <sup>3</sup> :
Histosol	oipedon (A2)		Polyvalue Belov MLRA 149B)		(58) (LR	KK,		Muck (A10) ( <b>LRR K, L, MLRA 149B</b> ) Prairie Redox (A16) ( <b>LRR K, L, R</b> )
	stic (A3)		Thin Dark Surfa		_RR R, N	ILRA 149B		Mucky Peat or Peat (S3) (LRR K, L, R)
	en Sulfide (A4)		Loamy Mucky M					Surface (S7) (LRR K, L)
	d Layers (A5)	(4.4.)	Loamy Gleyed N		2)		-	llue Below Surface (S8) (LRR K, L)
	d Below Dark Surfac ark Surface (A12)	ce (A11)	Depleted Matrix Redox Dark Sur					ark Surface (S9) (LRR K, L) anganese Masses (F12) (LRR K, L, R)
	Mucky Mineral (S1)		Depleted Dark S					ont Floodplain Soils (F19) (MLRA 149B)
	Gleyed Matrix (S4)		Redox Depressi		,			Spodic (TA6) ( <b>MLRA 144A, 145, 149B</b> )
	Redox (S5)							arent Material (F21)
	Matrix (S6)		<b></b> )					shallow Dark Surface (TF12)
Dark Su	rface (S7) (LRR R, I	MLRA 149	<b>9B</b> )				Other (	(Explain in Remarks)
<sup>3</sup> Indicators o	f hydrophytic vegeta	tion and v	vetland hydrology mus	t be prese	ent, unles	s disturbed	l or problemation	<u>&gt;</u> .
	Layer (if observed)							
Type:								
Depth (in	ches):						Hydric Soil	Present? Yes No
Remarks:	, <del>-</del>							

Project/Site: Griener and Str	rickler Parcel	City/(	County: Clarence / Erie		Sampling Date: 2023-09-13			
Applicant/Owner: Designer H		-	-		Sampling Point: B5W16			
Investigator(s): R. Feickert &	، D. Wilson							
Landform (hillslope, terrace, etc								
Subregion (LRR or MLRA): L1								
Soil Map Unit Name: Ovid					tion:			
Are climatic / hydrologic condition								
Are Vegetation, Soil					_			
Are Vegetation, Soil				plain any answers				
SUMMARY OF FINDING	-							
					mperium routures, erri			
Hydrophytic Vegetation Prese		No	Is the Sampled Area within a Wetland?	Yes 🗸	No			
Hydric Soil Present? Wetland Hydrology Present?		No No	If yes, optional Wetland S					
Remarks: (Explain alternative			If yes, optional vvetiario s	Site ID: Treation				
HYDROLOGY								
Wetland Hydrology Indicato	ors:		<u></u>	Secondary Indicato	ors (minimum of two required)			
Primary Indicators (minimum		d; check all that apply)		Surface Soil Ci				
Surface Water (A1)		Water-Stained Leave		Drainage Patterns (B10)				
High Water Table (A2)		Aquatic Fauna (B13)	(B13) Moss Trim Lines (B16)					
Saturation (A3)		Marl Deposits (B15)	Dry-Season Water Table (C2)					
Water Marks (B1)		Hydrogen Sulfide Oc		Crayfish Burrov				
Sediment Deposits (B2)		Oxidized Rhizospher	= : : :					
Drift Deposits (B3) Algal Mat or Crust (B4)		Presence of Reduce Recent Iron Reduction		Stunted or Stressed Plants (D1) Soils (C6) Geomorphic Position (D2)				
Iron Deposits (B5)		Thin Muck Surface (	, , _	olis (C6) Geomorphic Position (D2) Shallow Aquitard (D3)				
Inundation Visible on Aeri	ial Imagery (B7)							
Sparsely Vegetated Cond				FAC-Neutral To				
Field Observations:								
Surface Water Present?		Depth (inches):						
Water Table Present?		Depth (inches): 2						
Saturation Present? (includes capillary fringe)	Yes No	Depth (inches): 0	Wetland Hy	drology Present?	? Yes No			
Describe Recorded Data (stre	am gauge, mon	toring well, aerial photos, pre	evious inspections), if availa	able:				
					1			
Remarks:								
Nomano.								

				Sampling Point: B5W16			
Trace Christians (Dietoine, 30 ft r	Absolute	Dominant		Dominance Test worksheet:			
Tree Stratum (Plot size: 30 ft r )  1 Fraxinus pennsylvanica	% Cover 10	Species? ✓	FACW	Number of Dominant Species			
···			17.011	That Are OBL, FACW, or FAC: 3 (A)			
2				Total Number of Dominant Species Across All Strata: 3 (B)			
3				Species Across All Strata: 3 (B)			
4				Percent of Dominant Species That Are OBL FACW or FAC: 100 (A/R)			
5				That Are OBL, FACW, or FAC: 100 (A/B)			
6				Prevalence Index worksheet:			
7				Total % Cover of: Multiply by:			
	10%	= Total Co	ver	OBL species $\frac{0}{77}$ $\times 1 = \frac{0}{150}$			
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{75}{40}$ $\times 2 = \frac{150}{120}$			
1				FAC species $\frac{40}{15}$ $x_3 = \frac{120}{60}$			
2				1 A00 species x + =			
3				UPL species			
4				Column Totals: 130 (A) 330 (B)			
5				Prevalence Index = B/A = 2.5			
6				Hydrophytic Vegetation Indicators:			
7				1 - Rapid Test for Hydrophytic Vegetation			
		= Total Cov		✓ 2 - Dominance Test is >50%			
Herb Stratum (Plot size: 5 ft r )		= 10tai C0	vei	✓ 3 - Prevalence Index is ≤3.0¹			
1. Euthamia graminifolia	40	~	FAC	4 - Morphological Adaptations <sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)			
Juncus torreyi	30		FACW	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)			
3. Symphyotrichum lanceolatum	20		FACW				
4. Agrimonia striata	15		FACU	<sup>1</sup> Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.			
5. Onoclea sensibilis	15	-	FACW				
6				Definitions of Vegetation Strata:			
7				<b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.			
8							
9.				Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.			
		-					
10				<b>Herb</b> – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.			
11				Woody vines – All woody vines greater than 3.28 ft in			
12		= Total Cov		height.			
		= Total Co	ver				
Alexandra Vicas Octabrilla (Distriction 30 ft r							
· · · · · · · · · · · · · · · · · · ·							
1							
Woody Vine Stratum (Plot size: 30 ft r )  1							
1	- <del></del>			Hydrophytic Vegetation			
1	 			Hydrophytic Vegetation Present?  Yes No			

SOIL Sampling Point: B5W16

Depth (inches)	Matrix	0/		x Feature		1.5.2	Touters	Domaries
(inches)	Color (moist)	<u>%</u>	Color (moist)	<u> </u>	Type <sup>1</sup>	Loc <sup>2</sup>	<u>Texture</u>	Remarks
0 - 20	10YR 4/1	95	10YR 4/6	5	RM	PL / M	Clay Loam	
-								
_								
		_			-			
							-	
-		_						
_								
-								
		<u> </u>						
-								
-								
<sup>1</sup> Type: C=C	oncentration D=Der	letion RM	=Reduced Matrix, MS	S=Maske	d Sand G	rains	<sup>2</sup> l ocation:	PL=Pore Lining, M=Matrix.
Hydric Soil		olotion, reiv	-readoca matrix, im	<u>J-Masket</u>	a Garia G	raino.		for Problematic Hydric Soils <sup>3</sup> :
Histosol			Polyvalue Belov	w Surface	(S8) ( <b>LF</b>	RR,	2 cm M	luck (A10) ( <b>LRR K, L, MLRA 149B</b> )
	oipedon (A2)		MLRA 149B)		( ) (	•		Prairie Redox (A16) (LRR K, L, R)
Black Hi			Thin Dark Surfa					lucky Peat or Peat (S3) (LRR K, L, R)
	en Sulfide (A4)		Loamy Mucky N			K, L)		urface (S7) (LRR K, L)
	d Layers (A5)	o (A11)	Loamy Gleyed		2)		-	lue Below Surface (S8) (LRR K, L)
	d Below Dark Surfac ark Surface (A12)	e (ATT)	✓ Depleted Matrix Redox Dark Su		١			ark Surface (S9) ( <b>LRR K, L</b> ) anganese Masses (F12) ( <b>LRR K, L, R</b> )
	Mucky Mineral (S1)		Depleted Dark					ont Floodplain Soils (F19) (MLRA 149B)
	Gleyed Matrix (S4)		Redox Depress					Spodic (TA6) ( <b>MLRA 144A, 145, 149B</b> )
	Redox (S5)						Red Pa	arent Material (F21)
	l Matrix (S6)							hallow Dark Surface (TF12)
Dark Su	rface (S7) (LRR R, I	MLRA 149	<b>B</b> )				Other (	Explain in Remarks)
3Indicators of	f hydrophytic yogota	tion and w	etland hydrology mus	et ha proc	ont unlo	se dieturbod	l or problematic	
	Layer (if observed)		etiana nyarology mas	st be pres	ent, unie	ss disturbed	Tor problematic	•
Type:	Layer (ii observea)	•						
• • •							Hydric Soil	Present? Yes V No No
Depth (inc	ches):						Hydric 30ii	Present? Yes No No
Remarks:								

Project/Site: Griener and Strickler Parcel City	//County: Clarence / Erie Sampling Date: 2023-09-13
· · · · · · · · · · · · · · · · · · ·	State: New York Sampling Point: A39U17
5.5.1.1.0.5.1471	ction, Township, Range:
Landform (hillslope, terrace, etc.): Local	
	Long:78.60606683 Datum: _WGS 84
Soil Map Unit Name: Ovid	NWI classification:
Are climatic / hydrologic conditions on the site typical for this time of year?	
Are Vegetation, Soil, or Hydrology significantly dis	
Are Vegetation, Soil, or Hydrology naturally proble	ematic? (If needed, explain any answers in Remarks.)
SUMMARY OF FINDINGS – Attach site map showing sa	ampling point locations, transects, important features, etc.
Hydrophytic Vegetation Present? Yes No	Is the Sampled Area
Hydric Soil Present? Yes No	within a Wetland? Yes No
Wetland Hydrology Present? Yes No	If yes, optional Wetland Site ID:
Remarks: (Explain alternative procedures here or in a separate report.)	
HYDROLOGY	
Wetland Hydrology Indicators:	Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)	Surface Soil Cracks (B6)
Surface Water (A1) Water-Stained Lea	
High Water Table (A2) Aquatic Fauna (B1	
Saturation (A3) Marl Deposits (B15 Water Marks (B1) Hydrogen Sulfide (	
	eres on Living Roots (C3) Saturation Vis ble on Aerial Imagery (C9)
Drift Deposits (B3) Presence of Reduc	
	ction in Tilled Soils (C6) Geomorphic Position (D2)
Iron Deposits (B5) Thin Muck Surface	
Inundation Visible on Aerial Imagery (B7) Other (Explain in F	Remarks) Microtopographic Relief (D4)
Sparsely Vegetated Concave Surface (B8)	FAC-Neutral Test (D5)
Field Observations:	
Surface Water Present? Yes No Depth (inches): _	
Water Table Present?  Yes No Depth (inches): _  Saturation Present?  Yes No Depth (inches):	
(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, p	previous inspections), if available:
Remarks:	

<b>/EGETATION</b> – Use scientific names of plan	ts.			Sampling Point: A39U17
Tree Stratum (Plot size: 30 ft r	Absolute % Cover 30	Dominant Species?		Dominance Test worksheet:  Number of Dominant Species
1. Ostrya virginiana	— <u> </u>		-	That Are OBL, FACW, or FAC: 1 (A)
Fraxinus americana     Quercus rubra	20 20		FACU FACU	Total Number of Dominant Species Across All Strata: 7 (B)
4				Percent of Dominant Species
5				That Are OBL, FACW, or FAC: 14 (A/B)
6				Prevalence Index worksheet:
7				Total % Cover of: Multiply by:
45.6	70%	= Total Co	ver	OBL species $0 \times 1 = 0$
Sapling/Shrub Stratum (Plot size: 15 ft r )				FACW species $\frac{0}{10}$ $x = \frac{0}{30}$
1. Rosa multiflora	5		FACU	FAC species $\frac{10}{85}$ $x = \frac{30}{340}$
2				UPL species 25
3				Column Totals: 120 (A) 495 (B)
4				Prevalence Index = B/A = 4.1
5				
6				Hydrophytic Vegetation Indicators:
7				1 - Rapid Test for Hydrophytic Vegetation
	5%	= Total Co	ver	2 - Dominance Test is >50% 3 - Prevalence Index is ≤3.0¹
Herb Stratum (Plot size: 5 ft r )				4 - Morphological Adaptations <sup>1</sup> (Provide supporting
1. Carex laxiflora	25		UPL	data in Remarks or on a separate sheet)
2. Solidago rugosa	10		FAC	Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
3. Symphyotrichum pilosum			FACU	<sup>1</sup> Indicators of hydric soil and wetland hydrology must
4				be present, unless disturbed or problematic.
5				Definitions of Vegetation Strata:
6 7				<b>Tree</b> – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
8				Sapling/shrub – Woody plants less than 3 in. DBH
9				and greater than or equal to 3.28 ft (1 m) tall.
10				Herb – All herbaceous (non-woody) plants, regardless
11				of size, and woody plants less than 3.28 ft tall.
12				Woody vines – All woody vines greater than 3.28 ft in height.
	45%	= Total Co	ver	inoight.
Woody Vine Stratum (Plot size: 30 ft r )				
1				
2				Hydrophytic
2. 3. 4.				Hydrophytic Vegetation Present?  Yes No

SOIL Sampling Point: A39U17

Depth	Matrix		th needed to docum Redox	Features		ii tile abselice (	oi indicatoi		
(inches)	Color (moist)	%	Color (moist)	<u>%</u> <u>Ty</u>	pe <sup>1</sup> Loc <sup>2</sup>	<u>Texture</u>		Remarks	
0 - 7	10YR 4/3	100				Loam			
7 - 20	10YR 6/4	100				Silt Loam			
-					· ·				
		<del>-</del>							
					<del></del>				
_			_						
					<del></del>				
-									
-		_							
Type: C=Co		pletion, RM:	=Reduced Matrix, MS:	=Masked San	d Grains.			_ining, M=Matı natic Hydric S	
-			Dohavoluo Polow	Curtoso (CO)	/I DD D			•	
Histosol Histic Er	oipedon (A2)		Polyvalue Below MLRA 149B)	Surface (So)	(LKK K,			LRR K, L, ML x (A16) (LRR	
Black Hi			Thin Dark Surface	e (S9) ( <b>LRR I</b>	R, MLRA 149B			or Peat (S3) ( <b>L</b>	
	en Sulfide (A4)		Loamy Mucky Mi		RR K, L)		urface (S7)		
	d Layers (A5)	(8.4.4)	Loamy Gleyed M					urface (S8) (L	
	d Below Dark Surfa ark Surface (A12)	ce (A11)	<ul><li>Depleted Matrix</li><li>Redox Dark Surf</li></ul>					(S9) (LRR K, asses (F12) (I	
	Mucky Mineral (S1)		Depleted Dark S				-		(MLRA 149B)
	Gleyed Matrix (S4)		Redox Depression						A, 145, 149B)
Sandy R	Redox (S5)						rent Materia		
	Matrix (S6)							Surface (TF1:	2)
Dark Su	rface (S7) (LRR R,	MLRA 149E	3)			Other (	Explain in R	temarks)	
<sup>3</sup> Indicators of	f hydrophytic veaeta	ation and we	etland hydrology must	be present. u	nless disturbed	d or problematic			
	Layer (if observed					T			
Type:									
Depth (inc	ches):					Hydric Soil	Present?	Yes	No 🔽
Remarks:									
itemans.									

Project/Site: Griener and Strice	ckler Parcel	City/County: Clarence / Erie Sampling Date: 2023-09-					
Applicant/Owner: Designer Ho	mes, LLC	State: New York Sampling Point: A39W					
Investigator(s): R. Feickert & I	D. Wilson		on, Township, Range:				
Landform (hillslope, terrace, etc.)	:	Local reli	ief (concave, convex, none	e): None	Slope (%): 0		
Subregion (LRR or MLRA): L 10					Datum: WGS 84		
Soil Map Unit Name: Niagara					ion:		
Are climatic / hydrologic condition							
Are Vegetation, Soil					esent? Yes No		
Are Vegetation, Soil	, or Hydrology	naturally problema	atic? (If needed, ex	plain any answers	in Remarks.)		
SUMMARY OF FINDINGS	S – Attach site	map showing sam	npling point location	s. transects. i	important features, etc.		
				,			
Hydrophytic Vegetation Presen		No	Is the Sampled Area within a Wetland?	Yes V	No		
Hydric Soil Present?		No			<u> </u>		
Wetland Hydrology Present?		No	If yes, optional Wetland S	Site ID: wetland	<u>A</u>		
Remarks: (Explain alternative p	procedures nere or i	in a separate report.)					
HYDROLOGY							
Wetland Hydrology Indicators	<b>S</b> :		<u> </u>	Secondary Indicato	ors (minimum of two required)		
Primary Indicators (minimum of	one is required; che	eck all that apply)		Surface Soil C	racks (B6)		
Surface Water (A1)	<u>v</u>	Water-Stained Leave	s (B9)	Drainage Patte	erns (B10)		
High Water Table (A2)	_	Aquatic Fauna (B13)	<u>-</u>	Moss Trim Line	es (B16)		
Saturation (A3)		Marl Deposits (B15)	_	Dry-Season W	ater Table (C2)		
✓ Water Marks (B1)	_	_ Hydrogen Sulfide Od	or (C1)	Crayfish Burro	ws (C8)		
Sediment Deposits (B2)		Oxidized Rhizosphere		Saturation Vis	ble on Aerial Imagery (C9)		
Drift Deposits (B3)		_ Presence of Reduced		Stunted or Stre	essed Plants (D1)		
Algal Mat or Crust (B4)	_	Recent Iron Reductio	n in Tilled Soils (C6)	Geomorphic P	osition (D2)		
Iron Deposits (B5)		Thin Muck Surface (C	C7) _	Shallow Aquita	ırd (D3)		
Inundation Visible on Aeria	I Imagery (B7)	Other (Explain in Rer	narks)	Microtopograp	hic Relief (D4)		
✓ Sparsely Vegetated Conca	ve Surface (B8)		<u>.</u>	FAC-Neutral T			
Field Observations:	· · · · · · · · · · · · · · · · · · ·				· ,		
Surface Water Present?	Yes No	Depth (inches):					
Water Table Present?	Yes No	Depth (inches):					
	Yes No <u></u>	Depth (inches):	Wetland Hy	drology Present?	? Yes No		
(includes capillary fringe)  Describe Recorded Data (streat	m gauga manitaring	a well parial photos pro	vious inspections) if avails	ablo:			
Describe Recorded Data (streat	iii gauge, monitoriii	g well, aerial priolos, pre	vious irispections), ii avalia	able.			
Remarks:							
Í							

### **VEGETATION** – Use scientific names of plants.

			Sampling Point: A39W18
Absolute	Dominant		Dominance Test worksheet:
	Species? ✓		Number of Dominant Species
· ——			That Are OBL, FACW, or FAC: 5 (A)
			Total Number of Dominant Species Across All Strata: 6 (B)
		-	Species Across All Strata: 6 (B)
			Percent of Dominant Species That Are OBL, FACW, or FAC: 83 (A/B)
			That Ale OBL, FACW, of FAC (A/B)
			Prevalence Index worksheet:
			Total % Cover of: Multiply by:
60%	= Total Cov	er	OBL species $\frac{40}{100}$ x 1 = $\frac{40}{200}$
			FACW species $\frac{100}{50}$ $\times 2 = \frac{200}{150}$
20		FACW	FAC species $50$ $x 3 = 150$ $x 4 - 40$
5		FACU	1700 species x4
			000
			Column Totals: 200 (A) 430 (B)
			Prevalence Index = B/A = 2.2
			Hydrophytic Vegetation Indicators:
			1 - Rapid Test for Hydrophytic Vegetation
050/	Total Cay		✓ 2 - Dominance Test is >50%
2070	= Total Cov	er	✓ 3 - Prevalence Index is ≤3.0¹
40		ODI	4 - Morphological Adaptations <sup>1</sup> (Provide supporting
· ——			data in Remarks or on a separate sheet)
			Problematic Hydrophytic Vegetation <sup>1</sup> (Explain)
			<sup>1</sup> Indicators of hydric soil and wetland hydrology must
15		FACW	be present, unless disturbed or problematic.
15		FAC	Definitions of Vegetation Strata:
10		FACW	Tree – Woody plants 3 in. (7.6 cm) or more in diameter
			at breast height (DBH), regardless of height.
			Sapling/shrub – Woody plants less than 3 in. DBH
			and greater than or equal to 3.28 ft (1 m) tall.
			Herb – All herbaceous (non-woody) plants, regardless
			of size, and woody plants less than 3.28 ft tall.
			Woody vines – All woody vines greater than 3.28 ft in
	- Total Cov	or.	height.
	= 10tai 00v	Ci	
<u> </u>			
			Hydrophytic Vegetation
-			Hydrophytic Vegetation Present? Yes No
	35 20 5 60% 20 5 25% 40 20 15 15 15	35	35

SOIL Sampling Point: A39W18

Depth	Matrix			lox Featur	es			
(inches)	Color (moist)	<u>%</u>	Color (moist)	<u>%</u>	Type <sup>1</sup>	Loc <sup>2</sup>	Texture	Remarks
0 - 20	10YR 4/2	95	7.5YR 4/6	_ 5	_ <u>C</u>	M	Clay Loam	
			-					
	-				_		<u> </u>	
		_						
_								
		_		-		_		
							<u> </u>	
_								
			-					
	-							
			<u></u>			_		
-								
¹Type: C=Co	oncentration D=Der	oletion RN	M=Reduced Matrix, N	AS-Mask	ed Sand G	rains	<sup>2</sup> Location	: PL=Pore Lining, M=Matrix.
Hydric Soil		oletion, ixi	n=reduced Matrix, 1	vio-iviaski	ca oana c	namo.		for Problematic Hydric Soils <sup>3</sup> :
Histosol	(A1)		Polyvalue Bel	ow Surfac	e (S8) ( <b>LF</b>	RR R,	2 cm M	Muck (A10) ( <b>LRR K, L, MLRA 149B</b> )
	oipedon (A2)		MLRA 149		` , `			Prairie Redox (A16) (LRR K, L, R)
Black Hi			Thin Dark Su					flucky Peat or Peat (S3) (LRR K, L, R)
	en Sulfide (A4)		Loamy Mucky			<b>K</b> , L)		Surface (S7) (LRR K, L)
	d Layers (A5) d Below Dark Surfac	o (A11)	Loamy Gleyed Depleted Mat		-2)			lue Below Surface (S8) (LRR K, L) ark Surface (S9) (LRR K, L)
	ark Surface (A12)	e (ATT)	Redox Dark S		6)			anganese Masses (F12) (LRR K, L, R)
	flucky Mineral (S1)		Depleted Dark					ont Floodplain Soils (F19) (MLRA 149B)
	Gleyed Matrix (S4)		Redox Depres					Spodic (TA6) (MLRA 144A, 145, 149B)
	Redox (S5)							arent Material (F21)
	Matrix (S6)							hallow Dark Surface (TF12)
Dark Su	rface (S7) (LRR R,	MLRA 149	<b>9B</b> )				Other (	(Explain in Remarks)
3Indicators of	f hydronhytic yeaeta	ation and v	vetland hydrology m	ist he nre	sent unle	ss disturbe	d or problematic	
	Layer (if observed)		vettaria riyarology iii	dot be pre	Jorn, arno	oo diotarbo	T problematic	•
Type:	.,							
Depth (inc	abaa):						Hydric Soil	Present? Yes No
	ches):						,	
Remarks:								

# Appendix C

Site Photographs








#### UPL1

Sampling area of upland data point UPL1.








#### UPL2

Sampling area of upland data point UPL2.







#### UPL3

Sampling area of upland data point UPL3.








#### UPL4

Sampling area of upland data point UPL4.








#### UPL5

Sampling area of upland data point UPL5.







#### UPL6

Sampling area of upland data point UPL6.







#### A6U7

Sampling area of upland data point A6U7.








#### A6W8

Sampling area of wetland data point A6W8.







#### A13W10

Sampling area of wetland data point A13W10.








#### A30U11

Sampling area of upland data point A30U11.








#### A30W12

Sampling area of wetland data point A30W12.










#### B5U15

Looking north from upland sample point







#### B5W16

Sample area of wetland data point B5W16.








#### B5W16 South

Looking south from sample point B5W16.








#### A39U17

Sample are of upland data point A39U17.









#### A39W18

Sample are of wetland data point A39W18.







#### **Stream Channel South**

Stream channel of Stream 1, looking south.










## Appendix D

Wetland Delineation Map









6221 Goodrich Road Clarence Center, New York 14032 Phone: (716) 741-8952 Fax: (716) 407-8915

## **Town of Clarence Engineering Department**

# Memo



To: Jonathan Bleuer, Director of Community Development

From: Joseph Lancellotti, Asst. Municipal Engine ( )

cc: Kenneth Zollitsch, Greenman-Pederson, Inc.

Designer Homes of WNY, P.O. Box 470, East Amherst, NY 14051

Timothy Lavocat, P.E., Town Engineer

James Dussing, Highway Superintendent

File

**Date:** June 18, 2025

Re: Strickler-Greiner Subdivision - Preliminary Grading and Drainage Plan

Jon.

The Engineering Department has reviewed the Preliminary Grading and Drainage Plans dated June 5, 2025 and received on June 17, 2025. This concept level review is not an all-inclusive project review and additional comments may be warranted and provided at any time throughout the formal project review process. The below comments are to be addressed during the Development Plan review process:

- 1. A hydrogeologic/geotechnical evaluation is required for deep excavations. Please provide a soil bore to refusal and associated hydrogeologic/geotechnical evaluation report for the deep stormwater basin and sanitary sewer pump station excavations. Soil bores are to be within excavation footprint. The report is to include, but not be limited to analysis of the deep soils, soil stability, proximity to existing structures, basin constructability, groundwater, dewatering operations, ability to hold water, etc. The engineer's report is to be stamped and signed by a hydrogeologic or geotechnical engineer licensed by the State of New York.
- 2. Federally and state regulated waterways and wetlands must be clearly shown on all plan sheets.
- 3. The land disturbance for this project appears to be greater than 1 acre and therefore a full Stormwater Pollution Prevention Plan must be developed and implemented for this project. Provide this document during the Development Plan review phase.
- 4. Provide private drainage easements around each detention basin. Inlet and outfall pipes to be within public drainage easements.
- 5. Provide all wetland delineation studies as well as any USACE and/or NYSDEC correspondence.
- 6. Provide complete topographical and boundary survey for the project area.
- Greiner Road stormwater crossings must be shown on all surveys and plans. Conditions of the crossings
  must be noted in the narrative of the Engineer's Report and called out on the plan set if maintenance is
  required.
- 8. Provide a minimum 2' deep swale along lots 34-43.
- 9. Remove stoned access for all pond inlets. Access roads are only necessary for the outlets.
- 10. Provide a summary and calculations within the Report showing all pretreatment chambers able to pass 10year storms without backing up.
- 11. Provide bank protection along the Ransom Creek tributary for slopes steeper than 3:1.

## Strickler & Greiner Subdivision August 17, 2023

#### **Density Calculation**

Current Zoning: R-SF

Total Site Acreage: 81.5± Acres

Undevelopable Acreage: 3.2± Acres

Due to steep slopes, drainage course

Available Acreage: 78.3± Acres

Available Acreage minus 10% for streets:

78.3 minus 10% = 70.47 Acres

Minimum lot area for R-SF: 20,000 sq. ft. Acreage Available: 70.47 Acres or 3,069,673 sq. ft. 3,069,673/20,000 = 153.48 or 153 lots

TOTAL LOTS AVAILABLE: 153



November 14, 2025

Campbell Higle NYSHPO

Re: SITE INVESTIGATION

STRICKLER & GREINER Rd SUBDIVISION

PROJECT #24PR07912

Dear Campbell,

Per your request, we have investigated our project site for the potential of an existing farmers stone wall on site as well as obtained photos of 10352 Main Street.

For 10352 Main Street the house is located south of the proposed development site and is not part of the development Project Site. The house is situated substantially back from Main Street on a private driveway, as such we did not feel comfortable accessing the private property for photographs. Instead we have been able to obtain birds eye images of the structure. Those images are attached for your reference. Also attached is an aerial image with property lines to show the proximity of the structure on 10352 Main Street in relation to the development site.

Regarding the stone wall located on the property, this information was initially brought up by an adjacent resident at a public hearing that claimed there was a part of the historic farmers stone wall on the property. On November 13<sup>th</sup> we walked the property but were unable to locate any portions or remains of a stone wall. A few larger stones were noted and photos are attached of these stones but they were not continuous in nature and not to be able to be considered a wall, even in a decayed state. We also reviewed birdseye images of the property without foliage and were unable to note any appearances of an old wall. There is a section of the wall located off property and to the south of the project site. This image and references are noted on the attached birdseye of properties image. The rough property limits of our site are shown in red and the remnants of the wall are circled in yellow, clearly off the development property line. No evidence of a stone wall was identified on the site visit and the claims by the adjacent resident were not substantiated.

Please feel free to contact me should you require any additional information or have any further questions. Thank you.

Sincerely,

Kenneth Zollitsch Director of Land Planning 4950 Genesee St, Suite 100

Buffalo, NY 14225

Cc: Jon Bleuer, Town of Clarence Designer Homes of WNY

The St C. File

File No. 2300033



KATHY HOCHUL Governor KATHY MOSER Acting Commissioner

November 14, 2025

Jonathan Bleuer Director of Community Development Town of Clarence One Town Place Clarence, NY 14031

Re: DEC

SGC Development LLC. Major Subdivision Town of Clarence, Erie County, NY 24PR07912 TOC08212024

#### Dear Jonathan Bleuer:

Thank you for requesting the comments of the Office of Parks, Recreation and Historic Preservation (OPRHP). We have reviewed the project in accordance with the New York State Historic Preservation Act of 1980 (Section 14.09 of the New York Parks, Recreation and Historic Preservation Law). These comments are those of the OPRHP and relate only to Historic/Cultural resources. They do not include potential environmental impacts to New York State Parkland that may be involved in or near your project.

Based upon this review, it is the opinion of OPRHP that no properties, including archaeological and/or historic resources, listed in or eligible for the New York State and National Registers of Historic Places will be impacted by this project.

If further correspondence is required regarding this project, please be sure to refer to the OPRHP Project Review (PR) number noted above. If you have any questions, please contact Campbell Higle at the following email address:

Campbell.Higle@parks.ny.gov

Sincerely,

R. Daniel Mackay

Deputy Commissioner for Historic Preservation Division for Historic Preservation

#### Full Environmental Assessment Form Part 1 - Project and Setting

#### **Instructions for Completing Part 1**

**Part 1 is to be completed by the applicant or project sponsor.** Responses become part of the application for approval or funding, are subject to public review, and may be subject to further verification.

Complete Part 1 based on information currently available. If additional research or investigation would be needed to fully respond to any item, please answer as thoroughly as possible based on current information; indicate whether missing information does not exist, or is not reasonably available to the sponsor; and, when possible, generally describe work or studies which would be necessary to update or fully develop that information.

Applicants/sponsors must complete all items in Sections A & B. In Sections C, D & E, most items contain an initial question that must be answered either "Yes" or "No". If the answer to the initial question is "Yes", complete the sub-questions that follow. If the answer to the initial question is "No", proceed to the next question. Section F allows the project sponsor to identify and attach any additional information. Section G requires the name and signature of the applicant or project sponsor to verify that the information contained in Part 1 is accurate and complete.

#### A. Project and Applicant/Sponsor Information.

Name of Action or Project:		
Project Location (describe, and attach a general location map):		
Brief Description of Proposed Action (include purpose or need):		
Name of Applicant/Sponsor:	Telephone:	
Tunio di Applicano Sponsoi.		
	E-Mail:	
Address:		
Address.		
City/PO:	State:	Zip Code:
City/1 o.	State.	zip couc.
Project Contact (if not same as sponsor; give name and title/role):	Telephone:	
	E-Mail:	
Address:		
Tidd Voo.		
C'. DO	g, ,	7' 0 1
City/PO:	State:	Zip Code:
Property Owner (if not same as sponsor):	Telephone:	
	E-Mail:	
	E Mun.	
Address:		
City/PO:	State:	Zip Code:

#### **B.** Government Approvals

B. Government Approvals, Funding, or Sponassistance.)	sorship. ("Funding" includes grants, loans, tax	relief, and any other	forms of financial
Government Entity	If Yes: Identify Agency and Approval(s) Required	Application (Actual or p	
a. City Counsel, Town Board, □ Yes □ No or Village Board of Trustees			
b. City, Town or Village ☐ Yes ☐ No Planning Board or Commission			
c. City, Town or ☐ Yes ☐ No Village Zoning Board of Appeals			
d. Other local agencies □ Yes □ No			
e. County agencies □ Yes □ No			
f. Regional agencies □ Yes □ No			
g. State agencies □ Yes □ No			
h. Federal agencies □ Yes □ No			
<ul><li>i. Coastal Resources.</li><li>i. Is the project site within a Coastal Area, o</li></ul>	r the waterfront area of a Designated Inland Wat	erway?	□ Yes □ No
<ul><li>ii. Is the project site located in a community</li><li>iii. Is the project site within a Coastal Erosion</li></ul>	with an approved Local Waterfront Revitalizatio Hazard Area?	n Program?	□ Yes □ No □ Yes □ No
C. Planning and Zoning			
C.1. Planning and zoning actions.			
<ul> <li>only approval(s) which must be granted to enable</li> <li>If Yes, complete sections C, F and G.</li> </ul>	mendment of a plan, local law, ordinance, rule or ole the proposed action to proceed? nplete all remaining sections and questions in Par	•	□ Yes □ No
C.2. Adopted land use plans.			
a. Do any municipally- adopted (city, town, vill where the proposed action would be located?	lage or county) comprehensive land use plan(s) in	nclude the site	□ Yes □ No
	ecific recommendations for the site where the pro-	posed action	□ Yes □ No
	ocal or regional special planning district (for exa ated State or Federal heritage area; watershed ma		□ Yes □ No
c. Is the proposed action located wholly or partion or an adopted municipal farmland protection If Yes, identify the plan(s):	ially within an area listed in an adopted municipan plan?	l open space plan,	□ Yes □ No

C.3. Zoning	
a. Is the site of the proposed action located in a municipality with an adopted zoning law or ordinance. If Yes, what is the zoning classification(s) including any applicable overlay district?	□ Yes □ No
b. Is the use permitted or allowed by a special or conditional use permit?	□ Yes □ No
c. Is a zoning change requested as part of the proposed action? If Yes,	□ Yes □ No
i. What is the proposed new zoning for the site?	
C.4. Existing community services.	
a. In what school district is the project site located?	
b. What police or other public protection forces serve the project site?	
c. Which fire protection and emergency medical services serve the project site?	
d. What parks serve the project site?	
D. Project Details	
D.1. Proposed and Potential Development	
a. What is the general nature of the proposed action (e.g., residential, industrial, commercial, recreational; if mixed components)?	, include all
b. a. Total acreage of the site of the proposed action? acres	
b. Total acreage to be physically disturbed? acres c. Total acreage (project site and any contiguous properties) owned or controlled by the applicant or project sponsor? acres	
c. Is the proposed action an expansion of an existing project or use?	□ Yes □ No
i. If Yes, what is the approximate percentage of the proposed expansion and identify the units (e.g., acres, miles, square feet)? % Units:	housing units,
d. Is the proposed action a subdivision, or does it include a subdivision?	□ Yes □ No
If Yes, <i>i.</i> Purpose or type of subdivision? (e.g., residential, industrial, commercial; if mixed, specify types)	
<ul><li>ii. Is a cluster/conservation layout proposed?</li><li>iii. Number of lots proposed?</li></ul>	□ Yes □ No
iv. Minimum and maximum proposed lot sizes? Minimum Maximum	
e. Will the proposed action be constructed in multiple phases?  i. If No, anticipated period of construction: months  ii. If Yes:	□ Yes □ No
<ul> <li>Total number of phases anticipated</li> <li>Anticipated commencement date of phase 1 (including demolition) month year</li> <li>Anticipated completion date of final phase month year</li> <li>Generally describe connections or relationships among phases, including any contingencies where progress determine timing or duration of future phases:</li> </ul>	

	t include new resid				□ Yes □ No
If Yes, show num	bers of units propo				
	One Family	Two Family	Three Family	Multiple Family (four or more)	
Initial Phase					
At completion					
of all phases					
D 4	1 1 1	• • • • •	1	1	- 77 - 77
	osed action include	new non-residentia	al construction (inclu	iding expansions)?	□ Yes □ No
If Yes,	of structures				
ii Dimensions (	in feet) of largest p	ronosed structure:	height:	width; andlength	
iii. Approximate	extent of building s	space to be heated	or cooled:	square feet	
				I result in the impoundment of any	□ Yes □ No
				result in the impoundment of any agoon or other storage?	⊔ res ⊔ No
If Yes,	s creation of a water	suppry, reservoir,	, pond, lake, waste ia	igoon of other storage:	
	impoundment:				
ii. If a water imp	impoundment:oundment, the prince	cipal source of the	water:	☐ Ground water ☐ Surface water stream	s □ Other specify:
iii. If other than w	vater, identify the ty	pe of impounded/o	contained liquids and	d their source.	
iv. Approximate	size of the proposed	d impoundment.	Volume:	million gallons; surface area:	acres
v. Dimensions o	f the proposed dam	or impounding str	ucture:	height; length	
				ructure (e.g., earth fill, rock, wood, conc	rete):
D.2. Project Op	erations				
			ning on Anadaina da	i	D Van D Na
				uring construction, operations, or both? or foundations where all excavated	□ Yes □ No
materials will r		mon, grading or in	stanation of utilities	or foundations where all excavated	
If Yes:	cmam onsite)				
	rnose of the excava	tion or dredging?			
				be removed from the site?	·
	at duration of time?				
				ged, and plans to use, manage or dispose	of them.
iv. Will there be	onsite dewatering of	or processing of ex	cavated materials?		□ Yes □ No
v What is the to	ital area to be dredge	ed or excavated?		_acres	
vi What is the m	avimum area to be	worked at any one	time?	acres	
		•		feet	
	vation require blast		n dreaging.	icct	□ Yes □ No
				crease in size of, or encroachment	□ Yes □ No
•	ng wetland, waterbo	ody, shoreline, bea	ch or adjacent area?		
If Yes:	.1 1 . 1 . 1	1.1	CC 4 1 /1		
				vater index number, wetland map number	
description):					

ii. Describe how the proposed action would affect that waterbody or wetland, e.g. excavation, fill, placem alteration of channels, banks and shorelines. Indicate extent of activities, alterations and additions in sq	
iii. Will the proposed action cause or result in disturbance to bottom sediments?  If Yes, describe:	Yes □ No
<i>iv</i> . Will the proposed action cause or result in the destruction or removal of aquatic vegetation? If Yes:	□ Yes □ No
acres of aquatic vegetation proposed to be removed:	
expected acreage of aquatic vegetation remaining after project completion:	
• purpose of proposed removal (e.g. beach clearing, invasive species control, boat access):	
proposed method of plant removal:	
if chemical/herbicide treatment will be used, specify product(s):	
v. Describe any proposed reclamation/mitigation following disturbance:	
. Will the proposed action use, or create a new demand for water?	□ Yes □ No
Yes:	
i. Total anticipated water usage/demand per day: gallons/day	
ii. Will the proposed action obtain water from an existing public water supply?	□ Yes □ No
Yes:	
Name of district or service area:	
Does the existing public water supply have capacity to serve the proposal?  Let be a principle of the principle of the proposal.	□ Yes □ No
• Is the project site in the existing district?	□ Yes □ No
Is expansion of the district needed?	□ Yes □ No
Do existing lines serve the project site?  Will be a serve the project site?	□ Yes □ No
ii. Will line extension within an existing district be necessary to supply the project? Yes:	□ Yes □ No
Describe extensions or capacity expansions proposed to serve this project:	
Source(s) of supply for the district:	
iv. Is a new water supply district or service area proposed to be formed to serve the project site? Yes:	□ Yes □ No
Applicant/sponsor for new district:	
Date application submitted or anticipated:	
Proposed source(s) of supply for new district:	
v. If a public water supply will not be used, describe plans to provide water supply for the project:	
vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:	_ gallons/minute.
. Will the proposed action generate liquid wastes?	□ Yes □ No
Yes:	
i. Total anticipated liquid waste generation per day: gallons/day	11 . 1
ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial; if combination, describe a approximate volumes or proportions of each):	
approximate volumes of proportions of each).	
i. Will the proposed action use any existing public wastewater treatment facilities?  If Yes:	□ Yes □ No
Name of wastewater treatment plant to be used:	
Name of district:	
<ul> <li>Does the existing wastewater treatment plant have capacity to serve the project?</li> </ul>	□ Yes □ No
<ul> <li>Is the project site in the existing district?</li> </ul>	□ Yes □ No
<ul> <li>Is expansion of the district needed?</li> </ul>	□ Yes □ No

Do existing sewer lines serve the project site?	□ Yes □ No
• Will a line extension within an existing district be necessary to serve the project?	□ Yes □ No
If Yes:	
Describe extensions or capacity expansions proposed to serve this project:	
iv. Will a new wastewater (sewage) treatment district be formed to serve the project site?	□ Yes □ No
If Yes:	
Applicant/sponsor for new district:	-
Date application submitted or anticipated:	
What is the receiving water for the wastewater discharge?	
v. If public facilities will not be used, describe plans to provide wastewater treatment for the project, including speci	fying proposed
receiving water (name and classification if surface discharge or describe subsurface disposal plans):	
vi. Describe any plans or designs to capture, recycle or reuse liquid waste:	
e. Will the proposed action disturb more than one acre and create stormwater runoff, either from new point sources (i.e. ditches, pipes, swales, curbs, gutters or other concentrated flows of stormwater) or non-point	□ Yes □ No
sources (i.e. thenes, pipes, swales, curbs, guiters of other concentrated flows of stormwater) of non-point source (i.e. sheet flow) during construction or post construction?	
If Yes:	
i. How much impervious surface will the project create in relation to total size of project parcel?	
Square feet or acres (impervious surface)	
Square feet or acres (parcel size)	
ii. Describe types of new point sources.	
iii. Where will the stormwater runoff be directed (i.e. on-site stormwater management facility/structures, adjacent pr groundwater, on-site surface water or off-site surface waters)?	
If to surface waters, identify receiving water bodies or wetlands:	
Will stormwater runoff flow to adjacent properties?	□ Yes □ No
<i>iv.</i> Does the proposed plan minimize impervious surfaces, use pervious materials or collect and re-use stormwater?	□ Yes □ No
f. Does the proposed action include, or will it use on-site, one or more sources of air emissions, including fuel	□ Yes □ No
combustion, waste incineration, or other processes or operations?	
If Yes, identify:	
i. Mobile sources during project operations (e.g., heavy equipment, fleet or delivery vehicles)	
ii. Stationary sources during construction (e.g., power generation, structural heating, batch plant, crushers)	
iii. Stationary sources during operations (e.g., process emissions, large boilers, electric generation)	
g. Will any air emission sources named in D.2.f (above), require a NY State Air Registration, Air Facility Permit,	□ Yes □ No
or Federal Clean Air Act Title IV or Title V Permit?	- 1 <b>c</b> 5 - 110
If Yes:	
i. Is the project site located in an Air quality non-attainment area? (Area routinely or periodically fails to meet	$\square$ Yes $\square$ No
ambient air quality standards for all or some parts of the year)	
ii. In addition to emissions as calculated in the application, the project will generate:	
•Tons/year (short tons) of Carbon Dioxide (CO <sub>2</sub> )	
•Tons/year (short tons) of Nitrous Oxide (N <sub>2</sub> O)	
•Tons/year (short tons) of Perfluorocarbons (PFCs)	
•Tons/year (short tons) of Sulfur Hexafluoride (SF <sub>6</sub> )	
•Tons/year (short tons) of Carbon Dioxide equivalent of Hydroflourocarbons (HFCs)	
• Tons/year (short tons) of Hazardous Air Pollutants (HAPs)	

h. Will the proposed action generate or emit methane (included landfills, composting facilities)?  If Yes:		□ Yes □ No
<ul><li>i. Estimate methane generation in tons/year (metric):</li><li>ii. Describe any methane capture, control or elimination meanieticity, flaring):</li></ul>	asures included in project design (e.g., combustion to ge	enerate heat or
Will the proposed action result in the release of air pollutar quarry or landfill operations?  If Yes: Describe operations and nature of emissions (e.g., die proposed in the proposed in the release of air pollutary quarry or landfill operations?  If Yes: Describe operations and nature of emissions (e.g., die proposed in the release of air pollutary quarry or landfill operations?		□ Yes □ No
<ul> <li>j. Will the proposed action result in a substantial increase in new demand for transportation facilities or services?</li> <li>If Yes: <ul> <li>i. When is the peak traffic expected (Check all that apply):</li> <li>□ Randomly between hours of to</li></ul></li></ul>	☐ Morning ☐ Evening ☐ Weekend 	□ Yes □ No
<ul> <li>iii. Parking spaces: Existing</li></ul>	ting roads, creation of new roads or change in existing a vailable within ½ mile of the proposed site? ortation or accommodations for use of hybrid, electric	Yes No
<ul> <li>k. Will the proposed action (for commercial or industrial profor energy?</li> <li>If Yes: <ul> <li>i. Estimate annual electricity demand during operation of the ii. Anticipated sources/suppliers of electricity for the project other):</li> <li>iii. Will the proposed action require a new, or an upgrade, to</li> </ul> </li> </ul>	t (e.g., on-site combustion, on-site renewable, via grid/lo	
Hours of operation. Answer all items which apply.     i. During Construction:	<ul> <li>ii. During Operations:</li> <li>Monday - Friday:</li> <li>Saturday:</li> <li>Sunday:</li> <li>Holidays:</li> </ul>	

m. Will the proposed action produce noise that will exceed existing ambient noise levels during construction,	□ Yes □ No
operation, or both? If yes:	
i. Provide details including sources, time of day and duration:	
	<del></del>
<i>ii.</i> Will the proposed action remove existing natural barriers that could act as a noise barrier or screen?	□ Yes □ No
Describe:	
n. Will the proposed action have outdoor lighting? If yes:	□ Yes □ No
<ul><li>i. Describe source(s), location(s), height of fixture(s), direction/aim, and proximity to nearest occupied structures:</li></ul>	
<i>ii.</i> Will proposed action remove existing natural barriers that could act as a light barrier or screen?	□ Yes □ No
Describe:	
o. Does the proposed action have the potential to produce odors for more than one hour per day?	□ Yes □ No
If Yes, describe possible sources, potential frequency and duration of odor emissions, and proximity to nearest	
occupied structures:	
p. Will the proposed action include any bulk storage of petroleum (combined capacity of over 1,100 gallons)	□ Yes □ No
or chemical products 185 gallons in above ground storage or any amount in underground storage?	
If Yes:	
<ul><li>i. Product(s) to be stored</li></ul>	
iii. Generally, describe the proposed storage facilities:	
q. Will the proposed action (commercial, industrial and recreational projects only) use pesticides (i.e., herbicides,	□ Yes □ No
insecticides) during construction or operation?	
<ul><li>If Yes:</li><li>i. Describe proposed treatment(s):</li></ul>	
ii. Will the proposed action use Integrated Pest Management Practices?	□ Yes □ No
r. Will the proposed action (commercial or industrial projects only) involve or require the management or disposal	□ Yes □ No
of solid waste (excluding hazardous materials)? If Yes:	
<i>i.</i> Describe any solid waste(s) to be generated during construction or operation of the facility:	
• Construction: tons per (unit of time)	
• Operation : tons per (unit of time)	
<ul><li>ii. Describe any proposals for on-site minimization, recycling or reuse of materials to avoid disposal as solid waste:</li><li>Construction:</li></ul>	
Construction.	
• Operation:	
iii. Proposed disposal methods/facilities for solid waste generated on-site:	<del></del>
Construction:	
Operation:	


s. Does the proposed action include construction or mod	ification of a solid waste mana	gement facility?	□ Yes □ No
If Yes:			
i. Type of management or handling of waste proposed	I for the site (e.g., recycling or	transfer station, compostin	g, landfill, or
other disposal activities):			
ii. Anticipated rate of disposal/processing:			
• Tons/month, if transfer or other non-		, or	
• Tons/hour, if combustion or thermal			
iii. If landfill, anticipated site life:	years		
t. Will the proposed action at the site involve the comme	ercial generation, treatment, sto	rage, or disposal of hazard	ous □ Yes □ No
waste?			
If Yes:			
i. Name(s) of all hazardous wastes or constituents to be	e generated, handled or manage	ed at facility:	
			<del></del>
=			
ii. Generally describe processes or activities involving	hazardous wastes or constituen	ts:	
iii. Specify amount to be handled or generatedt	ons/month		
<i>iv.</i> Describe any proposals for on-site minimization, rec		onstituents:	
w. Describe any proposais for on-site minimization, rec	Lyching of feuse of hazardous e	onstituents.	
v. Will any hazardous wastes be disposed at an existing	g offsite hazardous waste facili	ty?	□ Yes □ No
If Yes: provide name and location of facility:			
If No: describe proposed management of any hazardous	wastes which will not be sent	to a hazardous waste facilit	ty:
E. Site and Setting of Proposed Action			
E.1. Land uses on and surrounding the project site			
E.1. Land uses on and surrounding the project site			
a. Existing land uses.			
i. Check all uses that occur on, adjoining and near the			
		(non-farm)	
	r (specify):		
ii. If mix of uses, generally describe:			
b. Land uses and covertypes on the project site.			
Land use or	Current	Acreage After	Change
Covertype	Acreage	Project Completion	(Acres +/-)
Roads, buildings, and other paved or impervious	ricreage	Troject Completion	(Pieres 17)
surfaces			
• Forested			
Meadows, grasslands or brushlands (non-			
agricultural, including abandoned agricultural)			
Agricultural			
(includes active orchards, field, greenhouse etc.)			
Surface water features			
(lakes, ponds, streams, rivers, etc.)			
• Wetlands (freshwater or tidal)			
Non-vegetated (bare rock, earth or fill)			
• Other			
Describe:			
<del></del> -			

c. Is the project site presently used by members of the community for public recreation?	
i. If Yes: explain:	□ Yes □ No
d. Are there any facilities serving children, the elderly, people with disabilities (e.g., schools, hospitals, licensed day care centers, or group homes) within 1500 feet of the project site?  If Yes,  i. Identify Facilities:	□ Yes □ No
e. Does the project site contain an existing dam?	□ Yes □ No
If Yes:	□ Tes □ No
i. Dimensions of the dam and impoundment:	
• Dam height: feet	
• Dam length: feet	
• Surface area: acres	
• Volume impounded: gallons OR acre-feet ii. Dam's existing hazard classification:	
iii. Provide date and summarize results of last inspection:	
f. Has the project site ever been used as a municipal, commercial or industrial solid waste management facility, or does the project site adjoin property which is now, or was at one time, used as a solid waste management facility Yes:	□ Yes □ No lity?
i. Has the facility been formally closed?	□ Yes □ No
If yes, cite sources/documentation:	
<i>ii.</i> Describe the location of the project site relative to the boundaries of the solid waste management facility:	
iii. Describe any development constraints due to the prior solid waste activities:	
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:	□ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste?	□ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr	□ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr h. Potential contamination history. Has there been a reported spill at the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site?	□ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr h. Potential contamination history. Has there been a reported spill at the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site?  If Yes:  i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site	□ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site? If Yes:  i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site Remediation database? Check all that apply:	□ Yes □ No  red: □ Yes □ No □ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr h. Potential contamination history. Has there been a reported spill at the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site?  If Yes:  i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site	□ Yes □ No  red: □ Yes □ No □ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr remedial actions been conducted at or adjacent to the proposed site?  If Yes:  i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site Remediation database? Check all that apply:  Yes – Spills Incidents database  Provide DEC ID number(s):  Yes – Environmental Site Remediation database  Provide DEC ID number(s):  Neither database	□ Yes □ No  red: □ Yes □ No □ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr h. Potential contamination history. Has there been a reported spill at the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site?  If Yes:  i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site Remediation database? Check all that apply:  Yes - Spills Incidents database  Provide DEC ID number(s):  Neither database  ii. If site has been subject of RCRA corrective activities, describe control measures:  iii. Is the project within 2000 feet of any site in the NYSDEC Environmental Site Remediation database?	□ Yes □ No  red: □ Yes □ No □ Yes □ No
g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? If Yes:  i. Describe waste(s) handled and waste management activities, including approximate time when activities occurr he proposed waste(s) handled and waste management activities, including approximate time when activities occurr he proposed site? If Yes:  i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site Remediation database? Check all that apply:    Yes - Spills Incidents database	□ Yes □ No  red: □ Yes □ No □ Yes □ No

v. Is the project site subject to an institutional control limiting property uses?	□ Yes □ No
<ul> <li>If yes, DEC site ID number:</li> <li>Describe the type of institutional control (e.g., deed restriction or easement):</li> </ul>	
<ul> <li>Describe the type of institutional control (e.g., deed restriction or easement):</li> <li>Describe any use limitations:</li> </ul>	
Describe any engineering controls:	
<ul> <li>Will the project affect the institutional or engineering controls in place?</li> </ul>	□ Yes □ No
Explain:	
E.2. Natural Resources On or Near Project Site	
a. What is the average depth to bedrock on the project site? feet	
b. Are there bedrock outcroppings on the project site?	□ Yes □ No
If Yes, what proportion of the site is comprised of bedrock outcroppings?%	
c. Predominant soil type(s) present on project site:	%
	% %
	%
d. What is the average depth to the water table on the project site? Average: feet	
e. Drainage status of project site soils:   Well Drained:   % of site	
□ Moderately Well Drained:% of site	
□ Poorly Drained% of site	
f. Approximate proportion of proposed action site with slopes:   0-10%:  % of site	
□ 10-15%:% of site □ 15% or greater:% of site	
	D.V. D.N.
g. Are there any unique geologic features on the project site?  If Yes, describe:	□ Yes □ No
1 200, 400011001	
h. Surface water features.	
i. Does any portion of the project site contain wetlands or other waterbodies (including streams, rivers,	□ Yes □ No
ponds or lakes)?	
ii. Do any wetlands or other waterbodies adjoin the project site?	$\square$ Yes $\square$ No
If Yes to either <i>i</i> or <i>ii</i> , continue. If No, skip to E.2.i.	
iii. Are any of the wetlands or waterbodies within or adjoining the project site regulated by any federal,	□ Yes □ No
state or local agency?  iv. For each identified regulated wetland and waterbody on the project site, provide the following information	on.
• Streams: Name Classification	
<ul> <li>Lakes or Ponds: Name</li> <li>Classification</li> </ul>	
Wetlands: Name Approximate Size     Wetland No. (if regulated by DEC)	e
• Wetland No. (if regulated by DEC)	□ Yes □ No
waterbodies?	- 1 <b>c</b> s - 1(0
If yes, name of impaired water body/bodies and basis for listing as impaired:	
i. Is the project site in a designated Floodway?	□ Yes □ No
j. Is the project site in the 100-year Floodplain?	□ Yes □ No
k. Is the project site in the 500-year Floodplain?	□ Yes □ No
1. Is the project site located over, or immediately adjoining, a primary, principal or sole source aquifer?	□ Yes □ No
If Yes:  i. Name of aquifer:	
6. I value of aquitor.	

m. Identify the predominant wildlife species that occupy	y or use the project site:	
<ul><li>n. Does the project site contain a designated significant r</li><li>If Yes:</li><li>i. Describe the habitat/community (composition, function)</li></ul>	natural community? ion, and basis for designation):	□ Yes □ No
<ul> <li>ii. Source(s) of description or evaluation:</li> <li>iii. Extent of community/habitat:</li> <li>Currently:</li> <li>Following completion of project as proposed:</li> <li>Gain or loss (indicate + or -):</li> <li>O. Does project site contain any species of plant or anima</li> </ul>	acres acres acres	□ Yes □ No
	identified as habitat for an endangered or threatened spec	
<ul> <li>p. Does the project site contain any species of plant or a special concern?</li> <li>If Yes: <ul> <li>i. Species and listing:</li> </ul> </li> </ul>		□ Yes □ No
q. Is the project site or adjoining area currently used for I If yes, give a brief description of how the proposed actio	hunting, trapping, fishing or shell fishing? on may affect that use:	□ Yes □ No
E.3. Designated Public Resources On or Near Projec	et Site	
a. Is the project site, or any portion of it, located in a desi Agriculture and Markets Law, Article 25-AA, Section If Yes, provide county plus district name/number:	n 303 and 304?	□ Yes □ No
b. Are agricultural lands consisting of highly productive <i>i</i> . If Yes: acreage(s) on project site? <i>ii</i> . Source(s) of soil rating(s):	·	□ Yes □ No
c. Does the project site contain all or part of, or is it substitute. Natural Landmark?  If Yes:  i. Nature of the natural landmark: □ Biological  ii. Provide brief description of landmark, including val		□ Yes □ No
d. Is the project site located in or does it adjoin a state list If Yes:  i. CEA name:  ii. Basis for designation:	sted Critical Environmental Area?	□ Yes □ No
iii. Designating agency and date:		

e. Does the project site contain, or is it substantially contiguous to, a building, archaeological site, or district which is listed on the National or State Register of Historic Places, or that has been determined by the Commission Office of Parks, Recreation and Historic Preservation to be eligible for listing on the State Register of Historic Plates:  i. Nature of historic/archaeological resource:   Archaeological Site   Historic Building or District  ii. Name:  iii. Brief description of attributes on which listing is based:	
f. Is the project site, or any portion of it, located in or adjacent to an area designated as sensitive for archaeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory?	□ Yes □ No
g. Have additional archaeological or historic site(s) or resources been identified on the project site?  If Yes:  i. Describe possible resource(s):  ii. Basis for identification:	□ Yes □ No
h. Is the project site within fives miles of any officially designated and publicly accessible federal, state, or local scenic or aesthetic resource?  If Yes:  i. Identify resource:  ii. Nature of, or basis for, designation (e.g., established highway overlook, state or local park, state historic trail or etc.):	□ Yes □ No
etc.): miles.	
<ul> <li>i. Is the project site located within a designated river corridor under the Wild, Scenic and Recreational Rivers Program 6 NYCRR 666?</li> <li>If Yes: <ul> <li>i. Identify the name of the river and its designation:</li> </ul> </li> </ul>	□ Yes □ No
ii. Is the activity consistent with development restrictions contained in 6NYCRR Part 666?	□ Yes □ No
F. Additional Information Attach any additional information which may be needed to clarify your project.  If you have identified any adverse impacts which could be associated with your proposal, please describe those immeasures which you propose to avoid or minimize them.	pacts plus any
<b>G. Verification</b> I certify that the information provided is true to the best of my knowledge.	
Applicant/Sponsor Name Date	<u></u>
Signature Kenneth C. Zollitach Title	



**Disclaimer:** The EAF Mapper is a screening tool intended to assist project sponsors and reviewing agencies in preparing an environmental assessment form (EAF). Not all questions asked in the EAF are answered by the EAF Mapper. Additional information on any EAF question can be obtained by consulting the EAF Workbooks. Although the EAF Mapper provides the most up-to-date digital data available to DEC, you may also need to contact local or other data sources in order to obtain data not provided by the Mapper. Digital data is not a substitute for agency determinations.



B.i.i [Coastal or Waterfront Area]	No
B.i.ii [Local Waterfront Revitalization Area]	No
C.2.b. [Special Planning District]	Yes - Digital mapping data are not available for all Special Planning Districts. Refer to EAF Workbook.
C.2.b. [Special Planning District - Name]	NYS Heritage Areas:West Erie Canal Corridor
E.1.h [DEC Spills or Remediation Site - Potential Contamination History]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.i [DEC Spills or Remediation Site - Listed]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.i [DEC Spills or Remediation Site - Environmental Site Remediation Database]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.iii [Within 2,000' of DEC Remediation Site]	No
E.2.g [Unique Geologic Features]	No
E.2.h.i [Surface Water Features]	Yes
E.2.h.ii [Surface Water Features]	Yes
E.2.h.iii [Surface Water Features]	Yes - Digital mapping information on local and federal wetlands and waterbodies is known to be incomplete. Refer to EAF Workbook.
E.2.h.iv [Surface Water Features - Wetlands Name]	Federal Waters
E.2.h.v [Impaired Water Bodies]	Yes
E.2.h.v [Impaired Water Bodies - Name and Basis for Listing]	Name - Pollutants - Uses:Ransom Creek, Upper, and tribs – Pathogens;D.O./Oxygen Demand – Recreation;Aquatic Life
E.2.i. [Floodway]	No
E.2.j. [100 Year Floodplain]	No
E.2.k. [500 Year Floodplain]	No

E.2.I. [Aquifers]	No
E.2.n. [Natural Communities]	No
E.2.o. [Endangered or Threatened Species]	No
E.2.p. [Rare Plants or Animals]	No
E.3.a. [Agricultural District]	No
E.3.c. [National Natural Landmark]	No
E.3.d [Critical Environmental Area]	No
E.3.e. [National or State Register of Historic Places or State Eligible Sites]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.3.f. [Archeological Sites]	Yes
E.3.i. [Designated River Corridor]	No

#### Full Environmental Assessment Form Part 2 - Identification of Potential Project Impacts

	Agency Use Only [If applicable]
Project :	SGC Development LLC. Major Subdivision
Date:	12-03-2025

Part 2 is to be completed by the lead agency. Part 2 is designed to help the lead agency inventory all potential resources that could be affected by a proposed project or action. We recognize that the lead agency's reviewer(s) will not necessarily be environmental professionals. So, the questions are designed to walk a reviewer through the assessment process by providing a series of questions that can be answered using the information found in Part 1. To further assist the lead agency in completing Part 2, the form identifies the most relevant questions in Part 1 that will provide the information needed to answer the Part 2 question. When Part 2 is completed, the lead agency will have identified the relevant environmental areas that may be impacted by the proposed activity.

If the lead agency is a state agency and the action is in any Coastal Area, complete the Coastal Assessment Form before proceeding with this assessment.

#### **Tips for completing Part 2:**

- Review all of the information provided in Part 1.
- Review any application, maps, supporting materials and the Full EAF Workbook.
- Answer each of the 18 questions in Part 2.
- If you answer "Yes" to a numbered question, please complete all the questions that follow in that section.
- If you answer "No" to a numbered question, move on to the next numbered question.
- Check appropriate column to indicate the anticipated size of the impact.
- Proposed projects that would exceed a numeric threshold contained in a question should result in the reviewing agency checking the box "Moderate to large impact may occur."
- The reviewer is not expected to be an expert in environmental analysis.
- If you are not sure or undecided about the size of an impact, it may help to review the sub-questions for the general question and consult the workbook.
- When answering a question consider all components of the proposed activity, that is, the "whole action".
- Consider the possibility for long-term and cumulative impacts as well as direct impacts.
- Answer the question in a reasonable manner considering the scale and context of the project.

	1 3		
1. Impact on Land Proposed action may involve construction on, or physical alteration of, the land surface of the proposed site. (See Part 1. D.1)  If "Yes", answer questions a - j. If "No", move on to Section 2.	□no		YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may involve construction on land where depth to water table is less than 3 feet.	E2d		
b. The proposed action may involve construction on slopes of 15% or greater.	E2f		
c. The proposed action may involve construction on land where bedrock is exposed, or generally within 5 feet of existing ground surface.	E2a		
d. The proposed action may involve the excavation and removal of more than 1,000 tons of natural material.	D2a	Ø	
e. The proposed action may involve construction that continues for more than one year or in multiple phases.	D1e	Ø	
f. The proposed action may result in increased erosion, whether from physical disturbance or vegetation removal (including from treatment by herbicides).	D2e, D2q		
g. The proposed action is, or may be, located within a Coastal Erosion hazard area.	B1i		
h. Other impacts:			

2. Impact on Geological Features			
The proposed action may result in the modification or destruction of, or inhib access to, any unique or unusual land forms on the site (e.g., cliffs, dunes, minerals, fossils, caves). (See Part 1. E.2.g)	it ☑NO ☐YES		YES
If "Yes", answer questions a - c. If "No", move on to Section 3.	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. Identify the specific land form(s) attached:	E2g		
b. The proposed action may affect or is adjacent to a geological feature listed as a registered National Natural Landmark.  Specific feature:	E3c		
c. Other impacts:			
3. Impacts on Surface Water  The proposed action may affect one or more wetlands or other surface water bodies (e.g., streams, rivers, ponds or lakes). (See Part 1. D.2, E.2.h)  If "Yes", answer questions a - l. If "No", move on to Section 4.	□NC		YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may create a new water body.	D2b, D1h	$\square$	
b. The proposed action may result in an increase or decrease of over 10% or more than a 10 acre increase or decrease in the surface area of any body of water.	D2b	Ø	
c. The proposed action may involve dredging more than 100 cubic yards of material from a wetland or water body.	D2a	Ø	
d. The proposed action may involve construction within or adjoining a freshwater or tidal wetland, or in the bed or banks of any other water body.	E2h	Ø	
e. The proposed action may create turbidity in a waterbody, either from upland erosion, runoff or by disturbing bottom sediments.	D2a, D2h	Ø	
f. The proposed action may include construction of one or more intake(s) for withdrawal of water from surface water.	D2c	Ø	
g. The proposed action may include construction of one or more outfall(s) for discharge of wastewater to surface water(s).	D2d	Ø	
h. The proposed action may cause soil erosion, or otherwise create a source of stormwater discharge that may lead to siltation or other degradation of receiving water bodies.	D2e	Ø	
i. The proposed action may affect the water quality of any water bodies within or downstream of the site of the proposed action.	E2h	Ø	
j. The proposed action may involve the application of pesticides or herbicides in or around any water body.	D2q, E2h	Ø	
k. The proposed action may require the construction of new, or expansion of existing, wastewater treatment facilities.	D1a, D2d	Ø	

1. Other impacts:			
4. Impact on groundwater			
The proposed action may result in new or additional use of ground water, or may have the potential to introduce contaminants to ground water or an aquiform (See Part 1. D.2.a, D.2.c, D.2.d, D.2.p, D.2.q, D.2.t)  If "Yes", answer questions a - h. If "No", move on to Section 5.	□NC er.	)	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may require new water supply wells, or create additional demand on supplies from existing water supply wells.	D2c		
b. Water supply demand from the proposed action may exceed safe and sustainable withdrawal capacity rate of the local supply or aquifer.  Cite Source:	D2c	Ø	
c. The proposed action may allow or result in residential uses in areas without water and sewer services.	D1a, D2c		
d. The proposed action may include or require wastewater discharged to groundwater.	D2d, E21		
e. The proposed action may result in the construction of water supply wells in locations where groundwater is, or is suspected to be, contaminated.	D2c, E1f, E1g, E1h	Ø	
f. The proposed action may require the bulk storage of petroleum or chemical products over ground water or an aquifer.	D2p, E2l	Ø	
g. The proposed action may involve the commercial application of pesticides within 100 feet of potable drinking water or irrigation sources.	E2h, D2q, E2l, D2c	Ø	
h. Other impacts:			
5. Impact on Flooding  The proposed action may result in development on lands subject to flooding.  (See Part 1. E.2)  If "Yes", answer questions a - g. If "No", move on to Section 6.	<b>✓</b> NO		YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may result in development in a designated floodway.	E2i		
b. The proposed action may result in development within a 100 year floodplain.	E2j		
c. The proposed action may result in development within a 500 year floodplain.	E2k		
d. The proposed action may result in, or require, modification of existing drainage patterns.	D2b, D2e		
e. The proposed action may change flood water flows that contribute to flooding.	D2b, E2i, E2j, E2k		
f. If there is a dam located on the site of the proposed action, is the dam in need of repair, or upgrade?	Ele		

g. Other impacts:			
6. Impacts on Air  The proposed action may include a state regulated air emission source.  (See Part 1. D.2.f., D.2.h, D.2.g)  If "Yes", answer questions a - f. If "No", move on to Section 7.	✓NO	· 🗀	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
<ul> <li>a. If the proposed action requires federal or state air emission permits, the action may also emit one or more greenhouse gases at or above the following levels: <ol> <li>i. More than 1000 tons/year of carbon dioxide (CO<sub>2</sub>)</li> <li>ii. More than 3.5 tons/year of nitrous oxide (N<sub>2</sub>O)</li> <li>iii. More than 1000 tons/year of carbon equivalent of perfluorocarbons (PFCs)</li> <li>iv. More than .045 tons/year of sulfur hexafluoride (SF<sub>6</sub>)</li> <li>v. More than 1000 tons/year of carbon dioxide equivalent of hydrochloroflourocarbons (HFCs) emissions</li> <li>vi. 43 tons/year or more of methane</li> </ol> </li> </ul>	D2g D2g D2g D2g D2g D2g		
b. The proposed action may generate 10 tons/year or more of any one designated hazardous air pollutant, or 25 tons/year or more of any combination of such hazardous air pollutants.	D2g		
c. The proposed action may require a state air registration, or may produce an emissions rate of total contaminants that may exceed 5 lbs. per hour, or may include a heat source capable of producing more than 10 million BTU's per hour.	D2f, D2g		
d. The proposed action may reach 50% of any of the thresholds in "a" through "c", above.	D2g		
e. The proposed action may result in the combustion or thermal treatment of more than 1 ton of refuse per hour.	D2s		
f. Other impacts:			
7. Impact on Plants and Animals  The proposed action may result in a loss of flora or fauna. (See Part 1. E.2. r  If "Yes", answer questions a - j. If "No", move on to Section 8.	mq.)	✓NO	□YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may cause reduction in population or loss of individuals of any threatened or endangered species, as listed by New York State or the Federal government, that use the site, or are found on, over, or near the site.	E2o		
b. The proposed action may result in a reduction or degradation of any habitat used by any rare, threatened or endangered species, as listed by New York State or the federal government.	E2o		
c. The proposed action may cause reduction in population, or loss of individuals, of any species of special concern or conservation need, as listed by New York State or the Federal government, that use the site, or are found on, over, or near the site.	E2p		
d. The proposed action may result in a reduction or degradation of any habitat used by any species of special concern and conservation need, as listed by New York State or the Federal government.	E2p		

e. The proposed action may diminish the capacity of a registered National Natural Landmark to support the biological community it was established to protect.	Е3с		
f. The proposed action may result in the removal of, or ground disturbance in, any portion of a designated significant natural community.  Source:	E2n		
g. The proposed action may substantially interfere with nesting/breeding, foraging, or over-wintering habitat for the predominant species that occupy or use the project site.	E2m		
h. The proposed action requires the conversion of more than 10 acres of forest, grassland or any other regionally or locally important habitat.  Habitat type & information source:	E1b		
i. Proposed action (commercial, industrial or recreational projects, only) involves use of herbicides or pesticides.	D2q		
j. Other impacts:			
8. Impact on Agricultural Resources The proposed action may impact agricultural resources. (See Part 1. E.3.a. a If "Yes", answer questions a - h. If "No", move on to Section 9.	nd b.)	NO	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may impact soil classified within soil group 1 through 4 of the NYS Land Classification System.	Part I	small impact	to large impact may
	Part I Question(s)	small impact may occur	to large impact may occur
NYS Land Classification System.  b. The proposed action may sever, cross or otherwise limit access to agricultural land	Part I Question(s)	small impact may occur	to large impact may occur
NYS Land Classification System.  b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).  c. The proposed action may result in the excavation or compaction of the soil profile of	Part I Question(s) E2c, E3b E1a, Elb	small impact may occur	to large impact may occur
<ul> <li>NYS Land Classification System.</li> <li>b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).</li> <li>c. The proposed action may result in the excavation or compaction of the soil profile of active agricultural land.</li> <li>d. The proposed action may irreversibly convert agricultural land to non-agricultural uses, either more than 2.5 acres if located in an Agricultural District, or more than 10</li> </ul>	Part I Question(s)  E2c, E3b  E1a, Elb  E3b	small impact may occur	to large impact may occur
<ul> <li>NYS Land Classification System.</li> <li>b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).</li> <li>c. The proposed action may result in the excavation or compaction of the soil profile of active agricultural land.</li> <li>d. The proposed action may irreversibly convert agricultural land to non-agricultural uses, either more than 2.5 acres if located in an Agricultural District, or more than 10 acres if not within an Agricultural District.</li> <li>e. The proposed action may disrupt or prevent installation of an agricultural land</li> </ul>	Part I Question(s)  E2c, E3b  E1a, Elb  E3b  E1b, E3a	small impact may occur	to large impact may occur
<ul> <li>NYS Land Classification System.</li> <li>b. The proposed action may sever, cross or otherwise limit access to agricultural land (includes cropland, hayfields, pasture, vineyard, orchard, etc).</li> <li>c. The proposed action may result in the excavation or compaction of the soil profile of active agricultural land.</li> <li>d. The proposed action may irreversibly convert agricultural land to non-agricultural uses, either more than 2.5 acres if located in an Agricultural District, or more than 10 acres if not within an Agricultural District.</li> <li>e. The proposed action may disrupt or prevent installation of an agricultural land management system.</li> <li>f. The proposed action may result, directly or indirectly, in increased development</li> </ul>	Part I Question(s)  E2c, E3b  E1a, Elb  E3b  E1b, E3a  El a, E1b  C2c, C3,	small impact may occur	to large impact may occur

9. Impact on Aesthetic Resources  The land use of the proposed action are obviously different from, or are in sharp contrast to, current land use patterns between the proposed project and a scenic or aesthetic resource. (Part 1. E.1.a, E.1.b, E.3.h.)  If "Yes", answer questions a - g. If "No", go to Section 10.	<b>∑</b> N0	) [	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. Proposed action may be visible from any officially designated federal, state, or local scenic or aesthetic resource.	E3h		
b. The proposed action may result in the obstruction, elimination or significant screening of one or more officially designated scenic views.	E3h, C2b		
c. The proposed action may be visible from publicly accessible vantage points: i. Seasonally (e.g., screened by summer foliage, but visible during other seasons) ii. Year round	E3h		
d. The situation or activity in which viewers are engaged while viewing the proposed	E3h		
action is:	E2q,		
<ul><li>i. Routine travel by residents, including travel to and from work</li><li>ii. Recreational or tourism based activities</li></ul>	E1c		
e. The proposed action may cause a diminishment of the public enjoyment and appreciation of the designated aesthetic resource.	E3h		
f. There are similar projects visible within the following distance of the proposed project:  0-1/2 mile 1/2 -3 mile 3-5 mile 5+ mile			
g. Other impacts:			
10. Impact on Historic and Archeological Resources  The proposed action may occur in or adjacent to a historic or archaeological resource. (Part 1. E.3.e, f. and g.)  If "Yes", answer questions a - e. If "No", go to Section 11.		) <u>/</u>	YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may occur wholly or partially within, or substantially contiguous to, any buildings, archaeological site or district which is listed on the National or State Register of Historical Places, or that has been determined by the Commissioner of the NYS Office of Parks, Recreation and Historic Preservation to be eligible for listing on the State Register of Historic Places.	E3e	Ø	
b. The proposed action may occur wholly or partially within, or substantially contiguous to, an area designated as sensitive for archaeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory.	E3f	Ø	
c. The proposed action may occur wholly or partially within, or substantially contiguous to, an archaeological site not included on the NY SHPO inventory.		Ø	

d. Other impacts:			
If any of the above (a-d) are answered "Moderate to large impact may e. occur", continue with the following questions to help support conclusions in Part 3:			
<ol> <li>The proposed action may result in the destruction or alteration of all or part of the site or property.</li> </ol>	E3e, E3g, E3f		
<ol> <li>The proposed action may result in the alteration of the property's setting or integrity.</li> </ol>	E3e, E3f, E3g, E1a, E1b		
iii. The proposed action may result in the introduction of visual elements which are out of character with the site or property, or may alter its setting.	E3e, E3f, E3g, E3h, C2, C3		
11. Impact on Open Space and Recreation  The proposed action may result in a loss of recreational opportunities or a reduction of an open space resource as designated in any adopted municipal open space plan.  (See Part 1. C.2.c, E.1.c., E.2.q.)  If "Yes", answer questions a - e. If "No", go to Section 12.	<b>√</b> N0	) [	YES
y saw manary y saw y saw ge sa wasan saw	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may result in an impairment of natural functions, or "ecosystem services", provided by an undeveloped area, including but not limited to stormwater storage, nutrient cycling, wildlife habitat.	D2e, E1b E2h, E2m, E2o, E2n, E2p		
b. The proposed action may result in the loss of a current or future recreational resource.	C2a, E1c, C2c, E2q		
c. The proposed action may eliminate open space or recreational resource in an area with few such resources.	C2a, C2c E1c, E2q		
d. The proposed action may result in loss of an area now used informally by the community as an open space resource.	C2c, E1c		
e. Other impacts:			
12. Impact on Critical Environmental Areas  The proposed action may be located within or adjacent to a critical environmental area (CEA). (See Part 1. E.3.d)  If "Yes", answer questions a - c. If "No", go to Section 13.	✓ No	) [	YES
ij les , unswer questions a - c. ij ivo , go to section 13.	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may result in a reduction in the quantity of the resource or characteristic which was the basis for designation of the CEA.	E3d		
b. The proposed action may result in a reduction in the quality of the resource or characteristic which was the basis for designation of the CEA.	E3d		
c. Other impacts:			

13. Impact on Transportation  The proposed action may result in a change to existing transportation systems (See Part 1. D.2.j)  If "Yes", answer questions a - f. If "No", go to Section 14.	. <u> </u>		YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. Projected traffic increase may exceed capacity of existing road network.	D2j	V	
b. The proposed action may result in the construction of paved parking area for 500 or more vehicles.	D2j	Ø	
c. The proposed action will degrade existing transit access.	D2j	Ø	
d. The proposed action will degrade existing pedestrian or bicycle accommodations.	D2j	Ø	
e. The proposed action may alter the present pattern of movement of people or goods.	D2j	Ø	
f. Other impacts:			
14. Impact on Energy The proposed action may cause an increase in the use of any form of energy. (See Part 1. D.2.k)  If "Yes", answer questions a - e. If "No", go to Section 15.			YES
	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action will require a new, or an upgrade to an existing, substation.	D2k	Ø	
b. The proposed action will require the creation or extension of an energy transmission or supply system to serve more than 50 single or two-family residences or to serve a commercial or industrial use.	D1f, D1q, D2k	Ø	
c. The proposed action may utilize more than 2,500 MWhrs per year of electricity.	D2k	Ø	
d. The proposed action may involve heating and/or cooling of more than 100,000 square feet of building area when completed.	Dlg		
e. Other Impacts:			
15. Impact on Noise, Odor, and Light  The proposed action may result in an increase in noise, odors, or outdoor ligh (See Part 1. D.2.m., n., and o.)  If "Yes", answer questions a - f. If "No", go to Section 16.	ting. NC		YES
	Relevant Part I Question(s)	No, or small	Moderate to large impact may
a. The proposed action may produce sound above noise levels established by local		impact may occur	occur
regulation.	D2m	-	
b. The proposed action may result in blasting within 1,500 feet of any residence, hospital, school, licensed day care center, or nursing home.		may occur	occur

d. The proposed action may result in light shining onto adjoining properties.	D2n	Ø	
e. The proposed action may result in lighting creating sky-glow brighter than existing area conditions.	D2n, E1a	Ø	
f. Other impacts:			
<b>16. Impact on Human Health</b> The proposed action may have an impact on human health from exposure to new or existing sources of contaminants. (See Part 1.D.2.q., E.1. d. f. g. ar <i>If "Yes", answer questions a - m. If "No", go to Section 17.</i>	nd h.)	o 🗆	YES
	Relevant Part I Question(s)	No,or small impact may cccur	Moderate to large impact may occur
a. The proposed action is located within 1500 feet of a school, hospital, licensed day care center, group home, nursing home or retirement community.	E1d		
b. The site of the proposed action is currently undergoing remediation.	E1g, E1h		
c. There is a completed emergency spill remediation, or a completed environmental site remediation on, or adjacent to, the site of the proposed action.	Elg, Elh		
d. The site of the action is subject to an institutional control limiting the use of the property (e.g., easement or deed restriction).	Elg, Elh		
e. The proposed action may affect institutional control measures that were put in place to ensure that the site remains protective of the environment and human health.	Elg, Elh		
f. The proposed action has adequate control measures in place to ensure that future generation, treatment and/or disposal of hazardous wastes will be protective of the environment and human health.	D2t		
g. The proposed action involves construction or modification of a solid waste management facility.	D2q, E1f		
h. The proposed action may result in the unearthing of solid or hazardous waste.	D2q, E1f		
i. The proposed action may result in an increase in the rate of disposal, or processing, of solid waste.	D2r, D2s		
j. The proposed action may result in excavation or other disturbance within 2000 feet of a site used for the disposal of solid or hazardous waste.	E1f, E1g E1h		
k. The proposed action may result in the migration of explosive gases from a landfill site to adjacent off site structures.	E1f, E1g		
l. The proposed action may result in the release of contaminated leachate from the project site.	D2s, E1f, D2r		
m. Other impacts:			

17. Consistency with Community Plans  The proposed action is not consistent with adopted land use plans.  (See Part 1. C.1, C.2. and C.3.)	✓NO	Y	YES
If "Yes", answer questions a - h. If "No", go to Section 18.			
If 165 , unis net questions a n. If 116 , go to section 16.	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action's land use components may be different from, or in sharp contrast to, current surrounding land use pattern(s).	C2, C3, D1a E1a, E1b		
b. The proposed action will cause the permanent population of the city, town or village in which the project is located to grow by more than 5%.	C2		
c. The proposed action is inconsistent with local land use plans or zoning regulations.	C2, C2, C3		
d. The proposed action is inconsistent with any County plans, or other regional land use plans.	C2, C2		
e. The proposed action may cause a change in the density of development that is not supported by existing infrastructure or is distant from existing infrastructure.	C3, D1c, D1d, D1f, D1d, Elb		
f. The proposed action is located in an area characterized by low density development that will require new or expanded public infrastructure.	C4, D2c, D2d D2j		
g. The proposed action may induce secondary development impacts (e.g., residential or commercial development not included in the proposed action)	C2a		
h. Other:			
18. Consistency with Community Character  The proposed project is inconsistent with the existing community character.  (See Part 1. C.2, C.3, D.2, E.3)  If "Yes", answer questions a - g. If "No", proceed to Part 3.	✓NO		YES
zy 100 y mis.re. questiona w g. 2, 110 y p. 0000 no 1 m. 001	Relevant Part I Question(s)	No, or small impact may occur	Moderate to large impact may occur
a. The proposed action may replace or eliminate existing facilities, structures, or areas of historic importance to the community.	E3e, E3f, E3g		
b. The proposed action may create a demand for additional community services (e.g. schools, police and fire)	C4		
c. The proposed action may displace affordable or low-income housing in an area where there is a shortage of such housing.	C2, C3, D1f D1g, E1a		
d. The proposed action may interfere with the use or enjoyment of officially recognized or designated public resources.	C2, E3		
e. The proposed action is inconsistent with the predominant architectural scale and character.	C2, C3		
f. Proposed action is inconsistent with the character of the existing natural landscape.	C2, C3 E1a, E1b E2g, E2h		
g. Other impacts:			

Project : SGC Development LLC. Major Subdivision

Date: 12-03-2025

#### Full Environmental Assessment Form Part 3 - Evaluation of the Magnitude and Importance of Project Impacts and Determination of Significance

Part 3 provides the reasons in support of the determination of significance. The lead agency must complete Part 3 for every question in Part 2 where the impact has been identified as potentially moderate to large or where there is a need to explain why a particular element of the proposed action will not, or may, result in a significant adverse environmental impact.

Based on the analysis in Part 3, the lead agency must decide whether to require an environmental impact statement to further assess the proposed action or whether available information is sufficient for the lead agency to conclude that the proposed action will not have a significant adverse environmental impact. By completing the certification on the next page, the lead agency can complete its determination of significance.

#### **Reasons Supporting This Determination:**

Identify portions of EAF completed for this Project: Part 1

To complete this section:

- Identify the impact based on the Part 2 responses and describe its magnitude. Magnitude considers factors such as severity, size or extent of an impact.
- Assess the importance of the impact. Importance relates to the geographic scope, duration, probability of the impact occurring, number of people affected by the impact and any additional environmental consequences if the impact were to
- The assessment should take into consideration any design element or project changes.
- Repeat this process for each Part 2 question where the impact has been identified as potentially moderate to large or where there is a need to explain why a particular element of the proposed action will not, or may, result in a significant adverse environmental impact.
- Provide the reason(s) why the impact may, or will not, result in a significant adverse environmental impact
- For Conditional Negative Declarations identify the specific condition(s) imposed that will modify the proposed action so that no significant adverse environmental impacts will result.

•	-	al sheets, as needed.	p				
After a tho o the envi	orough review with ir ironment. See attacl	nvolved and interested a hed part 3b for the reas	agencies, it has been de sons supporting this dete	etermined that the Pro ermination.	posed Project will not hav	ve significant adverse impacts	
		Determinatio	on of Significance	e - Type 1 and U	Unlisted Actions		_
SEQR S	Status:	✓ Type 1	Unlisted				

Part 2

✓ Part 3

Upon review of the information recorded on this EAF, as noted, plus this additional support information		
and considering both the magnitude and importance of each identified potential impact, it is the conclusion Town of Clarence Planning Board as lead	n of the d agency that	t:
A. This project will result in no significant adverse impacts on the environment, and, therefore, an estatement need not be prepared. Accordingly, this negative declaration is issued.	nvironmenta	l impact
B. Although this project could have a significant adverse impact on the environment, that impact wi substantially mitigated because of the following conditions which will be required by the lead agency:	ll be avoided	l or
There will, therefore, be no significant adverse impacts from the project as conditioned, and, therefore, thi declaration is issued. A conditioned negative declaration may be used only for UNLISTED actions (see 6		
C. This Project may result in one or more significant adverse impacts on the environment, and an er statement must be prepared to further assess the impact(s) and possible mitigation and to explore alternation impacts. Accordingly, this positive declaration is issued.		
Name of Action: SGC Development LLC. Major Subdivision		
Name of Lead Agency: Town of Clarence Planning Board		
Name of Responsible Officer in Lead Agency: Robert Sackett		
Title of Responsible Officer: Planning Board Chair		
Signature of Responsible Officer in Lead Agency:	Date:	12-03-2025
Signature of Preparer (if different from Responsible Officer)	Date:	12-03-2025
For Further Information:		
Contact Person: Jonathan Bleuer		
Address: 1 Town Place, Clarence, NY 14031		
Telephone Number: 716-741-8933		
E-mail: jbleuer@clarence.ny.us		
For Type 1 Actions and Conditioned Negative Declarations, a copy of this Notice is sent to:		
Chief Executive Officer of the political subdivision in which the action will be principally located (e.g., To Other involved agencies (if any) Applicant (if any) Environmental Notice Bulletin: <a href="http://www.dec.ny.gov/enb/enb.html">http://www.dec.ny.gov/enb/enb.html</a>	own / City / `	Village of)

#### **FEAF Part 3b Reasons Supporting this Determination:**

Project Name: SGC Development LLC. Major Subdivision

Project Location: Southeast Corner of Strickler Road & Greiner Road

SBLs: 72.01-4-6 | 72.01-4-7 | 72.01-4-8 | 72.01-4-9

Date: 12-03-2025

#### **Executive Summary:**

The "Project Site" is located as the southeast corner of Greiner Road and Strickler Road, and consists of SBLs: 72.01-4-6 | 72.01-4-7 | 72.01-4-8 | 72.01-4-9. The Project Site consists of +/- 81.5 acres of vacant land and is zoned as Residential Single-Family ("R-SF") pursuant to the Town of Clarence Zoning Map. Additionally, the Project Site is within the boundaries of Erie County Sewer District #5. The Proposed Project is a 62-lot major subdivision with access to Strickler Road and Greiner Road. The applicant is proposing an incentive-lot design, with lots containing a minimum of 19,250 sqft and 110' of frontage. Approximately 45% of the site is proposed to remain natural as permanent greenspace.

After a thorough review with involved and interested agencies, it has been determined that the Proposed Project will not have a potentially significant adverse impact to the environment. The Proposed Project is in keeping with the zoning classifications recommended land use, design guidelines, and site layout standards. *Clarence 2030 – Town of Clarence Comprehensive Plan*, encourages context sensitive residential development within the Town of Clarence.

#### 1. Impact on Land:

The Proposed Project involves ground disturbance to vacant and undeveloped land. The depth to water table is less than three feet in sections of the Project Site. Approximately 1.7% of the Project Site contains slopes of 15% or greater; however, construction activities in furtherance with the Proposed Project would not significantly impact nor significantly alter the areas of these sections of the Project Site.

As part of the Development Plan review, the Project Sponsor will be required to identify all excavation areas and meet the stringent standards associated with construction of areas found to contain a high-water table. Such condition shall also be given to structure foundation and basement type. Bedrock is within 5 feet of the existing ground surface on certain portions of the Project Site. While blasting is not expected, if blasting is necessary for infrastructure installation it shall be subject to compliance with all Federal, State and Local Laws and regulations. In addition, seismographs shall be deployed to monitor all blasts. Vibration and air blast over-pressure shall stay within the United States Bureau of Mines criteria. An audible warning system will be implemented to secure the blast area. Finally, and prior to any blasting, a Blast Plan shall be formulated by the blasting company on behalf of the Project Sponsor, in

compliance with all Federal State and Local Laws and regulations. The Proposed Project will not involve the excavation and removal of more than 1,000 tons of natural material.

Since the Proposed Project will result in disturbance of more than one acre of land, a Stormwater Pollution Prevention Plan ("SWPPP") prepared by a licensed engineering firm will be required and the SWPPP will need to be reviewed and approved by the Town Engineering Department prior to site disturbance. The Proposed Project will result in physical disturbance and vegetation removal; however, this potential impact is not significant since construction activities will need to comply with required applicable erosion and sediment control measures. Such erosion and sediment control measures will be specified in the engineered plans to be prepared by a licensed engineering firm as well as the required SWPPP. The proposed erosion control measures will be reviewed by the Town Engineering Department during the Development Plan Application review process. The Project Site is not located within a designated Coastal Erosion hazard area.

Currently, the Proposed Project is anticipated to occur in four (4) phases and the construction of the Proposed Project is anticipated to occur for a period of more than one year. Construction activities in furtherance of the Proposed Project will be intermittent and represent a temporary and unavoidable adverse impact that is not potentially significant. During construction, the Proposed Project will need to comply with the applicable stringent standards for stormwater quality and storm quantity management as well as applicable standards for required infrastructure improvements. This will be verified by the Town Engineering Department in connection with the Development Plan Application review process.

On June 18, 2025, the Town Engineering Department issued a memorandum confirming the completed review of the Preliminary Grading and Drainage Plans dated June 5, 2025 as prepared by Greenman-Pederson, Inc. The memorandum stated the reviewed plans provide sufficient information for purposes of the Concept Plan review process and listed eleven (11) comments to be addressed during the Development Plan review of the Proposed Project.

#### 2. Impact Geological Features:

There are no unique or unusual land forms on the Project Site. An escarpment is part of the southern boundary of the Project Site. Disturbance to the escarpment is not proposed as part of this Proposed Project. Any proposals for deep excavations are subject to a hydrogeologic/geotechnical evaluation report as required by the Town of Clarence Engineering Department. Such report shall include, but not be limited to, analysis of the deep soils, soil stability, proximity to existing structures, basin constructability, groundwater, dewatering operations, and ability to hold water.

#### 3. Impact on Surface Water:

The Project Site currently consists of vacant land containing vegetation and a tributary to Ransom Creek. The tributary is listed as a New York State Department of Environmental Conservation 303(d) impaired waterway per the letter dated September 26, 2024 from Timothy

P. German of the Erie County Department of Environment and Planning ("ECDEP"). The management of stormwater from impervious surfaces on the Project Site will require the installation of a stormwater management system. The stormwater management system will be designed by a licensed engineering firm to collect, discharge and improve the quality of surface water. The stormwater management system to be installed will be required to comply with the applicable stringent stormwater quality and quantity standards of the New York State Department of Environmental Conservation ("NYSDEC") and the applicable standards of the Town of Clarence.

In a letter dated September 6, 2024 from Lisa M. Czechowicz of the NYSDEC, it was stated that the Project Site may include federally regulated wetlands based on a review of the National Wetlands Inventory wetland mapping. The aforementioned letter also stated that amendments to the NYSDEC's freshwater wetlands regulations may have an impact upon the Proposed Project. The Project Sponsor preformed a wetland delineation that identified wetlands that will potentially fall under the regulatory jurisdiction of the United States Army Corp of Engineers ("USACE"). The Proposed Project is designed to largely avoid the wetlands; however, The Project Sponsor shall comply with all applicable standards and obtain all necessary permits associated with the USACE and NYSDEC.

The Project Site is located within Erie County Sewer District No. 5. ("ECSD No. 5"). In a letter dated September 26, 2024 from Michael Larson of the Erie County Division of Sewerage Management ("ECDSM"), the following comments were provided:

- 1. The Proposed Project is located within ECSD No. 5. The sanitary sewers near the Proposed project are owned by the Town of Clarence. The sanitary flows are tributary to the Town of Clarence interceptor and trunk lines and ultimately travel to the Amherst Wastewater Treatment Facility.
- 2. Review and approval of any proposed sanitary sewers is required by ECDSM.
- 3. Sanitary sewer system design shall be in accordance with Ten States Standards and Erie County Sewer District Rules and Regulations and Design Requirements.
- 4. A Downstream Sewer Capacity Analysis ("DSCA") may be required for this project.
- 5. Sanitary sewer inflow and infiltration ("I/I") removal work in ECDS No. 5 may be required for this project.

#### 4. Impact on Groundwater:

There will be minimal additional ground water introduced as a result of the Proposed Project. A portion of the post development site stormwater will be collected, managed and disbursed on-site for eventual percolation into the groundwater system through stormwater detention areas, as designed and permitted to meet Federal, State, and Local standards.

The Proposed Project will connect to existing water services and will require review and approval by the Erie County Water Authority ("ECWA"). The Project Sponsor identified that there will be a need for new water services requiring anticipated water usage / demand per day of

approximately +/- 32,550 gallons. Any new water service must be reviewed and approved by the Erie County Water Authority ("ECWA") prior to service. The Project Sponsor shall coordinate with the ECWA during the Development Plan review process.

#### 5. Impact on Flooding:

The Project Site does not fall within a 100-year floodplain, nor is it located within a designated floodway. The Proposed Project will require modification of existing drainage patterns. Any future Development Plan submittal shall include an Engineer's Report and full grading and drainage plans and details prepared by a licensed engineering firm for review by the Town prior to Development Plan Approval. In addition, the Proposed Project will include the implementation of NYSDEC compliant stormwater management practices.

#### 6. Impacts on Air:

The Proposed Project does not involve a State regulated air emission source.

#### 7. Impact on Plants and Animals:

The Proposed Project will result in the clearing of existing vegetation on the Project Site. There was no documented presence of protected, threatened or endangered species on the Project Site as confirmed by lead agency concurrence letter issued by the NYSDEC dated September 6, 2024. A landscape plan prepared by a registered landscape architect will need to be reviewed and approved by the Town Landscape Review Committee for the purpose of introducing native and beneficial vegetation to the Project Site. Additionally, the landscape plan shall include, at a minimum, two street trees per building lot and vegetative buffer between the newly created lots and existing lots along Hillcrest Drive. Additionally, the Project Sponsor is proposing an incentive-lot design that will leave approximately 45% of the Project Site as natural permanent greenspace.

#### 8. Impact on Agricultural Resources:

The Project Site does not contain agricultural resources and is not located in a County Agricultural District. Additionally, there are no agricultural fields currently on the Project Site and a majority of the undeveloped portions of the Project Site are naturally occurring vegetations and mowed fields. As such, the Proposed Project will not result in any adverse impacts to agricultural resources. In a letter dated September 26, 2024 from Timothy P. German of the ECDEP, it was stated that the Project Site is located adjacent to a parcel that is enrolled in the Erie County North Agricultural District. The Proposed Project does not sever, cross or otherwise limit access to agricultural land. Additionally, the Proposed Project does not pose a potentially significant adverse impact to soil classified within soil group 1 through 4 of the NYS Land Classification System.

#### 9. Impact on Aesthetic Resources:

The Project Site is located on Greiner Road and Strickler Road, which are Erie County roadways. The Proposed Project is a residential single-family development and is not in sharp

contrast to the nearby land use patterns. Surrounding land use patterns include numerous residential uses, agricultural uses, and a senior living facility. Furthermore, the Proposed Project is consistent with the *Clarence 2030 – Town of Clarence Comprehensive Plan ("Clarence 2030")*, which calls for this section of Town to be designated for residential uses. While there may be officially designated federal, state, or local scenic or aesthetic resources within 5 miles of the Project Site, the Proposed Project would not eliminate or significantly screen an officially designated scenic or aesthetic resource.

#### 10. Impact on Historic and Archeological Resources:

The Project Site is located in, or is adjacent to, an area designated as sensitive by the New York State Historic Preservation Office ("SHPO") archeological site inventory. In a letter dated September 3, 2024 from Sydney Snyder of SHPO, it was stated that a Phase 1A/1B archaeological survey should be performed for components of the Project Site that will involve ground disturbance, unless substantial prior ground disturbance can be documented. The Project Sponsor conducted a Stage 1 Archaeological Investigation for the Project Site. The aforementioned report suggested that no further investigation was needed for the Project Site. In a letter dated September 26, 2025 from Sydney Snyder of SHPO, it was stated that the aforementioned Archaeological Investigation identified and examined the Wiltse Farm Site (UB 2787; USN 02907.000716). Based on the report findings, SHPO recommends that the Wiltse Farm Site is not eligible for inclusion in the State and National Registers of Historic Places. The letter dated September 26, 2025 also stated that SHPO concurs with the report recommendations that no additional archaeological work is necessary.

In a letter dated November 14, 2025 from the Project Sponsor it was stated that a walkthrough of the Project Site was conducted on November 13, 2025 to investigate the location of an alleged stone wall. No stone wall was found as a result of the walkthrough and aerial photography review. In a letter dated November 14, 2025 from Daniel Mackay of SHPO, it was stated that SHPO has reviewed the Proposed Project in accordance with the New York State Historic Preservation Act of 1980 and based upon its review it is the opinion of SHPO that no properties, including archaeological and/or historic resources, listed or eligible for the New York State and National Registers of Historic Places will be impacted by this Proposed Project.

#### 11. Impact on Open Space and Recreation:

The Proposed Project that consists of privately owned property will not result in a loss of recreational opportunities or a reduction of protected open space as designated in an adopted municipal open space plan. As part of this Proposed Project, the site will be required to include a recreational component, as approved by the Town of Clarence, for the use of the residents. In the conceptual stages, the Proposed Project includes sidewalks along the newly proposed roadways within the Project Site, and a recreational easement designated to the Town of Clarence along Greiner Road and Strickler Road. While the Project Site is used as an informal open space resource by the community, Map 8 ("Future Land Use Map") of Clarence 2030

designates the Project Site as appropriate for Hamlet Neighborhood. The Hamlet Neighborhood Use is described on pages 47 of *Clarence 2030*.

#### 12. Impact on Critical Environmental Areas:

The Project Site is not located within or adjacent to a designated Critical Environmental Area.

#### 13. Impact on Transportation:

After a thorough review by involved and interested agencies, including but not limited to the Erie County Department of Public Works ("ECDPW"), Clarence Fire Review, Clarence Highway Department ("the Highway Department"), it has been determined that the Proposed Project will not have a significant adverse impact to the existing transportation system.

There are two primary access points for the Proposed Project. One connection will be to Greiner Road, and the second connection will be to Strickler Road in line with Winding Lane. The newly created access points will accommodate emergency access to the Proposed Project. Additionally, the access points were modified per comments received during the coordinated review. In an effort to increase options for multi-model transportation, the Project Sponsor shall provide a recreational component. In the conceptual stages, the Proposed Project includes sidewalks along the newly proposed roadways within the Project Site, and a recreational easement designated to the Town of Clarence along Greiner Road and Strickler Road.

A Traffic Impact Study ("TIS") dated January 2025 was prepared by the Project Sponsor. The TIS analyzed and evaluated the potential traffic impacts that would result from the Proposed Project. Based on the aforementioned analysis, traffic generated from the Proposed Project will not have a potentially significant adverse impact to the traffic operations of the existing roadway network. The TIS was reviewed by jurisdictional controlling agencies, and in a letter dated February 24, 2025 from Gina Wilkolaski of the ECDPW it was stated that in advance of the site plans review, ECDPW has no traffic related comments.

#### 14. Impact on Energy:

The Proposed Project will cause an increase in the use of energy compared with the Project Site's current state of vacant land; however, the overall use of power will not exceed the amount of power currently available at the site. The Proposed Project shall be designed to meet energy compliance standards through the installation of energy efficient facilities and features having minimal impact on the environment. As part of the Development Plan review process, the Project Sponsor shall coordinate with the appropriate utilities to obtain all appropriate permits as required.

#### 15. Impact on Noise, Odor, and Light:

The potential impact from noise, odors and lighting may minimally increase from the property's current use of vacant land; however, these impacts are consistent with surrounding land use and will be mitigated through Town of Clarence Code standards. Any new lighting within

a public right-of-way that results from this proposed project shall be dark-sky compliant and shielded to avoid light pollution on to adjoining properties. Existing vegetation, along with new landscape buffering, will help reduce noise and light pollution to surrounding properties. In addition, the general impact to noise, odor and light will be consistent with existing surrounding residential land uses. There will be a temporary and unavoidable impact to noise, odor and lighting during construction; however, this is not a potentially significant adverse environmental impact.

#### 16. Impact on Human Health:

The Project Site does not include a known source of regulated hazardous materials detrimental to human health. If regulated hazardous materials exceeding the applicable NYSDEC thresholds are unexpectedly encountered during the construction of the Proposed Project, clean-up activities compliant with Federal, State and Local standards will be completed prior to construction on the relevant portions of the Project Site.

#### 17. Consistency with Community Plans:

In a letter dated September 26, 2024 from Timothy P. German of ECDEP it was stated:

- According to the Erie-Niagara Framework for Regional Growth (2006), the project site
  is located in a Developed Area. For the Developed Area, the Framework encourages
  localities to develop interconnected networks of streets, sidewalks and multi-use
  trails, as well as compact, pedestrian-oriented, mixed-use development. (Pages 47 &
  48) The Town should consider these recommendations during its review.
- The Town of Clarence Comprehensive Plan (2016) identifies the project area as "Hamlet Neighborhood" in its future land use map, near the Hamlet of Clarence Hollow. The project as proposed may be out of character with this area, which is dense and walkable with a traditional linear street network. (Page 47) The Town and applicant should explore any opportunity to provide additional pedestrian or vehicle connections to Main Street to the extent feasible.

Opportunities from the Project Site to Main Street are limited by the escarpment located at the south end of the property. In the conceptual stages, the Proposed Project includes sidewalks along the newly proposed roadways within the Project Site, and a recreational easement designated to the Town of Clarence along Greiner Road and Strickler Road.

Clarence 2030 – Town of Clarence Comprehensive Plan ("Clarence 2030") is the Town's adopted Comprehensive Plan. Clarence 2030 limits residential development to certain areas of the Town and defines a growth boundary to protect the rural character of the Town of Clarence. Clarence 2030 review process began in December 2014 and was adopted by the Town Board in December of 2016 which included numerous opportunities for public input and participation. Map 8 ("Future Land Use Map") of Clarence 2030 designates the Project Site as appropriate for Hamlet Neighborhood; specifically, the Project Site falls within the boundaries of the Clarence Hollow Hamlet Neighborhood. The Hamlet Neighborhood use is described on pages 47 of


Clarence 2030. The Clarence Hollow is generally characterized by a walkable, dense, and village-like activity center that is directly accessed by surrounding residential neighborhoods. As part of Clarence 2030, the Town has placed an increasing emphasis on providing pedestrian connectivity throughout these areas, as well as building and site design requirements in order to achieve a higher standard of development.


#### 18. Consistency with Community Character:


Strickler Road and Greiner Road are Erie County roadways made up of a mixture of land uses, including residential homes, agricultural lands, and schools. The Proposed Project will not be in sharp contrast to existing community character. The Proposed Project is compliant with the Town's allowable uses for the underlying zoning classification.

The Proposed Project is subject to the guidelines and restrictions set forth by the Town Zoning Code for Residential Single-Family and *Clarence 2030*. The Proposed Project is consistent with the stringent standards for the Residential Single-Family zoning classification and the Town of Clarence subdivision of land regulations. The layout of the Proposed Project fulfills a transitional land-use pattern, whereby the Proposed Project allows the gradual transition from the commercial uses along Main Street to the south of the Project Site to the rural residential settings to the north of the Project Site. This transitional land use pattern achieves compatibility between existing and proposed land uses.


As part of the coordinated review for this Proposed Project, Clarence Fire District #1 and the Clarence Central School District were listed as involved / interested agencies. A copy of the full application was provided to all listed agencies as part of the coordinated review under SEQRA, and all agencies were provided an opportunity to comment on the Proposed Project. The Project Site is vacant land with no existing structures and no designated public resources.







5844 Goodrich Road



#### **Eurocharged NY – Business Plan**

#### **Executive Summary**

Eurocharged NY, owned and operated by Kyle Whalen, is a professional European automotive repair and performance facility located in Clarence, NY. The business specializes in European vehicle repair, diagnostics, performance tuning, custom ECU tuning, and maintenance. With a commitment to quality workmanship and customer satisfaction, Eurocharged NY aims to provide reliable, high-end automotive services to the Clarence community and surrounding areas.

#### **Business Overview**

Eurocharged NY operates as a Limited Liability Company (LLC) and is focused primarily on European vehicles, including Audi, BMW, Mercedes-Benz, Volkswagen, and Porsche. The facility consists of approximately 5,750 square feet of indoor space and is equipped with five service bays. All operations will be conducted indoors with no outdoor vehicle storage, ensuring a clean and organized appearance that aligns with community standards.

#### **Services Offered**

 European vehicle repair and maintenance - Diagnostic services and troubleshooting - Performance upgrades and custom ECU tuning - Specialized service for high-performance European makes -Preventative maintenance and inspections

#### Market & Community Benefit

Eurocharged NY fills a growing demand for specialized European vehicle services in the Clarence area. Local residents and enthusiasts will benefit from having a professional, neighborhood-oriented facility that offers high-quality, reliable automotive care without needing to travel outside the community. The business will also contribute to the local economy through job creation, property improvement, and responsible commercial use of space.

#### **Operations Plan**

The shop will employ four skilled technicians and staff members. All repair, tuning, and maintenance work will be performed indoors to minimize noise, odors, and environmental impact. Operating hours will align with standard business times to ensure compliance with local zoning and community expectations.

#### **Management & Structure**

Eurocharged NY is managed by Kyle Whalen, who oversees day-to-day operations, customer relations, and business development. The company is structured as an LLC, ensuring responsible business practices and compliance with all state and local regulations.

#### Conclusion

Eurocharged NY is committed to being a positive addition to the Clarence community by offering professional, specialized automotive services in a clean, safe, and well-maintained facility. The business supports local economic growth and provides a valuable service to residents who demand high-quality care for their European vehicles.



Letter of Commitment 11/24/25

**Eurocharged NY** 

Clarence Town Hall One Town Place Clarence, NY 14031

To Whom It May Concern,

I, Kyle Whalen, am writing on behalf of Eurocharged NY to formally express our commitment to operating responsibly and in full compliance with all requirements set forth by the Town of Clarence.

Eurocharged NY is a professional European automotive repair and performance facility that provides diagnostics, maintenance, tuning and related services. Our goal is to operate a clean, safe, and community-focused business that enhances the local area while adhering to all applicable codes, zoning regulations, and operational standards.

#### We are committed to:

- Maintaining a clean and orderly property with no outdoor storage.
- Operating within the approved business hours and all guidelines established by the Town.
- Ensuring safe traffic flow, designated parking, and responsible use of the premises.
- Upholding all environmental, safety, and building code requirements.
- Being a positive addition to the Clarence community through professional conduct and high-quality service.

Eurocharged NY is prepared to meet all conditions required for operating approval, and we look forward to working cooperatively with the Town throughout the review and approval process.

The stone set at the side of the building will be used to hold our 5-yard dumpster and will be surrounded by an approved dumpster enclosure set by the town. My exterior site plan will show exactly where the dumpster will be located.

The front of the building will have 2 downward facing led lights, with screens that will be dark sky compliant and keep the lighting shining just on our property. They will be 10" in width and protrude 6" from the building. My exterior site plan will show where they will be installed.

The parking lot has 20 parking spots total. Four would be used by myself and my Three employees. That will leave us with 16 open spaces, which would be ample space for our customers as well as Candece music parking. They also have parking along the side of the building and the front of the building by their entrance. The parking is shown on the site plan given, and all parking lines will be painted by the landlord as soon as the weather allows.

The building is a very open layout, which will help us keep all our equipment in the back half of the building and use the entire front half for storage and parking. This will be shown in our interior site plan. We have 6 2 post lifts and one 4 post drive on lift for alignments.

Our hours of operation are Monday thru Friday from 7:30 AM until 6 PM and we are open by appointment only on Friday.

Used oil would be stored inside in an approved waste oil container, that is then picked up by a company that repurposes the oil into heat energy in their warehouse.

Thank you for your time and consideration.

Sincerely,

Kyle Whalen

Owner, Eurocharged NY

716-939-5718

Eurochargedny@gmail.com





- 1. FOR REFERENCE INFORMATION SEE TOPOGRAPHIC SURVEY PREPARED BY WM. SCHUTT ASSOCIATES, DATED JANUARY 18, 2021 AND IDENTIFIED AS SURVEY FILE 05008H-03 INCLUDED WITH THIS SET OF SITE PLANS.
- 2. ALL CONSTRUCTION SHALL CONFORM TO TOWN OF CLARENCE STANDARDS AND NEW YORK STATE CODE REQUIREMENTS, AS WELL AS THE LATEST A.I.S.C., A.C.I., AND A.S.T.M. STANDARDS. WHERE CODES OVERLAP, THE CONTRACTOR SHALL COMPLY WITH THE MORE STRINGENT
- 3. WHERE A SPECIFIC MANUFACTURER'S PRODUCT IS CALLED OUT ON THIS SHEET OR ANY OTHER PLAN IN THIS SET OF DRAWINGS, THE CONTRACTOR MUST COMPLY WITH THE MANUFACTURER'S LATEST PRINTED INSTRUCTIONS AND RECOMMENDATIONS FOR INSTALLATION.
- 4. ALL TEMPORARY TRAFFIC CONTROL AND WARNING SIGNS USED DURING EXCAVATION AND CONSTRUCTION ACTIVITIES SHALL CONFORM TO N.Y.S.D.O.T. MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
- 5. THE CONTRACTOR SHALL MAINTAIN ACCESSIBLE PASSAGEWAYS FOR TRAFFIC AND PEDESTRIANS TO ADJACENT EXISTING RESIDENCES AND BUSINESSES WHICH WILL REMAIN IN OPERATION THROUGHOUT THE DURATION OF THE CONSTRUCTION.
- 6. ANY CAST-IN-PLACE CONCRETE SHALL CONFORM TO N.Y.S.D.O.T. STANDARD SPECIFICATIONS (SECTION 501). USE CLASS "C" FOR DUMPSTER ENCLOSURES OR STRUCTURAL SLABS. USE CLASS "D" FOR SIDEWALKS AND ALL OTHER GENERAL PURPOSE CONCRETE PAVEMENT ON SITE. CEMENT USED TO PRODUCE CONCRETE SHALL CONFORM WITH BOTH ACI 318 AND ASTM C1157. CONCRETE SHALL HAVE A SLUMP OF NO MORE THAN 5" AND AN AIR ENTRAINMENT OF 4-6%.
- 7. ALL CONCRETE CURBS, SIDEWALKS, APRONS, AND PADS SHALL BE CURED USING A PIGMENTED CURING COMPOUND CONFORMING TO A.S.T.M. C309.
- 8. ANY DEVIATION FROM ANY PLANS IN THIS DRAWING SET SHALL REQUIRE APPROVAL OF THE DESIGN ENGINEER (STUDIO T3) AND THE TOWN OF CLARENCE PLANNING AND BUILDING DEPARTMENTS, AS WELL AS THE APPROPRIATE UTILITY COMPANIES AND SERVICE PROVIDERS.
- 9. THE DESIGN ENGINEER (STUDIO T3) SHALL BE IMMEDIATELY CONTACTED UPON DISCOVERY OF ANY ABOVEGROUND OR BELOW GROUND OBJECTS NOT SHOWN ON THE BACKGROUND SURVEY THAT ARE UNCOVERED DURING EXCAVATION OR CONSTRUCTION (BUILDING FOUNDATIONS, BURIED VAULTS, TREES, SIDEWALKS, PAVEMENT, RAILINGS, SIGNS, STOCKPILES, STUMPS, OR SIMILAR) WHICH WILL INTERFERE OR CONFLICT WITH ANY PROPOSED WORK SHOWN ON THESE PLANS. WORK SHALL BE IMMEDIATELY SUSPENDED AND NOT COMMENCE UNTIL SUCH DISCOVERED OBJECTS ARE IDENTIFIED AND THE DESIGN ENGINEER (STUDIO T3) ISSUES EITHER A WRITTEN APPROVAL OR A SIGNED REVISED PLAN.
- 10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL NECESSARY FEES AND OBTAINING ALL NECESSARY PERMITS PRIOR TO THE START OF CONSTRUCTION. CONTACT TOWN OF CLARENCE BUILDING DEPARTMENT (716) 741-8950 FOR INSTRUCTIONS, PERMIT APPLICATIONS, AND FEES.
- 11. ALL CONTRACTORS AND SUBCONTRACTORS SHALL BE INSURED AND LICENSED IN THE STATE OF NEW YORK, THE COUNTY OF ERIE, AND THE TOWN OF CLARENCE.

## CODE & SITE DATA

TOTAL PARCEL = 3.67 ACRES ( $\pm 159,756$  SQ. FT.) ZONED: I (INDUSTRIAL BUSINESS PARK)

PARKING SETBACK	REQUIRED	PROVIDED
FRONT	80'-0"	80'-0"
SIDE	5'-0"	61'-0"
REAR	5 <b>'</b> -0 <b>"</b>	340'-1"
LANDSCAPE	REQUIRED	PROVIDED
TOTAL PARCEL	25%	83%

JOHN & EDWARD BRADDELL (REPUTED OWNER) LIBER 10881 PAGE 982

P EX. U.P.

GRAVEL OR MULCH\_ STOCKPILE TOPSOIL STOCKPILE 🗥 STOCKPILE POLE NEW CONC. JERSEY BARIERS EXISTING 1-STORY STACKED HIGHER THAN SHOCKPILES METAL WAREHOUSE & OFFICE BUILDING NEW HOT-ROK ENCLOSURE T NEW LAWN SIGN-NEW GRAVEL AREA \_\_\_\_\_<del>\_</del> MINIMUM FIRE APPARATUS TURNING AREA PER NYS-FIRE CODE **NEW SLIDING GATE** ─ 28'R (TYP.) NEW KNOX BOX 5 NEW PARKING SPACES FOR 16-FOOT TRAILERS **NEW ASPHALT** PARKING AREA DETENTION NEW DUMPSTER  $\sim\sim\sim$ **ENCLOSURE** BOARD-ON-BOARD PRIVACY FENCE \_..\_..\_..\_..\_..\_..

SBL 44.00-1-22.11 REPUTED OWNER JOHN R BRADDELL

#### EXISTING EDGE OF PAVEMENT NEW EDGE OF PAVEMENT — - - — - - SITE PARCEL PROPERTY/R.O.W. LINE — — ADJACENT PROPERTY/R.O.W. LINES XXXXX NEW FENCE © EXISTING UTILITY POLE EXISTING FIRE HYDRANT TRAFFIC DIRECTIONAL ARROW EXISTING CONCRETE AREAS NEW CONCRETE AREAS NEW GRAVEL AREAS

**LEGEND** 



STAMP/SEAL

REV. PER LSCP. COMMITTEE 11/19/25 MINOR SITE PLAN MOD.

> MASTER SITE PLAN



Phone: (716) 803-6400 Fax: (716) 810-9504 CHECKED BY: OST JOB # 20-367

2495 Main Street, Suite 301 Buffalo, New York 14214

WARNING: IT IS A VIOLATION OF SECTION 7209, SUBDIVISION 2, OF THE NEW YORK STATE EDUCATION LAW FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED ARCHITECT OR PROFESSIONAL ENGINEER, TO ALTER IN ANY WAY, PLANS, SPECIFICATIONS, OR REPORTS TO WHICH THE SEAL OF A LICENSED ARCHITECT OR PROFESSIONAL ENGINEER HAS BEEN APPLIED.

THE CONTRACTOR SHALL CONTACT THE DESIGN ENGINEER BEFORE EXCAVATION & CONSTRUCTION T ENGINEER BEFORE EXCAVATION & CONSTRUCTION TO ENSURE HE/SHE HAS THE FINAL SET OF DESIGN DOCUMENTS AS ISSUED FOR CONSTRUCTION. THIS PLAN IS CURRENT AS OF THE DATE IT WAS ISSUED. SUBSEQUENT UPDATES OF THIS PLAN BY THE DESIGN ENGINEER DOES NOT AFFORD ANY TRANSFEREES THE RIGHT TO RECEIVE SAID UPDATES, BUT PLACES THE RESPONSIBILITY TO THE TRANSFEREE TO OBTAIN UPDATED PLANS WHICH ARE ISSUED FOR CONSTRUCTION AS THESE MAY DIFFER FROM PREVIOUS PLANS ISSUED FOR PERMIT OR BID.

- 1. FOR REFERENCE INFORMATION SEE TOPOGRAPHIC SURVEY PREPARED BY WM. SCHUTT ASSOCIATES, DATED JANUARY 18, 2021 AND IDENTIFIED AS SURVEY FILE 05008H-03 INCLUDED WITH THIS SET OF SITE PLANS.
- 2. ALL CONSTRUCTION SHALL CONFORM TO TOWN OF CLARENCE STANDARDS AND NEW YORK STATE CODE REQUIREMENTS, AS WELL AS THE LATEST A.I.S.C., A.C.I., AND A.S.T.M. STANDARDS. WHERE CODES OVERLAP, THE CONTRACTOR SHALL COMPLY WITH THE MORE STRINGENT CODE.
- WHERE A SPECIFIC MANUFACTURER'S PRODUCT IS CALLED OUT ON THIS SHEET OR ANY OTHER PLAN IN THIS SET OF DRAWINGS, THE CONTRACTOR MUST COMPLY WITH THE MANUFACTURER'S LATEST PRINTED INSTRUCTIONS AND RECOMMENDATIONS FOR INSTALLATION.
- 4. ALL TEMPORARY TRAFFIC CONTROL AND WARNING SIGNS USED DURING EXCAVATION AND CONSTRUCTION ACTIVITIES SHALL CONFORM TO N.Y.S.D.O.T. MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
- 5. THE CONTRACTOR SHALL MAINTAIN ACCESSIBLE PASSAGEWAYS FOR TRAFFIC AND PEDESTRIANS TO ADJACENT EXISTING RESIDENCES AND BUSINESSES WHICH WILL REMAIN IN OPERATION THROUGHOUT THE DURATION OF THE CONSTRUCTION.
- 6. ANY CAST-IN-PLACE CONCRETE SHALL CONFORM TO N.Y.S.D.O.T. STANDARD SPECIFICATIONS (SECTION 501). USE CLASS "C" FOR DUMPSTER ENCLOSURES OR STRUCTURAL SLABS. USE CLASS "D" FOR SIDEWALKS AND ALL OTHER GENERAL PURPOSE CONCRETE PAVEMENT ON SITE. CEMENT USED TO PRODUCE CONCRETE SHALL CONFORM WITH BOTH ACI 318 AND ASTM C1157. CONCRETE SHALL HAVE A SLUMP OF NO MORE THAN 5" AND AN AIR ENTRAINMENT OF 4-6%.
- 7. ALL CONCRETE CURBS, SIDEWALKS, APRONS, AND PADS SHALL BE CURED USING A PIGMENTED CURING COMPOUND CONFORMING TO A.S.T.M. C309.
- 8. ANY DEVIATION FROM ANY PLANS IN THIS DRAWING SET SHALL REQUIRE APPROVAL OF THE DESIGN ENGINEER (STUDIO T3) AND THE TOWN OF CLARENCE PLANNING AND BUILDING DEPARTMENTS, AS WELL AS THE APPROPRIATE UTILITY COMPANIES AND SERVICE PROVIDERS.
- 9. THE DESIGN ENGINEER (STUDIO T3) SHALL BE IMMEDIATELY CONTACTED UPON DISCOVERY OF ANY ABOVEGROUND OR BELOW GROUND OBJECTS NOT SHOWN ON THE BACKGROUND SURVEY THAT ARE UNCOVERED DURING EXCAVATION OR CONSTRUCTION (BUILDING FOUNDATIONS, BURIED VAULTS, TREES, SIDEWALKS, PAVEMENT, RAILINGS, SIGNS, STOCKPILES, STUMPS, OR SIMILAR) WHICH WILL INTERFERE OR CONFLICT WITH ANY PROPOSED WORK SHOWN ON THESE PLANS. WORK SHALL BE IMMEDIATELY SUSPENDED AND NOT COMMENCE UNTIL SUCH DISCOVERED OBJECTS ARE IDENTIFIED AND THE DESIGN ENGINEER (STUDIO T3) ISSUES EITHER A WRITTEN APPROVAL OR A SIGNED REVISED PLAN.
- 10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL NECESSARY FEES AND OBTAINING ALL NECESSARY PERMITS PRIOR TO THE START OF CONSTRUCTION. CONTACT TOWN OF CLARENCE BUILDING DEPARTMENT (716) 741-8950 FOR INSTRUCTIONS, PERMIT APPLICATIONS, AND FEES.
- 11. ALL CONTRACTORS AND SUBCONTRACTORS SHALL BE INSURED AND LICENSED IN THE STATE OF NEW YORK, THE COUNTY OF ERIE, AND THE TOWN OF CLARENCE.

#### CODE & SITE DATA TOTAL PARCEL = 3.67 ACRES ( $\pm 159,756$ SQ. FT.) ZONED: I (INDUSTRIAL BUSINESS PARK)

PARKING SETBACK	REQUIRED	PROVIDED
FRONT	80'-0"	80'-0"
SIDE	5'-0"	61'-0"
REAR	5'-0"	340'-1"
LANDSCAPE	REQUIRED	PROVIDED
TOTAL PARCEL	25%	83%

ASPHALT BINDER COURSE

ASPHALT TOP COURSE

403.198902) TYPE 7


GEOTEXTILE (MIRAFI 500X OR

APPROVED EQUAL)

**SECTION** 

(N.Y.S.D.O.T. ITEM — 403.138902) TYPE 3


(N.Y.S.D.O.T. ITEM —





- 1. FOR REFERENCE INFORMATION SEE TOPOGRAPHIC SURVEY PREPARED BY WM. SCHUTT ASSOCIATES, DATED JANUARY 18, 2021 AND IDENTIFIED AS SURVEY FILE 05008H-03 INCLUDED WITH THIS SET OF SITE PLANS.
- 2. ALL CONSTRUCTION SHALL CONFORM TO TOWN OF CLARENCE STANDARDS AND NEW YORK STATE CODE REQUIREMENTS, AS WELL AS THE LATEST A.I.S.C., A.C.I., AND A.S.T.M. STANDARDS. WHERE CODES OVERLAP, THE CONTRACTOR SHALL COMPLY WITH THE MORE STRINGENT CODE.
- WHERE A SPECIFIC MANUFACTURER'S PRODUCT IS CALLED OUT ON THIS SHEET OR ANY OTHER PLAN IN THIS SET OF DRAWINGS, THE CONTRACTOR MUST COMPLY WITH THE MANUFACTURER'S LATEST PRINTED INSTRUCTIONS AND RECOMMENDATIONS FOR INSTALLATION.
- 4. ALL TEMPORARY TRAFFIC CONTROL AND WARNING SIGNS USED DURING EXCAVATION AND CONSTRUCTION ACTIVITIES SHALL CONFORM TO N.Y.S.D.O.T. MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
- 5. THE CONTRACTOR SHALL MAINTAIN ACCESSIBLE PASSAGEWAYS FOR TRAFFIC AND PEDESTRIANS TO ADJACENT EXISTING RESIDENCES AND BUSINESSES WHICH WILL REMAIN IN OPERATION THROUGHOUT THE DURATION OF THE CONSTRUCTION.
- 6. ANY CAST-IN-PLACE CONCRETE SHALL CONFORM TO N.Y.S.D.O.T. STANDARD SPECIFICATIONS (SECTION 501). USE CLASS "C" FOR DUMPSTER ENCLOSURES OR STRUCTURAL SLABS. USE CLASS "D" FOR SIDEWALKS AND ALL OTHER GENERAL PURPOSE CONCRETE PAVEMENT ON SITE. CEMENT USED TO PRODUCE CONCRETE SHALL CONFORM WITH BOTH ACI 318 AND ASTM C1157. CONCRETE SHALL HAVE A SLUMP OF NO MORE THAN 5" AND AN AIR ENTRAINMENT OF 4-6%.
- 7. ALL CONCRETE CURBS, SIDEWALKS, APRONS, AND PADS SHALL BE CURED USING A PIGMENTED CURING COMPOUND CONFORMING TO A.S.T.M. C309.
- 8. ANY DEVIATION FROM ANY PLANS IN THIS DRAWING SET SHALL REQUIRE APPROVAL OF THE DESIGN ENGINEER (STUDIO T3) AND THE TOWN OF CLARENCE PLANNING AND BUILDING DEPARTMENTS, AS WELL AS THE APPROPRIATE UTILITY COMPANIES AND SERVICE PROVIDERS.
- 9. THE DESIGN ENGINEER (STUDIO T3) SHALL BE IMMEDIATELY CONTACTED UPON DISCOVERY OF ANY ABOVEGROUND OR BELOW GROUND OBJECTS NOT SHOWN ON THE BACKGROUND SURVEY THAT ARE UNCOVERED DURING EXCAVATION OR CONSTRUCTION (BUILDING FOUNDATIONS, BURIED VAULTS, TREES, SIDEWALKS, PAVEMENT, RAILINGS, SIGNS, STOCKPILES, STUMPS, OR SIMILAR) WHICH WILL INTERFERE OR CONFLICT WITH ANY PROPOSED WORK SHOWN ON THESE PLANS. WORK SHALL BE IMMEDIATELY SUSPENDED AND NOT COMMENCE UNTIL SUCH DISCOVERED OBJECTS ARE IDENTIFIED AND THE DESIGN ENGINEER (STUDIO T3) ISSUES EITHER A WRITTEN APPROVAL OR A SIGNED REVISED PLAN.
- 10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PAYING ALL NECESSARY FEES AND OBTAINING ALL NECESSARY PERMITS PRIOR TO THE START OF CONSTRUCTION. CONTACT TOWN OF CLARENCE BUILDING DEPARTMENT (716) 741-8950 FOR INSTRUCTIONS, PERMIT APPLICATIONS, AND FEES.
- 11. ALL CONTRACTORS AND SUBCONTRACTORS SHALL BE INSURED AND LICENSED IN THE STATE OF NEW YORK, THE COUNTY OF ERIE, AND THE TOWN OF CLARENCE.


# ZONED: I (INDUSTRIAL BUSINESS PARK)

PARKING SETBACK	REQUIRED	PROVIDED
FRONT	80'-0"	80'-0"
SIDE	5'-0"	61'-0"
REAR	5'-0"	340'-1"
LANDSCAPE	REQUIRED	PROVIDED
TOTAL PARCEL	25%	83%











#### LANDSCAPE NOTES

- 1. THE CONTRACTOR SHALL PROVIDE MAINTENANCE INCLUDING FERTILIZING, RE-SEEDING, AND WATERING AS REQUIRED DURING LANDSCAPE INSTALLATION AND PLANTING FOR A MINIMUM PERIOD OF 12 MONTHS FROM PLANTING
- 2. THE CONTRACTOR SHALL SCARIFY ALL NEW LANDSCAPE AREAS PRIOR TO SEEDING. REMOVE DEBRIS AND ROCKS TO 24" DEPTH PRIOR TO APPLYING TOPSOIL. LIME SOIL AS NECESSARY TO A pH OF 6.0. FERTILIZE WITH 600 lbs. OF 5-10-10 OR EQUIVALENT PER ACRE (14 lbs. PER EVERY 1000 SQ. FT.).
- 3. ALL PROPOSED LANDSCAPE AREAS AND PLANTING BEDS SHALL BE EXCAVATED OF ALL BUILDING MATERIALS AND POOR UNSUITABLE SOILS TO A DEPTH OF 24" AND BACKFILLED WITH TOPSOIL AND THE PLANTING MIXTURE AS SPECIFIED IN THE DETAILS.
- 4. BURLAP MESH MAY BE USED TO COVER SEEDING ON ANY SLOPE EMBANKMENTS STEEP ENOUGH TO IMPEDE THE ESTABLISHMENT OF LAWN
- 5. UNLESS RECOMMENDED OTHERWISE BY THE SEED VENDOR, PERMANENT GRASS SEEDING SHALL CONSIST OF A MIXTURE OF THE FOLLOWING: KENTUCKY BLUEGRASS = 25% BY WEIGHT (98% MIN. PURITY: 85% MIN. GERMINATION); PENN LAWN RED FESCUE = 25% BY WEIGHT (95% MIN. PURITY: 80% MIN. GERMINATION); TRIPLE CROWN PERENNIAL RYE = 50% BY WEIGHT (95% MIN. PURITY: 90% MIN. GERMINATION)
- 6. HAND-BROADCASTING OR HYDRO-SEEDING AND HYDRO-MULCHING SHALL BE USED TO ESTABLISH ALL NEW LAWN AREAS. IF HAND-BROADCASTING, SEW SEED AT A RATE OF 5 lbs. PER 1000 SQ. FT. RAKE SEED INTO TOP 1/8" OF TOPSOIL, ROLL, AND WATER WITH FINE MIST. WATER SEED AS RECOMMENDED BY SEED VENDOR. UNIFORMLY SPREAD 2 INCHES OF STRAW MULCH OVER ENTIRE SEEDED AREA AT THE RATE OF 2 TONS PER ACRE (90 Ibs. / 1,000 SQ. FT.) IMMEDIATELY AFTER ROLLING AND WATERING SEEDED AREAS. THE STRAW MULCH SHALL BE ANCHORED WITH WOOD FIBER MULCH AT 750 lbs PER ACRE (17 lbs. / 1,000 SQ. FT.). THE WOOD FIBER MULCH SHALL BE APPLIED THROUGH A HYDRO-SEEDER IMMEDIATELY AFTER STRAW MULCH IS INSTALLED. REMOVE ANY WIND-SWEPT MULCH PILES AS NECESSARY TO PREVENT DAMAGE TO GRASS. HAY MULCH SHALL NOT BE
- 7. IN LANDSCAPE BEDS OR OTHER AREAS WHERE DECORATIVE STONES OR PEA GRAVEL MAY BE USED, THE CONTRACTOR SHALL INSTALL A QUALITY WOVEN LANDSCAPE FABRIC (SUCH AS FABRISCAPE 4.75 OZ. WOVEN WEED RESTRICTOR PLUS OR APPROVED EQUAL) FOR WEED CONTROL BENEATH A 2"-3" LAYER OF #2 LANDSCAPE STONE . CALL (800) 992-0550 TO ORDER AND FOR INSTALLATION INSTRUCTIONS. ALTERNATE: THE CONTRACTOR SHALL APPLY PREEN WEED CONTROL PER MANUFACTURER'S APPLICATION INSTRUCTIONS IINSTEAD OF LANDSCAPE FABRIC.
- 8. TOPSOILING AND SEEDING, HYDROSEEDING, OR SODDING SHALL TAKE PLACE WITHIN 24 HOURS OF FINAL GRADING. SEED SHALL NOT BE BROADCAST DURING CONDITIONS OF HIGH WIND OR EXCESSIVE MOISTURE.
- 9. FERTILIZERS SHALL BE APPLIED ONLY IN THE MINIMUM AMOUNTS REQUIRED. BY THE MANUFACTURER. FERTILIZERS SHALL BE COMPLETELY WORKED INTO THE SOIL IMMEDIATELY FOLLOWING APPLICATION TO LIMIT EXPOSURE TO STORMWATER RUNOFF. FERTILIZERS SHALL BE STORED IN A COVERED SHED AND PARTIALLY USED BAGS SHALL BE TRANSFERRED TO A SECURELY-SEALED BIN TO AVOID SPILLS.
- 10. MOW NEWLY SEEDED AREAS FOR THE FIRST THREE (3) TIMES. AT EACH MOWING CUT TO A HEIGHT OF 2 INCHES AFTER GROWTH HAS REACHED APPROXIMATELY 4 INCHES. APPLY WEED AND FEED AS DIRECTED ON MANUFACTURER'S APPLICATION INSTRUCTIONS AFTER THE SECOND MOWING
- 11. ALL NEW LAWN AREAS SHALL HAVE A 6 INCH MINIMUM LAYER OF TOPSOIL BEFORE SEEDING.
- 12. ALL NEW LAWN AREAS SHALL BE COMPLETE IN COVERAGE AND VIGOROUS IN GROWTH IN ORDER TO BE ACCEPTABLE. REPAIR, RE-SEED, AND WATER NEW LAWN AREAS AS NECESSARY UNTIL THEY REACH THE LEVEL OF FINAL ACCEPTANCE.
- 13. ANY PLANTING BED SOIL HAVING A pH OF 4 OR MORE ACIDIC. OR CONTAINING IRON SULFIDES, SHALL BE REPLACED WITH 12 INCH MINIMUM LAYER OF SOIL HAVING A pH OF 5 OR LESS ACIDIC, OR MIXED WITH LIME UNTIL THE pH LEVEL IS AT LEAST 5.
- RAKING, MOWING, AND LAWN ESTABLISHMENT ACTIVITIES, DISPOSE OF AT AN APPROPRIATE OFF-SITE LOCATION PER LOCAL REGULATIONS.


14. REMOVE ALL STICKS, RUBBISH, STONES, AND ANY DEBRIS COLLECTED DURING

- 15. SEEDING SHOULD BE DONE AFTER AUGUST 15 AND BEFORE MAY 15. THE DESIGN ENGINEER SHALL NOT BE RESPONSIBLE FOR SEED SURVIVAL OR GRASS ESTABLISHMENT IF SEEDING OCCURS OUTSIDE OF THIS TIME FRAME.
- 16. ANY COMPOST SHALL BE WELL DECOMPOSED, MATURED AT LEAST 3 MONTHS, WEED-FREE ORGANIC MATTER. IT SHALL BE AEROBICALLY COMPOSTED, POSSESS NO ODOR, AND CONTAIN LESS THAN 1% BY DRY WEIGHT OF MAN-MADE FOREIGN MATTER. ALL COMPOST PRODUCED IN NEW YORK STATE SHALL MEET NYSDEC 6 NYCRR PART 360 (SOLID WASTE MANAGEMENT FACILITIES) REQUIREMENTS.
- 17. ALL TOPSOIL (RE-USED ONSITE, BROUGHT IN FROM OFFSITE, OR MANUFACTURED) SHALL HAVE AT LEAST 6% BY WEIGHT OF FINE-TEXTURED STABLE ORGANIC MATERIAL, AND NO MORE THAN 20%. MUCK SOIL SHALL NOT BE CONSIDERED TOPSOIL. ALL TOPSOIL SHALL NOT HAVE LESS THAN 20% FINE-TEXTURED MATERIAL PASSING THE NUMBER 200 SIEVE, AND NOT MORE THAN 15% CLAY. TOPSOIL MANUFACTURED OR BROUGHT IN FROM OFFSITE THAT IS PRE-TREATED WITH SOIL STERILANTS OR HERBICIDES SHALL BE SO IDENTIFIED TO THE PURCHASER AND LANDSCAPE CONTRACTOR. ALL TOPSOIL SHALL BE FREE OF STONES OVER 11/2 INCHES IN DIAMETER, TRASH, NOXIOUS WEEDS, NUT SEDGE, OR QUACKGRASS, AND SHALL CONTAIN NO MORE THAN 10% GRAVEL. TOPSOIL CONTAINING SOLUBLE SALTS GREATER THAN 500 PPM (PARTS PER MILLION) SHALL NOT BE USED. MANUFACTURED TOPSOIL SHALL CONSIST OF A MIXTURE OF ORGANIC MATERIAL SUCH AS COMPOST AND MINERAL MATERIAL COMPLYING WITH THE ABOVE SPECIFICATIONS.
- 18. ALL TOPSOIL SHALL BE DISTRIBUTED TO A UNIFORM DEPTH AND NOT PLACED WHILE PARTIALLY FROZEN, MUDDY, OR ON FROZEN SLOPES OVER ICE, SNOW, AND STANDING WATER PUDDLES. TOPSOIL PLACED ON SLOPES GREATER THAN 5% (20:1) SHALL BE PROMPTLY FERTILIZED, SEEDED, MULCHED, AND STABILIZED BY TRACKING WITH SUITABLE EQUIPMENT PER THE SPECIFICATIONS ABOVE.
- 19. ALL CONTRACTORS AND SUBCONTRACTORS SHALL BE INSURED AND LICENSED IN THE STATE OF NEW YORK, THE COUNTY OF ERIE, AND THE TOWN OF CLARENCE.





WITHIN 30 DAYS AFTER COMPLETION OF ALL LANDSACPE INSTALLATION AUTHORIZED UNDER THE TOWN LANDSCAPE PERMIT, THE CONTRACTOR SHALL NOTIFY THE TOWN, WHO SHALL ISSUE A WRITTEN CERTIFICATION OF LANDSCAPE INSTALLATION COMPLETION.




EXISTING PLANT MATERIAL NEW PLANT MATERIAL EXISTING UTILITY POLE EXISTING EDGE OF PAVEMENT

NEW CONCRETE AREAS

LANDSCAPE	REQUIRED	PROVIDED
TOTAL PARCEL	25%	79%

KEY	NO.	BOTANICAL NAME	COMMON NAME	SIZE	CONDIT.	REMARKS
TREES				<b>.</b>		
GT	6	GLEDITSIA TRIACANTHOS V. INERMIS	THORNLESS HONEYLOCUST	2½" TO 3' CAL. MIN.	" B.B./WB	SPECIMEN SPECIES.
PA	21	PICEA ABIES	NORWAY SPRUCE	2½" TO 3'	B.B./WB	SPECIMEN SPECIES.



THE CONTRACTOR SHALL CONTACT THE DESIGN ENGINEER BEFORE EXCAVATION & CONSTRUCTION

DOCUMENTS AS ISSUED FOR CONSTRUCTION. THIS PLAN IS CURRENT AS OF THE DATE IT WAS ISSUE SUBSEQUENT UPDATES OF THIS PLAN BY THE DESIGN ENGINEER DOES NOT AFFORD ANY

TRANSFEREES THE RIGHT TO RECEIVE SAID UPDATES, BUT PLACES THE RESPONSIBILITY TO THE TRANSFEREE TO OBTAIN UPDATED PLANS WHICH ARE ISSUED FOR CONSTRUCTION AS THESE MAY DIFFER FROM PREVIOUS PLANS ISSUED FOR PERMIT OR BID.

SITE LANDSCAPE


REV. PER LSCP. COMMITTEE 11/19/25

MINOR SITE PLAN MOD.



studio T3 2495 Main Street, Suite 301 Buffalo, New York 14214 Phone: (716) 803-6400 Fax: (716) 810-9504

SHEET DRAWN BY: OST CHECKED BY: AVT JOB # 20-367



### **EROSION CONTROL NOTES:**

- AS REQUIRED UNDER SPDES PERMIT GP-0-20-001, THE SWPPP SHALL BE AVAILABLE TO THE PUBLIC OR ANY INSPECTOR WHILE THE SITE IS UNDER CONSTRUCTION FROM THE TIME OF THE FIRST EXCAVATION UNTIL THE TERMINATION OF COVERAGE UNDER THE GENERAL PERMIT IS GIVEN AFTER SUBMITTAL OF THE NOTICE OF TERMINATION (N.O.T.). THE SWPPP SHALL BE LOCATED AT AN ACCESSIBLE AND KNOWN LOCATION IN THE ON-SITE OFFICE.
- COMPLETED INSPECTION RECORDS MUST BE SIGNED AND DATED AFTER EACH INSPECTION, AND SHALL BE KEPT WITH THE SWPPP AND MUST BE MADE AVAILABLE AT ALL TIMES. THE NYSDEC RETAINS THE RIGHT TO SEND OUT AN INDEPENDENT INSPECTOR AT ANYTIME, INCLUDING UNANNOUNCED VISITS, TO INSPECT THE SITE, THE SWPPP, AND ALL RECORDS.
- THE OWNER'S DESIGNATED ON-SITE EROSION CONTROL INSPECTOR SHALL VERIFY THAT ALL SOIL-DISTURBING ACTIVITIES ARE COMPLETED AND THAT A UNIFORM VEGETATIVE COVER HAS BEEN ESTABLISHED PRIOR TO SUBMITTING THE NOTICE OF TERMINATION (N.O.T.) OF PERMIT COVERAGE. ONLY AFTER STABILIZATION SHALL TEMPORARY EROSION CONTROL DEVICES BE REMOVED.
- GRADING, TOPSOILING, AND STABILIZING SECTIONS SHALL BE COMPLETED BEFORE EXCAVATION STARTS ON OTHER SECTIONS, IN ORDER NOT TO LEAVE ANY AREAS EXPOSED TO WIND AND RAIN EROSION FOR LONGER DURATION THAN NECESSARY.
- ALL WASTE MATERIALS SHALL BE COLLECTED AND STORED IN A SECURELY LIDDED METAL DUMPSTER. ALL TRASH AND CONSTRUCTION DEBRIS FROM THE SITE SHALL BE DEPOSITED IN THE DUMPSTER ON A DAILY BASIS. ABSOLUTELY NO CONSTRUCTION MATERIALS SHALL BE BURIED ON SITE.
- ALL VEHICLES ON SITE SHALL BE MONITORED FOR LEAKS AND RECEIVE REGULAR PREVENTIVE MAINTENANCE TO REDUCE THE CHANCE OF LEAKAGE FOR THE ENTIRE DURATION OF CONSTRUCTION. ANY PETROLEUM PRODUCTS USED SHALL BE STORED IN TIGHTLY SEALED CONTAINERS WHICH ARE CLEARLY LABELED. SPILL KITS SHALL BE INCLUDED WITH ANY FUELING SOURCES AND MAINTENANCE ACTIVITIES AS NECESSARY.
- WHEN ACTIVITIES TEMPORARILY CEASE DURING CONSTRUCTION, SOIL STOCKPILES AND ANY EXPOSED SOILS SHALL BE STABILIZED BY MULCH OR COVERED WITH TARPS NO MORE THAN 14 DAYS AFTER CONSTRUCTION ACTIVITY HAS CEASED.
- INSPECTION OF ALL EROSION CONTROL DEVICES SHOWN ON THIS PLAN (TEMPORARY AND PERMANENT) SHALL BE PERFORMED BY THE OWNER'S DESIGNATED ON-SITE EROSION CONTROL INSPECTOR EVERY 7 CALENDAR DAYS. THE OWNER'S DESIGNATED ON-SITE EROSION CONTROL INSPECTOR SHALL BE A LICENSED CERTIFIED PROFESSIONAL ENGINEER, SOIL BIOLOGIST, OR CERTIFIED PROFESSIONAL IN EROSION AND SEDIMENT CONTROL (C.P.E.S.C.) INDEPENDENT FROM THE OWNER OR CONTRACTOR.
- FOR CONSTRUCTION SITES WHERE SOIL DISTURBANCE ACTIVITIES HAVE BEEN TEMPORARILY SUSPENDED (I.E. WINTER SHUTDOWN) AND TEMPORARY STABILIZATION MEASURES HAVE BEEN APPLIED TO ALL DISTURBED AREAS, PROVIDE SITE INSPECTIONS ONCE EVERY THIRTY (30) CALENDAR DAYS AND NOTIFY THE REGIONAL OFFICE OF THE NYSDEC IN WRITING PRIOR TO REDUCING FREQUENCY OF INSPECTIONS.
- 1. THE CONTRACTOR SHALL INSPECT ALL EROSION CONTROL DEVICES SHOWN ON THIS PLAN ON A DAILY BASIS AND AFTER RAIN STORMS. ANY NEEDED REPAIRS (C-5.1) SHALL BE MADE IMMEDIATELY TO MAINTAIN ALL EROSION CONTROL DEVICES AS SPECIFIED IN THIS PLAN AND ON THE EROSION CONTROL DETAILS.
- TOPSOIL STOCKPILES SHALL NOT BLOCK DRAINAGE FLOWS DURING CONSTRUCTION. STOCKPILES SHALL NOT BE LOCATED NEAR SLOPES, ROADWAYS, SWALES, DRAINAGE INLETS, OR BODIES OF WATER. THE BASE OF ALL STOCKPILES SHALL BE PROTECTED WITH SILT FENCING, OR ELSE THE ENTIRE STOCKPILE SHALL BE COVERED WITH TARPS AND SANDBAGS.
- 2. THE CONTRACTOR SHALL PREVENT TRACKING OR FLOWING OF MUD INTO STREETS OR AREAS OUTSIDE OF CONSTRUCTION LOCATION.
- . ALL CHLORINATED WATER USED FOR FLUSHING WATERLINES SHALL BE DISCHARGED TO THE SANITARY SEWER AND NEVER TO ANY STORM SEWER. CATCH BASIN, SWALE, OR POND.
- . ALL PORTABLE TOILETS SHALL BE LOCATED AWAY FROM GUTTERS, CATCH BASINS, STORM SEWERS, AND WATERWAYS. PORTABLE TOILETS SHALL BE PLACED ON A FLAT, STABLE GROUND SURFACE NOT PRONE TO FLOODING. ALL PORTABLE TOILETS SHALL BE ANCHORED TO PREVENT BLOWING OVER DURING WINDSTORMS.
- ANY DETERGENTS OR ACID CLEANERS WASHES USED TO CLEAN OR RINSE CONCRETE, STUCCO, MASONRY, ETC. SHALL NEVER BE DISCHARGED TO ANY STORM SEWER, CATCH BASIN, SWALE, OR POND.
- 5. AVOID ON—SITE STORAGE OF PESTICIDES, FERTILIZERS, AND HERBICIDES. IF UNAVOIDABLE, ALL CHEMICALS SHALL BE STORED IN ORIGINAL PACKAGES IN A SEPARATELY DESIGNATED COVERED CONTAINMENT AREA.
- . USE CLEAN OR RECYCLED WATER WHEN SPRINKLING SOIL FOR DUST CONTROL.
- B. AT LEAST ONE PERSON FROM THE CONTRACTOR'S STAFF SHALL BE A DESIGNATED "TRAINED CONTRACTOR" HAVING RECEIVED AT LEAST 4 HOURS IN NYSDEC-APPROVED CONTRACTOR TRAINING. THE TRAINED CONTRACTOR SHALL BE ON SITE ON A DAILY BASIS WHEN SOIL DISTURBANCE ACTIVITIES ARE OCCURRING. THE TRAINED CONTRACTOR SHALL INSPECT THE SEDIMENT AND EROSION CONTROL PRACTICES AND STORMWATER FACILITIES DAILY TO ENSURE THAT THEY ARE BEING MAINTAINED AT ALL TIMES PER EACH FACILITIE'S/DEVICE'S MAINTENANCE INSTRUCTIONS. IF DEFICIENCIES ARE IDENTIFIED THE CONTRACTOR SHALL IMPLEMENT CORRECTIVE ACTIONS WITHIN ONE (1) BUSINESS DAY.
- UNDER NO CIRCUMSTANCES SHALL CONCRETE TRUCK WASH WATER BE ALLOWED TO BE DISCHARGED OR DUMPED ANYWHERE ON THE CONSTRUCTION SITE. ALL EXCESS CONCRETE OR WASH WATER SHALL BE DISPOSED AT AN APPROPRIATE OFFSITE LOCATION (SUCH AS A DESIGNATED LANDFILL) AS DIRECTED BY LOCAL AUTHORITIES.
- ). ANY DISTURBED AREAS THAT WILL BE LEFT EXPOSED FOR MORE THAN THIRTY (30) DAYS, AND NOT SUBJECT TO CONSTRUCTION TRAFFIC WILL IMMEDIATELY RECEIVE TEMPORARY SEEDING WITH ANNUAL OR PERENNIAL RYE GRASS AT 30 Ibs. PER ACRE, FOLLOWED BY MULCHING WITH STRAW AT A RATE OF 2 TO 21/5 TONS PER ACRE.
- . ANY TEMPORARY STAGING OR STOCKPILE LOCATIONS SHALL BE WITHIN THE LIMIT OF WORK / RE-GRADING DISTURBANCE BOUNDARIES SHOWN ON THIS
- 2. ANY FERTILIZER SPILLED ONTO IMPERVIOUS SURFACES SUCH AS PARKING LOTS, ROADWAYS, AND SIDEWALKS SHALL BE IMMEDIATELY CONTAINED AND REMOVED, ELSE LEGALLY RE-APPLIED PER THE NOTES IN THE SITE LANDSCAPE PLAN.
- 3. NONE OF THE FOLLOWING SHALL BE EITHER RELEASED ON SITE, SPILLED, OR DISCHARGED TO GROUNDWATER, STREAMS, OR STORM SEWER SYSTEMS ON SITE: WASTEWATER WASHOUT FROM CONCRETE: WASTEWATER WASHOUT FROM CLEANOUT OF STUCCO, PAINT, FORM RELEASE OILS, CURING COMPOUNDS, AND OTHER CONSTRUCTION MATERIALS/FLUIDS; FUELS, OILS, AND OTHER VEHICLE FLUIDS; SOAPS, SOLVENTS, DETERGENTS, OR WASHWATER FROM CONSTRUCTION EQUIPMENT OR EXTERNAL BUILDINGS; TOXIC OR HAZARDOUS SUBSTANCE; SANITARY SEWAGE WASTEWATER.
- 4. ALL CONTRACTORS AND SUBCONTRACTORS SHALL BE INSURED AND LICENSED IN THE STATE OF NEW YORK, THE COUNTY OF ERIE, AND THE TOWN OF CLARENCE.

## EROSION CONTROL SEQUENCE


- \*\*\* THE SEQUENCE BELOW IS INTENDED TO BE A GENERAL GUIDELINE FOR IMPLEMENTATION OF EROSION AND SEDIMENTATION PREVENTION DEVICES ONLY. SPECIFIC CONSTRUCTION TECHNIQUES, MEANS, METHODS, AND SCHEDULING ARE THE SOLE RESPONSIBILITY OF THE CONTRACTOR AND OWNER.
- (1) OBTAIN ALL BUILDING PERMITS, INCLUDING CLEARING, STRIPPING, AND GRUBBING PERMITS.
- (2) OBTAIN A DUMPSTER AND A DEBRIS DISPOSAL PERMIT AS NECESSARY.
- (3) HOLD PRE-CONSTRUCTION MEETING WITH OWNER'S SITE EROSION CONTROL INSPECTOR.
- (4) FLAG CLEARING LIMITS AS SHOWN ON THE SITE DEMOLITION PLAN.
- INSTALL THE TEMPORARY SILT FENCING AT THE BOTTOM OF FUTURE FILL SLOPES WHERE SHOWN ON THE EROSION CONTROL PLAN AS PER THE INSTALLATION INSTRUCTIONS ON THE EROSION CONTROL DETAILS. CLEAR ONLY ENOUGH AREA REQUIRED TO INSTALL THE SILT FENCING PROPERLY.
- CLEAR, GRUB, AND STRIP THE SITE AS SHOWN ON THE SITE DEMOLITION PLAN. STOCKPILE ALL TOPSOIL AS DIRECTED ON THE EROSION CONTROL PLAN.
- (7) ROUGH GRADE THE ENTIRE SITE. STABILIZE ALL DISTURBED AREAS AND STOCKPILES WITHIN 14 DAYS OF THE LAST DISTURBANCE ACTIVITY IN EACH AREA.
- INSTALL TEMPORARY CONSTRUCTION LAY-DOWN AREA WHERE DIRECTED BY GENERAL CONTRACTOR. ADD COMPACTED PAVEMENT SUBBASE AND SURROUND BY TEMPORARY SILT FENCING DURING CONSTRUCTION OF BUILDING.
- TEMPORARY TRENCH BACKFILL STOCKPILES SHALL BE PROTECTED FROM EROSION AND SEDIMENTATION USING TARPS, IF LEFT FOR LONG PERIODS OF TIME OR DURING RAIN STORMS. MINIMAL DISTURBANCE AROUND TRENCH AREAS SHALL BE MADE TO REMOVE AS LITTLE VEGETATION AS POSSIBLE FROM THE VICINITY OF THE TRENCH.
- INSTALL STONE SUBBASE TO ALL PROPOSED PAVED AREAS AND COMPACT AS SHOWN IN SPECIFICATIONS ON RESPECTIVE DETAILS AS SOON AS POSSIBLE FOLLOWING ROUGH GRADING AND COMPACTION OF SUBGRADE. IMPLEMENT DUST CONTROL MEASURES AS DIRECTED ON THE EROSION CONTROL PLAN


DE-WATER TEMPORARY SEDIMENT BASIN THROUGH FILTRATION DEVICE AS SHOWN IN EROSION CONTROL DETAILS. CLEAR AND DISPOSE OF ANY DEBRIS FROM SEDIMENTATION BASIN AT AN APPROPRIATE OFFSITE LOCATION BEFORE FINAL GRADING AND TOPSOILING OF DETENTION BASIN SIDE SLOPES.

COMPLETE FINAL GRADING AND TOPSOILING OF ENTIRE SITE. SEED OR HYDRO-SEED WITHIN 24 HOURS AFTER FINAL GRADING AND TOPSOILING. HYDRO-MULCH IMMEDIATELY FOLLOWING SEEDING OR HYDRO-SEEDING.

- REMOVE TEMPORARY SILT FENCE AFTER HYDRO-MULCHING IS COMPLETED.
- INSTALL ALL ASPHALT AND CONCRETE PAVEMENT WHERE SHOWN ON THE SITE LAYOUT AND DIMENSIONAL SITE PLAN AS PER THE SITE DETAILS.
- (15) INSTALL REMAINING LANDSCAPING (SHRUBS, TREES, AND MULCH) WHERE SHOWN ON THE SITE LANDSCAPE PLAN AS PER THE LANDSCAPE DETAILS
- WHEN ALL CONSTRUCTION ACTIVITY IS COMPLETED AND SITE VEGETATION IS IN PLACE AND STABILIZED AS CONFIRMED BY THE DESIGNATED EROSION CONTROL INSPECTOR, REMOVE AND DISPOSE OF ANY REMAINING TEMPORARY EROSION CONTROL DEVICES AS DIRECTED IN THE MAINTENANCE INSTRUCTIONS ON EACH DEVICE'S RESPECTIVE DETAIL SHOWN ON THE EROSION CONTROL DETAILS.

# LEGEND








# EXIST. 6" PVC LIMIT OF NEW LAWN SEEDING NEW 8" HDPE EXIST. YARD DRAIN 11' @ 0.35% RIM 614.32 NW. INV. 610.27 LAWN SEEDING INSTALLATION INSTRUCTIONS: MAINTENANCE INSTRUCTIONS: DANDY CURB INLET FILTER \*\*\*\*\* USE THIS DEVICE TO FILTER ANY GROUNDWATER OR REMOVE ALL ACCUMULATED SEDIMENT AND DEBRIS

# SCALE : 1'' = 20' - 0''40



1¼" x 1¼" WOOD POST. 10'-0" C-C

SILT FENCE WITH POSTS (SILTSAVER -

WBSF 2 STAGE OR APPROVED EQUAL).

→ SURFACE WATER FLOW

ANCHOR FILTER FABRIC AT LEAST 6"

CALL (706) 818-2439 TO ORDER

BACKFILL & TAMP IF NECESSARY

BELOW GROUND LEVEL

SECTION

MAX. SPACING

SCALE: 1/2" = 1'-0"

RAIN WATER PUMPED FROM TRENCHES OR EXCAVATIONS TO BE DE-WATERED.

- 1. PLACE EMPTY DANDY BAG OVER THE GRATE AS THE GRATE STANDS ON END.
- 2. IF USING OPTIONAL OIL ABSORBENTS, PLACE ABSORBENT PILLOW IN POUCH ON BOTTOM OF UNIT AND ATTACH PILLOW TO TETHER LOOP.
- 3. HOLDING THE LIFTING DEVICE (DO NOT RELY ON LIFTING DEVICE TO SUPPORT ENTIRE WEIGHT OF GRATE). PLACE THE GRATE INTO ITS FRAME.

- 1. THE SILT FENCE SHALL BE INSTALLED BEFORE ANY MASS CLEARING OR GRADING BEGINS ON SITE. CLEAR ONLY VEGETATION REQUIRED TO INSTALL THE SILT
- 2. DIG A TRENCH APPROXIMATELY 6 INCHES DEEP AND 4 INCHES WIDE ALONG THE CENTERLINE OF THE FENCE LOCATIONS AS INDICATED ON THE EROSION CONTROL PLAN.

INSTALLATION INSTRUCTIONS:

- 3. DRIVE POSTS SECURELY AT LEAST 16 INCHES INTO THE GROUND ON THE DOWNSLOPE SIDE OF THE TRENCH. ADJUST SPACING SO THAT POSTS ARE PLACED AT LOW POINTS ALONG THE FENCE LINE IN ORDER TO PREVENT UNDERMINING AND UPLIFT.
- 4. AT JOINTS OVERLAP BY 6 INCHES MINIMUM AND FASTEN SILT FENCING.
- 5. PLACE THE FABRIC IN THE TRENCH SO THAT THE BOTTOM FOLDS ACROSS THE BOTTOM OF THE TRENCH. PLACE BACKFILL IN THE TRENCH OVER THE FABRIC TO THE GROUND LINE AND COMPACT WITH A POWER TAMPER. EMBED FILTER FABRIC 6 INCHES MINIMUM INTO THE GROUND.

- FROM THE SURFACE AND VICINITY OF THE UNIT AFTER EACH RAINFALL EVENT.
- 2. REMOVE ACCUMULATED SEDIMENT WITHIN THE BAG AS NEEDED.
- 3. IF USING OPTIONAL OIL ABSORBENTS, REMOVE AND REPLACE ABSORBENT PILLOW WHEN NEAR

## MAINTENANCE INSTRUCTIONS:


- 1. INSPECT SEDIMENT FENCES PERIODICALLY AND AFTER EACH RAINFALL EVENT.
- CONTRACTOR AND REPAIRED OR REPLACED IF FABRIC IS TORN, FASTENERS HAVE LOOSENED, OR POSTS HAVE UN-ANCHORED FORM THE GROUND. 3. BUILT UP SEDIMENT SHALL BE REMOVED FROM SILT

2. THE SILT FENCE SHALL BE MAINTAINED BY THE

- FENCING WHEN IT HAS REACHED ONE-THIRD THE HEIGHT OF THE FENCE. AVOID UNDERMINING OR DAMAGING SILT FENCE DURING SEDIMENT REMOVAL.
- 4. REMOVE TEMPORARY SILT FENCING AFTER FINAL GRADING AND TOPSOILING OF SLOPES UPSTREAM OF SILT FENCE. HYDROSEED SLOPES UPSTREAM OF SILT

FENCE IMMEDIATELY FOLLOWING SILT FENCE REMOVAL.

- 5. RE-GRADE SILT FENCE TRENCH, TOPSOIL, AND HYDROSEED IMMEDIATELY FOLLOWING SILT FENCE REMOVAL.
- 6. DISPOSE OF USED SILT FENCING IN COMPLIANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL LAWS AND REGULATIONS.



HE CONTRACTOR SHALL CONTACT THE DESIGN

INGINEER BEFORE EXCAVATION & CONSTRUCTION

DOCUMENTS AS ISSUED FOR CONSTRUCTION, TH SUBSEQUENT UPDATES OF THIS PLAN BY THE DESIGN ENGINEER DOES NOT AFFORD ANY

IRANSFEREES THE RIGHT TO RECEIVE SAID UPDATES, BUT PLACES THE RESPONSIBILITY TO THE TRANSFEREE TO OBTAIN UPDATED PLANS WHICH ARE ISSUED FOR CONSTRUCTION AS THESE MAY DIFFER FROM PREVIOUS PLANS ISSUED FOR PERMIT OR BID.

RANSFEREES THE RIGHT TO RECEIVE SAID

REV. PER LSCP. COMMITTEE 11/19/25 MINOR SITE PLAN MOD.

**EROSION CONTROL** 



Fax: (716) 810-9504 SHEET

DRAWN BY: AVT CHECKED BY: AVT JOB # 20-367

WARNING: IT IS A VIOLATION OF SECTION 7209, SUBDIVISION 2, OF THE NEW YORK STATE EDUCATION LAW FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED ARCHITECT OR PROFESSIONAL ENGINEER HAS BEEN APPLIED.

